AT 16 44 A

Mana tribules of Being

ALLEN TO BORTH HER

The MATURAL HISTOR T of those Inless

With the entions Marticos of cultivating them, both Ancres was and Manuale, and the improved Paravalent of them.

The Natural History of Walps and Hornets, and the Means of destroying them.

Illuffrated with COPPER-PLATES.


By THOMAS WILDMAN.

THE TRIED EDITION.

LONDON.

Printed for W. STRAHAN; and T. CADELL, opposite

M D CC LXXVIII.



OTTASISE

QUEEN's

MOST EXCELLENT MAJESTY.

A Managari Shirt neves use to

MADAM,

of Bees, are inscribed to your Majesty with the greatest humility. They contain the internal constitution of nations infinite in their numbers, where nature has settled the wifest regulations of policy and subordination, whose supreme magistrate is a Queen, who is in every respect the mother of her people, and whose gratitude, homage and affection to her is equally sincere and lasting.

They cannot therefore be more properly placed than under the protection of your Majesty, whose amiable character and great virtues shed a happy influ-

ence

DEDICATION.

nce over all the fubjects of these kingdoms.

If the author pretends to any merit that might intitle him to so great an honour, it is in having discovered a method of preserving the lives of those innocent and useful insects, whose labour and industry has been hitherto the occasion of their death. And he therefore hopes he has contributed to put an end to the cruelty and ingratitude, which have attended the methods of taking their wax and honey.

I have the honour of being, with the highest sense of duty, respect and gratitude,

Your Majesty's most obliged,

most devoted,

5005

and most humble fervant,

of your Majedy, whole and his charges

THOMAS WILDMAN

and latings

PREFACE.

TO ARE BY

the law of the contract for

वह अधिक तमावी किरोग्या विवास से में TEFORE fugar became fo plentiful D as it has been fince the Europeans have got possession of the West India Islands, honey was much more valuable than it is at present, being then the chief ingredient in general use for sweetening every article of food. As the value of honey has, however, lessened, luxury has increased the price of wax, which is now become the greatest supply of light in all polite affemblies, as well as in the Romish churches, in which wax-candles are kept constantly burning. By this means, wax is become a confiderable article of commerce, and as fuch, is now become the chief inducement for the care bestowed on bees, especially in the warmer climates; for their wines fupply the place of the mead made in northern countries. But the Africans and Afiatics, being forbid the use of wine, cultivate very few vines; nor do they raise sugar-canes in great quantities; honey, there

honey, consequently, continues of great use to them; and from this cause it probably is, that Africa affords the great supply of wax to the western parts of Europe, as Asia and Greece do to the eastern.

It will appear, in the course of this work that, on account of the wax, the French have attended greatly to the culture of bees; not only in the curious accounts given of their propagation and economy by the learned, but also in regard to the most profitable method of cultivating them. As an instance of this, I shall here do justice to a gentleman whose name does not occur in the body of this work, because he has not given particular directions for the management of bees; but he has done what I wish many landed gentlemen in this country would imitate.

We are informed in the Ecole d'Agriculture, p. 35. that M. Feydan de Brou, Intendant of Rouen, by an ordonnance of the fifteenth of November 1757, has, for the relief of the poor, and to encourage them in their their labours, granted to the inhabitants of the country (by which I suppose he means the most indigent, as well as the more substantial farmers) who keep hives of bees, a diminution of the capitation tax, proportioned to the number of hives they have each year.

The same author observes, page 92, that the culture of bees is a branch of rural economy, the more valuable, as it is within the reach of the poorest cottager. It requires not plowing, manure, cattle, nor rich meadows. The whole that is wanted is an attendance which may be given by the meanest, and that but for a short time. In this respect, it is really reaping without sowing. As an article of great importante, the author recommends it as worthy the particular attention of the schools of agriculture, which he proposes should be established in different districts of France.

In the course of the following work, every thing relating to these useful insects is treated of with the utmost care, beginning in the first book with an ab-

ftract of the Natural History of Bees, written by Messrs. Meraldi and de Réaumur. and brought within as narrow a compass as the variety of curious matter discovered by these authors would admit of. It cannot be expected that a minute detail of what fills volumes, can be contained in a few sheets; yet the author hopes, that, on examination, very few effential circumftances will be found to have escaped him. The chief intention of giving this extract, is to point out to gentlemen who have leifure and genius, the objects on which their inquiries should be founded. These researches will be greatly forwarded by the eafe with which the bees may be come at. both on account of the better construction of my boxes, and of the command which experience may now give to every person over bees. This latter advantage is what strikes spectators at first fight; yet I dare promise, that on an attentive perusal of the following sheets, the judicious reader will agree with me in opinion, that the total alteration which I propose to make in the Management of a led this about that sair ni yainin Bees,

Bees, will be found to be the most essentially useful part of the work.

In the first chapter of the second book, I point out the situations most proper for bees, and also describe my hives and boxes with all possible accuracy, in order that, as they are constructed with views greatly different from those of former hives and boxes, the owner may be perfectly acquainted with these differences. And to render every part of my management of bees as clear and concise as I can, I take, in the succeeding chapters, every step as they follow in the order of the seasons, commencing with the spring, when the round of their operations may be said to begin.

As a full account of the generation of bees, which is their great object during the spring, has been given in the first book, I proceed in the second chapter to treat of their swarming, the natural confequence of the increase of their numbers. I give an account not only of what is necessary to be done when the swarms come off in the natural way, but I also a 3 instruct

instruct the owners of bees how to cause them to swarm, when, by the want of a queen, or for some other reason, they are prevented from swarming. The reader will find here some directions never hinted at, or practised by any former writer.

In the third chapter, I give a fuccinct detail of the management of bees in my hives and boxes, in which, I flatter my-felf, their superiority in several respects over those in common use, will evidently appear. Their construction and size are particularly accommodated to the purposes of frequently taking wax and honey, and yet being well assured of constantly leaving the bees such a stock of honey as shall afford them sufficient provision, in case of an unfavourable season.

Shifting the abodes of bees, treated of in the fourth chapter, is a circumstance very little attended to in this kingdom, which yet might certainly be of considerable advantage. The ancients were well acquainted with the utility of this mea-

fure, and practifed it with great success. It has been lately introduced into France; and I hope the several instances given of the good effects of this practice, will prompt our countrymen to attend to this very easy method of encouraging the industry of the bees, and which is at the same time so profitable.

But the superiority of my method of managing bees, both in my hives and boxes, will more particularly appear in the fifth chapter. There the reader will fee with what eafe the wax and honey are taken, even at pleafure, with very little annoyance to the bees. Where the old hives are still made use of, more skill is necessary in causing the bees to quit their hive; and I have there laid down the plainest directions for executing this fo feemingly arduous a task. In these directions is contained the truly useful part of my command over bees. But I find that the Public expect from me the whole of my fecret influence over them. In compliance therefore to their wishes, I add an account of all I do in that way; but I own it is with reluctance; being well a 4

well affured that many hives of bees will fall a facrifice to unskilful and unexperienced hands, in the repetition of my experiments.

The fixth chapter contains directions for separating the wax and honey.

Having thus given an account of the management of bees in the garden, or apiary, during the feason of collecting honey, I point out, in the seventh chapter, the manner of discovering bees in the woods or forests; and give ample directions for taking them out of trees or walls, with their combs; and for putting them into hives, reserving a sufficiency of honey for their winter provision.

The bees being now delivered from their annual massacre; by their most inhuman enemy, man, I proceed, in the eighth chapter, to enumerate their other enemies, particularly the moth. My method of managing bees, will be the most effectual preservative from this destroyer, who has bassled the ingenuity of ages, in their attempts to get rid of him; for

for the combs in my hives or boxes, may be changed before the moths can have made themselves a secure settlement. I here also guard against an enemy scarce mentioned by authors, viz. millepedes, or wood-lice, which I have sometimes found to commit so great havock in hives, that the bees have been forced to quit them.

Whatother inconveniencies happen to bees, is the subject of the ninth chapter. Here Madam Vicat is signalized for her very uncommon attention to bees, and for her judgment and ready invention in applying such helps as their various disorders would admit of. No person deserves greater commendation in this article than is due to her. I am very happy in having such ingenious fellow-labourers as this lady and the Count de la Bourdonnaye, in our attempts to save the lives of these industrious insects; and not a little proud of the similarity of our views, and of the means we make use of.

The feeding of bees, and the care of them during the winter, become the fubject

Last te Barta Cirade Corbino

ject of the tenth chapter; and I close this book, in the eleventh chapter, with directions for making mead. When an improved method of managing bees is become general, the quantity of honey collected will, I hope, be fuch as shall become the means of making confiderable quantities of this excellent wholefome liquor. It will ftill better deserve these epithets, when a more established practice has taught us the best manner, and the proper degree of fermentation; and a due age is added. But fermentation not being the proper fubject of thiswork, a detail of every flep necessary in the making of mead, would run into too great a length. The composition and strength of it may indeed be varied according to the fancy of each person who makes it; and for this reason, an outline only is given.

In the third book, the Natural History of Wasps and Hornets is extracted from the same Memoirs from whence that of the Bees was taken, and directions are given for destroying them. The means of accomplishing this end are very sim-

ple, and arise from the account given of these insects. Their enmity to bees, as well as the hurt done by them to men, and to all domestick animals, point out the destroying them as an object worthy of our attention.

In order to explain some parts of the Natural History of Bees and Wasps, plates are given representing the Bees, and the combs of both Bees and Wasps; and a third plate, giving views of my boxes and hives, and also of an instrument very useful for feeding bees.

It is just that I should here acknowledge my obligations to John Mills, Esq; F.R.S. for his ready permission of making use of his accurate and judicious collection of what has been written on this subject in foreign languages.

Compared to the action of the first than the

N. B. I forgot, when treating of bees in the winter, to mention, that in the month of October, the panes of glass should be all taken out of my boxes, and pieces of foft blotting paper, or fine flannel, be exactly fitted to the doors, and placed in the boxes, in lieu of the panes of glass: for glass is so cold in the winter, that it would chill every bee that happens to touch it; and is besides apt to collect water on the changes of weather. The paper, or flannel, should remain in the boxes till May, or till the fear of cold is past; and then be taken out, and the panes of glass be returned to their places.

When the state of the hives is enquired into in the spring, any hive which may have been reduced to a small number of bees, by any mischance, may be then strengthened by taking a sufficient number of bees from a strong hive, in the manner that has been directed for causing them to swarm. By means of this recruit, the weak hive will soon thrive equal to any other hive. The number of bees added, should be proportioned to their

their wants. It may be also observed, that, in purchasing bees, those that swarm early should be preferred; for they will continue to be forward.

[Mr. WILDMAN will shew the practical part to any number of subscribers, that may not be fully fatisfied, not less than twenty, in any place they shall please to appoint, not exceeding three miles from London; or to any subscribers at a greater distance, they paying his charges to and from London. And if any of the subscribers do not chuse to manage their bees themselves, he will undertake it for the yearly sum of Three Guineas.]

est Cong of the haplings of a working thee,

t. A coulty of willes the working best are

Two of them have the young bees included.

ing larger than, the formers the roung strongs being mality of in levelal of thems with two rows, cells, judgended on the

The cells are the final of any.

A rejud tell is follessed en one fide.

wall drive in band though

EXPLANATION

TO AT I A C. E.

LAW TO THE UNITED SET OF THE UNITED STATES

PLATES.

striked at according

MONEY THE PROPERTY OF

A GETTE

PLATE I.

- Fig. 1, Is the queen bee.
 - 2. Is the drone.
 - 3. Is the working bee.
 - 4. Represents the bees hanging to each other by their feet, which is their method of taking their repose.
 - 5. The proboscis or trunk, which is one of the principal organs of the bees, wherewith they gather the honey and take their nourishment.
 - 6. One of the hind-legs of a working bee, loaded with wax.
 - 7. A comb, in which the working bees are bred.

The cells are the smallest of any.

Two of them have the young bees inclosed. A royal cell is suspended on one side.

8. A comb in which the drones are bred, being larger than the former; the young drones being included in several of them; with two royal cells, suspended on the side.

EXPLANATION OF THE PLATES.

Fig. 9. A fimilar comb, in which the royal cell is fixed in the middle of the comb; and feveral common cells are facrificed to ferve as a basis and support to it. In general, the royal cells are suspended on the side of a comb, as in Fig. 7, 8. To the side of Fig. 9, two royal cells are begun, when they resemble pretty much the cup in which an acorn lies. The other cells have the young queens included in them.

The Figures in Plate II. are particularly described in Chap. 1. Book II.

PLATE III.

- Fig. 1. Shews the internal structure of a waspis
- 2. Shews a wasp's nest from Canada, in figure nearly resembling a cone, suspended on a branch of a tree.
 - g. Shews a wasp's nest, whose covering refembles a rose not yet blown.

CHAIR WALL OF INTERVENIES BICKS - 1 229

GROP, M. Carlod Marries of freeze 224

CHAR Z. Co. feeding Lace and of the

of Wallis and Hornets, and of the Manag

of design and menu.

CONTENTS.

denoted the state of the second at the secon

AN Account of Bees, extracted from the Memoirs of the Royal Academy of Sciences. - - Page 1

BOOK II.

CHAP. I. Of the Apiary and Hives. 77
Sect. I. Of the fituation of the Apiary. 78
Sect. II. Of Hives 98
Sect. III. Of Boxes 106
CHAP. II. Of Swarming 121
CHAP. III. Of the Management of Bees
in Hives and Boxes 148
CHAP. IV. Of shifting the Abodes of
Bees 163
CHAP. V. Of the Methods practifed for
taking the Wax and Honey, without
destroying the Bees 174
CHAP. VI. Of separating the Honey and
Wax 208
CHAP. VII. Of discovering Bees in Woods
or Buildings, and putting them into
Hives 213
CHAP. VIII. Of Enemies to Bees 219
CHAP. IX. Of the Diseases of Bees. 231
CHAP. X. Of feeding Bees, and of the
Care of them during the Winter. 253
CHAP. XI. Directions for making Mead.
263

BOOK III.

Of Wasps and Hornets, and of the Means of destroying them. - - 266

Amongst the ancients, Elistomachus conjemplated thousand the include the frace of they-

eache years: Andrewstimm Solenian, lays I T M U "O'ni D' D' D' A Con Phintees refuged into woods that he

exhibits on a e Too venient opportunit

B E S

DIU VIOL DETRACTED FROM

The Memoirs of the Royal Academy of Sciences at Paris

Fall the infects known by naturalists, the bees are certainly the most admirable. The instinct they have for feeding themselves on slowers, and for gathering from thence the honey and wax; the regularity that reigns in their different functions, their government, their industry, the wonderful artistice of their works; in a word, all the properties that are observed in these animals, have drawn the attention of philosophers, both ancient and modern.

B

to

Amongst

Amongst the ancients, Aristomachus contemplated them for the space of fifty-eight years; Aristomachum Solensem, says Pliny, duodesexaginta annis nibil aliud egisse; and Philiscus retired into woods, that he might have more convenient opportunities of observing them: Philiscum vero Thasium in desertis apes colentem Agrium cognominatum: Qui ambo scripsere de bis.

We owe to Aristotle some very useful observations on this insect, which have been embellished with all the charms of poetry by Virgil. Afterwards these observations were confirmed and enlarged by Pliny, and several other philosophers of antiquity.

Amongst the moderns, Prince Frederic Cess, institutor and president of the Roman academy of sciences, towards the beginning of the last century, had wrote, according to the relation of Fabius Columna, a treatise upon bees, which he presented to the pope, Urban VIII. and gave expectance of to the public, together with the description of the parts of this animal, drawn with the assistance

of the microscope by Stelluti of the same academy: But it is not known what is become of that work, nor of that which Swammerdam promised several years ago, on the anatomy of this animal.

Swammerdam's History of Bees was written in Dutch; he left it, together with his other manuscripts, in legacy, to his friend Mr. Thavenot. Mr. Thavenot died before he could perform the duty be owed to the memory of his friend in publishing his manuscripts. Mr. du Verney was so fortunate as to purchase those manuscripts, and by that means instrumental probably in preserving them; but being too much occupied in making new discoveries even to publish his own, it is no wonder that he should not perform his promise of publishing those of another. At last the illustrious Boerhaave, from his zeal for natural biflory, purchased them of Mr. du Verney, and engaged the learned Gaubius to translate them into Latin, and to get them printed in Dutch and Latini which he bath executed. They make two volumes in folio, the last of which was publifted in the year 1738. The history of bees. which is contained in this work, answers the idea that Boerboave had raised of its [Vid. Reau-B 2

Reaumur's Histoire des Infects, nom. v.

become of mat work, not or that which Notwithstanding the observations of so great a number of learned persons, we have not forbore to examine this part of physics, wherein we have been infenfibly engaged, both by the pleasure we took in fo curious an enquiry, and by the conveniency we had of a great number of glass hives in the garden of Mr. Caffini, adjoining to the observatory. As feveral moderns, as well as the ancients, have treated of the manner of governing these animals with regard to the utility which is to be derived from them. we shall not speak on that subject at prefent: but content ourselves with laying open the treasures of curiosity that we have discovered.

You will here see the origin of bees, the different species that are found in one swarm, the small number of those that are only for propagation, and the great number of the others that are occupied in labour. We shall explain how these gather on slowers the honey and

tell and the land of the land

and wax, and how being employed in different functions they mutually affift each other in their labours. We shall give the description of the principal organs of bees, together with an explication of the construction of the cells and combs; a work of ingenious and learned architecture! I was a sile of the sound

el bere this menes compeles thoughthe

The greatest part of these observations have been fifted and examined feveral times, fo that they carry with them an intire evidence. With regard to the others, that it will be easy to distinguish by the manner in which they are related, we were obliged to be content with conjectures, as they could not be known perfectly on account of the difficulties that attend fuch enquiries. For bere nature is not only furrounded with obscurities, as on all other subjects, but fhe is moreover armed against those that approach her nearly, and would closely engage with her.

Of the different species of Bees.

The number of bees in one hive is very different according to the different B 3 fize fize of the hives. In the little hives we have counted eight or ten thousand bees, and have found even eighteen thousand in the larger.

In each hive, whether little or great, we have remarked three different forts of flies. The first is what is properly called bees; this species composes almost the whole swarm. These are the bees that go and collect wax on the flowers, that knead it, and form from it the combs and cells; these likewise gather the honey, and fill with it the combs in summer,

Stipant, et liquido distendunt nectare cellas. VIRQ

There fill the hollows of the combs, and swell With liquid nectar ev'ry waxen cell,

that it may ferve them for nourishment in the winter; these take care to supply their young with food adapted to their age, and to excite a proper heat to bring them to maturity,

Educunt fætus.

These educate the young, or hatch the seed With vital warmth, and future nations breed.

Lastly,

Lattly, These have the charge of keeping the hive clean, and of removing every thing that may be naxious. All these bees have a sting, and there are some amongst this species that are somewhat larger than others.

The second fort is what are called drones. They are easily distinguished from the rest by their colour, which is a little darker, and by their size; the drones being one third part longer and somewhat bigger than the bees. There are hives where one finds but a small number of drones, there are others where you will find a much greater quantity; and there are seasons of the year when we could find hone,

Ignavum fucos pecus à prasepibus arcent,

All, with united force, combine to drive

The lazy drones from the industrious hive.

We have likewife fometimes found drones that were not bigger than the common bees. All the drones are deftitute of a sting.

Laftly, We have remarked a third fort of bees in the same hive, which are B4 longer longer still than the drones, but less big in proportion to their length, and of a more lively, reddish colour,

Alter erit maculis auro squalentibus ardens,
insignis et ore;
Et rutilis clarus squamis.

With ease diffinguished is the regal race;
The monarch bears an honest open face;
Of longer fize, and godlike to behold,
His royal body shines with specks of gold,
And glitt'ring scales

We have never found more than three of these bees in a hive, and oftentimes we have found but one. This third fort hath a grave and sedate walk; is armed with a sting, and is the mother of all the others. Perhaps it is this fort that hath been called the king.

I must observe that Aristotle had made the same distinctions, and hath given pretty much the same descriptions; although Mr. Moraldi hath not taken the least notice of it.

Κέντρου δε αὶ μὲν μέλιτται ἔχουσιν, οἱ δὲ κηΦῆνες ρῶκ ἔχουσιν. Οἱ δε βασιλεῖς ἔχουσι μὲν, αλλ' οἰν τόπτουσι. ΚΑΛΟΥ ΝΤΑΙ 'ΥΠΟ' ΤΙΝΩ'Ν ΜΗΤΕ'-

MHTEPEE, OF FENNONTEE, OF & Darw byeverdas, is sivas appevas μέν τους κηθηνας. Onderag de rag medirrag. - ARISTOT. Hift. Animal, lib. v. cap. 21.

As Virgil took his account of bees from Aristate, it is a little furprising that be should not have preferred that opinion I bave cited from thence. That what is commonly called the king, is really a female, and the mother of all the bees. This notion is, in effect, more prolific of the marvellous, which is the life and foul of poetry; and that I do not offer a vague conjecture in thinking it more marvellous, I beg leave to refer the reader to Mr. de Fontenelle's Plurality of Worlds, towards the end of the third dialogue, where he will find the marvellous on this bead; drawn out under a strict observance of truth, to a perfeet aftonishment, But besides this reason, we know that the very name of king was odious to the Roman people, and therefore one would think, the poet Should have studiously avoided it, where his design was to celebrate the government of bees.

⁻ Admiranda tibi levium spe Bacula rerum? Magnanimofque duces, TOTIUSQUE ORDINE GENTIS MORES; et fludia, et populos, et prelia dicam.

Of little creatures wond'rous acts I treat, The ranks, and mighty leaders of their state, Their people, government, and wars relate,

We have now enumerated the different forts of bees, and shall proceed to the description of the beet this and it is the

Description of the Bee.

One may distinguish three principal parts in the body of the bee, the head, which is attached by a kind of neck to the rest of the body; the middle, or breast; and the belly, which is distinguished from the other by a cutting off in the middle.

In the head we shall content ourselves with observing two kind of talons or jaws, that are in the inferior part, and that open and shut from right to left. This organ serves the bees as hands for taking hold of the wax, for kneading it, for building cells with it, and for polithing them. They make use of these talons likewise for conveying into and out of the hive every thing that is necessary to them.

hees have a probofcis or trunk, the origin of which is near the neck. It goes tapering from its root, where it is bigger, quite to its extremity, where it terminates in a point, all bados as a doing

This trunk is composed of five branches, two of which are detached from the others quite from their root, the one to the right, the other to the left; the three others do not separate from each other till about the middle of the trunk. The middle branch is cylindrical, of the bigness of a hair on a man's head, and when feen with a microscope, it appears through its whole length distinguished into feveral rings. each of which is furnished with a great quantity of little hairs, that are longer towards the extremity of the trunk than towards its root. This part, which we call more properly the trunk, is one of the principal organs of bees, with which they gather the honey on flowers, as we thall mention afterwards, and with which they take their nourishment.

The other four branches are larger towards their origin, and go tapering

on to the very point. They are made in the manner of a gutter, being concave of that fide which is towards the trunk. and convex of the other; they have the confifence of horn; the two branches which are detached the nearest from the root are the largest, and inclose the two others. They unite fo well together, that they feem to make but one fingle the one to the right; the other roofit

Towards the middle of the length of each of these four branches there is a fort of articulation, by means of which they extend themselves, or bend all at once at the place of articulation. The half of the trunk that is at the extremity bends itself inwards, and lays itself along the other half which is towards the origin; these four branches, by bending themselves, carry with them the probofcis or middle trunk, which hath no articulation. When these branches are bent inwards (which is their most common lituation), they are contained between the neck and the talons, that were mentioned before; but when they are lengthened out (which happens as often as the bee would feed itself or gather LIG honey)

honey) the other half advances forth from the head, and besides that, the middle branch of the five can lengthen itself a little beyond the others, and move itself in all directions in order to such with its extremity the honey from the cups of flowers.

We have been affured by several observations, that the bees gather honey by the proboscis alone, and it hath appeared to us that this trunk is a pipe through which the honey can pass. We have even seen the trunk grow bigger and less by turns; we have seen it swell the very instant that the bee sucked honey, and this enlarging and lessening was propagated successively from its extremity quite to its root, which made us judge that it was the juice that caused the swelling, as it passed through the capacity of the pipe.

It may be supposed, that the proboscis or middle trunk is in the nature of a tongue*, and that the branches perform the

[•] Mr. de Reaumur conjectures, that the tip of the proboscis rather performs the office of a tongue in lapping:

the office of a bill; the tongue, after having fipped the honey from a flower, conveys it by means of the branches; quite to their roots, where it is received into the body of the bee in a kind of refervoir. These are the principal parts of the head and their uses, as far as their smallness will permit us to know them.

The middle or breaft of the bee is of a figure approaching to an oblong fpheroid, to which are fastened two wings, one to the right, the other to the left. Each of these wings is accompanied by another, which is, as it were, adherent to it, but fmaller than the other that is nearest to the head; it is with these four wings that they make founds or hummings, in order to give notice one to another.

Fit sonitus, mussantque oras et limina circum.

Around the entrance make a drowfy hum.

and that the liquor is conveyed along the pipe, by the afternate dilatation and contraction of mufcles; if, fo, what a delicate apparatus must there be of invisible muscles!

It is likewife in this part of the body, towards the under fide, that are fituated fix legs, three on the right, and three on the left. Two of these legs are on the fore part, and very near the head; they are the least of the fix; the four others are attached on the back-part towards the belly, very near the one to the other: the two middlemost are a little longer than the first, and shorter than the hindmost. All these legs are distinguished by feveral joints, of which there are three greater than the rest; besides those three joints that are towards the middle of the leg, there are likewife others towards the root and towards the extremity of each leg. The middlemost joint of the two hinder legs is much larger than the others, and there is on the external fide a little concavity, in the shape of a marrow-spoon, which is furrounded by a great number of small hairs; it is in this bollow that the bees collect, by little and little, the particles of wax, which they gather on flowers. It must be observed, that the legs of drones who do not gather wax, and theft of the king, or more properly the queen of the bees, have not this groove. The

The extremities of the fix feet termis nate in two hooks, with their points oppofite to each other, with which the bees faften themselves in clusters to the sides of the hive, and form divers figures, fometimes of a cone, and fometimes of a garland, &c. From the middle of these two hooks, there comes out a little thin appendix that folds itself double through its whole breadth; its usual state is to be folded, and when it is extended it appears twice as big; the bees make use of this part for fastening themselves, and for walking on polished bodies, such as glass; I believe likewise that they make use of this part as of hands, to take the little particles of wax upon the flowers, and to transmit them to the two hinder feet; for it is not probable that the books can ferve for that purpose. thank of a marrow topon, which is fur-

The last part of the bee, which is the belly, is diftinguished by fix rings. In the infide we shall remark two parts, the one is a little bladder or refervoir, in which is collected the honey that the bees lip in the cups of flowers, after it hath paffed through the probofcis and through a very narrow pipe thattraveries the

the head and breast of the bee. This bladder, when it is full, is of the size of a small pea, it is transparent in such, manner, that you see through it the colour of the honey it contains.

The other remarkable part is the fling, which is fituated at the extremity of the belly of the bee, and which is drawn in and darted out with great quickness, by means of certain muscles placed very near the fling; the length of the fling is about two lines; it is a little bigger towards its root than near its extremity, which terminates in a point. It hath the confistence of horn; is hollow within in the manner of a tube, wherein passes the venomous liquor, which being included in a bladder placed in the belly, and at a little distance from the root of the fting, discharges itself near the point, and infinuates itself into the wound, the very instant that the bee pierces the skin.

The bee leaves almost always the sting in the wound, and the sting draws after it the bladder, and sometimes a part of the guts of the insect.

Illis

Illis ira modum supra est, la saque venenum Morsibus inspirant, et spicula caca relinquunt Adsixa venis, animasque in vulnere ponunt.

Prone to revenge, the bees, a wrathful race, When once provok'd, affault th' aggressor's face. Their latent stings an easy passage find, And wounding, leave their very souls behind.

If care be taken to draw out immediately the sting from the wound, there will be only a little tumour, because you do not give time sufficient for the venom, that issues from the bladder, to enter into the wound; but if you are not diligent to draw the sting out, all the venom discharges itself from the bladder, and enters in a little time into the wound, which causes a great swelling, with a pain that lasts sometimes several days.

Of the Cells.

One of the first occupations of the bees, after the new swarm is lodged in an hive, is to form cells. They apply themselves to this work with so much diligence, that we have seen them make in one day, a comb which was a foot long and six inches wide, that, according

to the usual fize of cells, might contain near four thousand.

They begin their work by fastening it to what they find most solid in the upper part of the hive, and they continue it from above downwards, and from one side to the other. In order to attach it more firmly, they employ sometimes a wax which is a sort of glue.

It is not easy to know, in particular, the manner in which they employ themfelves at this work, on account of the number of bees that are in motion, where there appears to the fight fcarce any thing but confusion. We have been able, however, to observe the following particulars. You fee bees bearing each in their talons a little piece of wax, and running to the places where they are at work upon the combs. When they are arrived thither, they fasten their wax to the work by means of the fame talons, which they apply fometimes to the right, and fometimes to the left. Each bee is employed on this work but for a short time, after which the goes away; but there

there is so great a number that succeed one after another, and with such expedition, that the comb continues increasing very perceptibly. In proportion as some bees work in the construction of the cells, there are others that pass and repass several times, beating with their wings and with the hinder part of their body upon the work itself, which seems to serve no other purpose than to make it more solid and firm:

The order they observe in the confiruction of the cell is this: They begin with laying the basis, which is composed of three rhombuses or lozenges. They build first one of these rhombuses, and draw two faces on two of the fides of the rhombus; they add a fecond rhombus to the first in a certain inclination, and draw two new faces on the two fides of that rhombus; laftly, they add a third rhombus to the two first, and raise on the two external sides of this rhombus two other faces, which with the four others form the cell, that by this disposition of the basis; becomes neceffarily of an hexagonal figure.

Whilft

Whilst a part of the bees is occupied in the construction of the cells, there are others of them employed in perfecting those that are newly modelled; which they do by means of their talons, with which they round the angles in an exquifite manner, and finish the fides and bases with so great a delicacy, that three or four of these sides placed one upon another, have not more thickness than a leaf of common paper; and because, on account of this delicacy, the entrance of the cell, which is just adapted to the fize of the bee, would be apt to break: therefore, to prevent this rupture, they fortify the entrance of each cell with a border of wax *.

We have faid that the bees which build cells are commonly employed in it but a little while at a time; but it is not so with regard to those that polish them; for they work a long while, and with great expedition, and they never inter-

Hard come train two rows of school down

out A

et munice favos, et dædala fingere tecta.

The aged infects fortify each part, And shape the fret-work of the combs with art.

mit their labour unless it be to carry out of the cell the particles of wax, which they take off in polishing. In order that this matter should not be lost, there are other bees attentive to receive it from those that polish, or who go to take it up in the cell itself, from whence the polisher retires for a moment, and carry it to be employed in some other place.

There are other bees destined to aid those that polish; for one often sees attendants on them to give them either honey, or some other liquor necessary for their works, or for their own nou-rishment.

Each comb hath two rows of cells opposite to each other, which have their
common bases. The thickness of each
comb is a little less than an inch; thus
the depth of each cell will be about five
lines. We have found in divers combs,
that were a foot long, between fixty and
fixty fix ranges of cells; there will therefore be a little less than two lines for the
breadth of each, which is a little more
than a third of its length.

Almost

Almost all the combs are built with cells of this size; except a small number of others in some places of the hive which have larger. The breadth of these cells is something more than three lines, and the length about six lines. These great cells are made for lodging worms that become drones, as we shall mention afterwards.

One finds likewise, in divers parts of the hive, three or four cells bigger than the others, and made in a different manner. They have the figure of a spheroid; they are open in the inferior part, and attached to the extremities of the combs. We could not discover to what purpose these cells are sidegned, but we suppose them the cradle or the abode of the kings.

The bases of all the combs are placed at such distance one from another, that when the cells are finished, there remains between one comb and another, only a sufficient space for the passage of two bees abreast. These combs are not continued from top to bottom, but they

C4

are often interrupted; and befides that, they have openings from space to space, which give a more easy and a shorter communication from one to another.

After having explained in what manner the bees build the cells, it is necessary to consider more particularly their construction.

Every basis of a cell is formed by three rhombuses almost always equal and alike, which, according to the mensurations we have taken, have the two obtuse angles each of one hundred and ten degrees, and consequently the two acute each of seventy degrees.

N. B. Mr. Maraldi had found by mensuration, that the obtuse angles of the rhombuses were 110° nearly; upon which he observed, that if the three obtuse angles which formed the solid angles above-mentioned, were supposed equal to each other, they must each be of 109° 28'; from whence it has been inferred, that this last was really the true and just measure of them. Mr. de Reaumur desired Mr. Kenig, a worthy pupil of the samous Bernouilli's,

nouilli's, to feek what should be the quantity given to this angle, in order to employ the leaft wax possible in a cell of the same capacity; and that gentleman found, by a higher geometry than was known to the ancients, by the method of infinitesimals, that the angle in question ought, in this case, to be of 109° 26'. This observation by the famous mathematician Mr. Kenig, was afterwards verified by the excellent Mr. MacLaurin, who bath shewn the advantages arising from this construction of the cells. Mr. MacLaurin very justly obferves, that the bees do truly confiruct their cells of the best figure, and that not only nearly, but with exactness; and that their proceeding could not have been more perfect from the greatest knowledge in geometry. How they arrive at this, and how the wonderful instinct in animals is to be accounted for, is a question of an higher nature *; this is surely a re-

Mineral L

^{*} His quidam fignis atque bac exempla fecuti, Esse apibus partem divinæ mentis, et haustus Atherios duxere. Deum namque ire per omnes Terrasque, tractusque maris, cœlumque profundum, Induced by fuch examples, fome have taught That bees have portions of celeftial thought: Endued with particles of heavenly fires: For mind the whole created world inspires. markable

markable example of this instinct, which has suggested a problem that had been overlooked by mathematicians, though they have treated largely on the maxima and minima; and such an one as has been thought to exceed the compass of the common geometry.

Vide Philosophical Transactions, N°. 471. and Martyn's Abridgment, Vol. ix. p. 2.

Of the Origin of Bees.

The bee that is named the king, is in reality the mother of all the others. She is so prolific, that, as far as one can judge, the may produce in one year eight or ten thousand young ones; for the is commonly a part of the year fingly in a hive, and at the end of fummer the hive is as full of bees as in the beginning of the fpring, yet there goes out every year a former, and formetimes two or three, of ten or twelve thousand each: it follows therefore that this royal bee must produce a part of those different fwarms: I fay a part, because it is possible that the new king, who goes out with the fresh fwarm, may produce likewife

likewife a part of them before the migration.

The royal bee is most commonly concealed in the most secret part of her palace, and is never visible but when she would lay her young in the combs that are exposed to sight:

Crowd Sweet Court and Successor his direct.

It was on those rare occasions that we perceived her; indeed she is not even then always visible, for most commonly there is at those times a great number of bees, that fastening themselves one to another, hang down in the form of a veil from the top to the bottom of the hive, which hinders your sight, and they do not retire till the bee hath laid her young.

Whenever she hath appeared to us unveiled, she was always attended by ten or twelve of the stoutest bees amongst the common fort, that make a kind of retinue, and follow her wherever she goes with a sedate and grave tread,

TOTAL

wat well did to be a lightly ton of Protoco

Illum admirantur; et omnes Circumstant fremitu denso, stipanta; frequentes.

No prostrate vastal of the East can more With stavish awe his haughty prince adore: Him all admire, and him their guardian own, Crowd round his court, and buzz about his throne.

it was on thort rare occasions that

Before the lays her young, the puts. for a moment, her head into the cell where the defigns to lay them; if the finds this cell empty, and there is not in it either honey, wax, or any embrio, the turns herfelf immediately to introduce the posterior part of her body into the fame cell, and finks into it till the touches the bottom. At the same time the bees, her attendants, who are disposed in a circle round her, having all their heads turned towards ber's, pay a fort of homage with their proboscis and feet, caress her, and give her all kinds of entertainment, which lasts however but a very little while; after that, the bee leaves the cell, and you may difcern a little white egg, very fmall, about half a line

long, or three quarters of a line at most, yet four or sive times longer than it is big, a little more pointed at one extremity than at the other, and planted by its least extremity on the basis in the solid angle of the cell. This egg is formed of a membrane, thin, white, smooth, and full of a whitish liquor.

Immediately after the pregnant bee hath laid an egg in one cell, she goes with all the same circumstances, and estorted by the same number of bees, to lay another egg in another cell; and we have seen her lay in this manner eight or ten in different cells successively one after another. After having sinished her delivery, she withdraws, attended by the same bees, into the secret apartments of the hive; where she is lost out of sight.

The egg which remains on the basis of the cell, continues four days in that state without changing sigure or situation; but after the four days, you see it changed in the manner of the caterpillar, divided into several rings, laid and applied on the same basis, and twisted round,

round, so that the two extremities touch each other. It is then surrounded by a little liquor, which the bees take care, at the end of the four days, to put in the solid angle of the basis. We could never discover the nature of this liquor on account of its small quantity; which hath left us in doubt, whether it might be honey that the bees carry thither for the nourishment of the embrio, or rather some matter proper to secundate the sperm; for it appeared to us more whitish, less liquid, and less transparent than honey.

Of whatever nature this first liquor may be with which the little worm is surrounded, it is certain that afterwards the bees bring it honey for nourishment. In proportion as it grows they supply it with a greater quantity of food, quite to the eighth day from its birth, when it is increased in such manner, that it occupies the whole breadth of the cell and a part of its length. After that, the care of the bees for the young ones ceases, for they stop up with wax all the cells, where these worms continue still thut

that up for twelve days. During that time, there happen to the embrios inclosed, divers changes; which we have discovered by opening these cells on different days from the time they had been stopped. At first the worms change their fituation, and from being twifted round. as they were before on the basis of the cell, they extend themselves along its whole length, and place themselves with the head turned towards the mouth of the cell; the head of the worm begins to shew itself a little, and you see a fmall extension, which is, in my opinion, the beginning of the probofcis. You fee likewise upon the origin of the head a black point, and at a little diftance from this point a black streak upon the back, which doth not reach quite to the extremity of the worm; the first lineaments of the feet likewise appear, but very fmall.

After the head is formed, and the proboscis lengthened, all the other parts display themselves successively; so that the whole worm is changed into an aurelia or nymph, which is the fly almost perfect perfect, except that it is yet white and foft, and that it hath not that kind of crust with which it is covered after-

wards and other miles was because it

By this transformation the worm ftrips himself of a white and very fine pellicle, which is fo perfectly attached to the internal fides of the cells, that it takes even the turns and bendings of the angles as well of the basis as of the fides, and appears to form but one body with them.

The bee being stripped of this pellicle, and all the parts unfolded by degrees and changed through fuccessive colours from a yellow to a black, arrives at perfection by the twentieth day from the birth. From thence she endeavours to iffue from the cell, and makes the opening herfelf by cutting round with her jaws or talons the cover that stopped up the mouth of the cell, which the bees had made to inclose her. The new bee. when the first quits the cell, appears a little drowfy, but the foon affumes the natural agility; for we have feen her the

the same day issue from the cell, and return from the fields loaded with wax like the rest. You may distinguish these young bees by the colour, which is a little more blackish, and by the hairs, which are somewhat whiter.

As foon as the young bee hath fallied from the cell, there come immediately two of the old bees, one draws out the cover, kneads, and employs the wax elsewhere of which it was composed; the other labours to repair the breach; for the cell having been difordered by the new-flown bee, an old one restores its fymmetry, gives it its former hexagonal figure, fortifies it with the usual border, and cleanfes it by taking away the little pellicles of the young bee which have remained there. These pellicles of bees which are attached to the cells occasion them to change colour; and it is on this account that you find in a hive combs of different colours, those in which there hath been nothing but honey being of a bright yellow, whilst those from whence bees have issued, are of a dusky yellow. We have taken away, fometimes

times from a cell, which had been the cradle of feveral bees, eight of these pellicles placed one upon another.

The cells being restored to their former perfection, the bees sometimes lay new eggs in them on the same day; sometimes they put honey in them first: we have seen bees lay their young in the same cells sive different times in a little more than three months.

Of the manner in which Bees collect Wax.

The bees gather two very different forts of wax. The first, which is brown and gluish, serves them for stopping up all the vent-holes of the hive, and sometimes as a support for fastening the combs to the hive.

----tenuia cerà
Spiramenta linunt, fucoque et floribus oras
Explent, collectumque bæc ipsa ad munera gluten,
Et visco et Phrygiæ servant pice lentius Idæ.

A smearing wax they get, and thus contrive To stop the vents and crannies of the hive: Not birdlime, or *Idean* pitch produce A more tenacious mass of clammy juice. The second fort is the common wax, which they employ in the construction of the cells.

——pars intra septa domorum,

Narcisti lacrimam, et lectum de cortice gluten,

Prima favis ponunt fundamina, deinde tenaces

Suspendunt ceras.

Narciss' tears they temper with a gum, For the first ground-work of the golden comb: On this they found their waxen works, and raise The yellow fabrick on its glewy base.

The bees gather the common wax upon the leaves of a great number of trees and plants, and on the greatest part of flowers that have stamina.

——pascuntur et arbuta passim,

Et glaucas salices, casiamque, crocumque rubentem,

Et pinguem tiliam, et ferrugineos byacinthos,

Purpureosque metunt stores — binc arte recentes

Excudunt ceras.

On various shrubs, and saffron buds they feed, On bending ofiers, and the balmy reed; From purple flow'rs and hyacinths they bring Their gather'd sweets, and rise all the spring.

They commonly gather up the particles of wax with their talons and the two fore-feet; from these they convey the particles to the middle feet, which afterwards

wards transmit them to the middle joint of the two hinder feet, where you find the little mass collected of the bigness and shape of two small lentils.

Crura thymo plenæ:

Their feet and thighs with flow'ry spoils replete.

mom and the men

That joint is much larger than the others, as we have mentioned before, and hath a little concavity in the shape of a spoon, which is well adapted for containing the mass; moreover, this concavity is surrounded by little hairs, which serve, as I may say, in the nature of singers for bolding the wax in that place, in order that it may not fall out when the bees return to the hive.

Besides these means which nature hath furnished them, they take likewise other precautions not to lose the fruit of their labour. In proportion as the bees transmit the particles of wax to their hinder legs, they compress these particles together; this they do by means of the two middle feet, which they push backward,

the harr the de wings minter in con-

3

and apply several times and in different directions upon the wax. They take this care principally, when loaded with a sufficient quantity of wax, they are ready to fly and return to the hive: If the flowers on which they rest have not sufficient consistence, or are agitated by the wind, they seek some more stable place, and that is more proper to resist the little compressions they make on the wax.

The bees being arrived at the hive, unload themselves of the common wax in two different manners. Supporting themselves on their two fore-feet, they make several motions of the wings and body, sometimes to the right, sometimes to the left; and, as if this motion, and the buzz that the wings make in consequence of it, was to give notice to their companions within, there come three or four that take each a small portion of wax with their talons,

Ant mera accipiunt venientum,

Receive the burdens of toturning bees.

To

To these sirst succeed several others that take every one their share, till there remains no more wax on the leg of the bee: after which she returns to the fields to make a new tollection.

It is likewise in this manner that they unload themselves of the other fort of wax, which is, to speak more properly, a kind of glue,

Et visco et Phrygia -- pice lentius Ida,

Not birdlime, or *Idean* pitch produce A more tenacious mass of clammy juice,

which sticks to fait to the leg of the bee that is loaded with it, that it is n cellary for the bees that unload her, and for berfelf, to exert their whole force, and to fasten themselves whilst they pull in order to draw it off.

But when there is in the hive a great number of cells where they may deposit the common wax, they practice a more expeditious method, and that requires no affiltance. The bee which is loaded, goes in quest of a cell in which there is nother honey nor any worm; having D 4 found

found one, she fastens herself by the two fore feet upon its superior border, after that she bends the body a little forward, in order to put her two hinderfeet into the cell; in this situation she thrusts back her middle-feet, one on this side, another on that; and sweeping with them from top to bottom along the two hinder legs, where the two lenticular masses are collected, she detaches them by this means, and deposits them in the cell.

director of the pitch professor

There are some bees that content themselves with leaving the wax in that part of the cell, where it chances to fall when they detach it from their seet, without giving themselves the trouble to dispose it; but the greatest part, after having unloaded themselves, enter into the cell, and range very neatly at the extremity of it the two little bodies of wax by the side of each other; That done, the bee retires.

Almost immediately there comes another; there are even fome waiting till the first bee is gone out, in order to enter and

and perform their respective offices. If the two pieces of wax are not ranged as we have mentioned, they carry them to the farther extremity of the cell, and dilute them, with their two jaws, for the space of half a quarter of an hour; so that those two little bodies are reduced to a kind of paste that takes the figure of the cell as in a mould; which gives one reason to think, that the bee, in diluting the wax, mixes with it some liquor, either honey, or perhaps only a mere moisture, that naturally oozes at the place where they are accustomed to store their honey.

Several other bees come to unload themselves in the same manner in the same cell, and as fast as one unloads herself of the wax, there comes another immediately to perform the same office of diluting it, till the cell is almost full of that fort of wax, which is piled up sometimes in stories of divers colours, white, yellow, red, and brown, according to the slowers or leaves on which the wax hath been gathered by different bees.

ASSOCIATION TO A

One finds in several places of the hive a great number of cells full of this war, which are so many magazines, to which they have recourse on occasion, because, as they have need of it a great part of the year at certain times, in order to cover the cells where their young are inclosed, and to stop up those that are full of honey, it is necessary they should have stores and provisions of it.

The wax which is found in the cells is not, however, so perfect as that of which the combs are formed; for although the former be diluted with moisture, it crumbles into dust when pressed between the singers, whereas the other wax is a kind of compacted patte; it is necessary therefore that the bees, before they employ it in the construction of the combs, should give this wax some fort of preparation. What still for her evinces this is, that the wax includes a the cells, which is often of different colours, is always white immediately after the combs are built.

M. Duchet, in his Culture des Abeilles, is of opinion, that wax is formed of honey; and as a proof of it, says, that he has seen a comb broken in a hive overset, which has been repaired during bad weather, when the bees could not go abroad in search of other materials. The bees of old hives, which want no combs, are busy in collecting the farina of plants early in the year; and new swarms collect but little of it, while they have all their combs to form. The contrary of this would be the case, if the wax was formed of farina.

If the wax was formed of the farina, we should, somewhere about the body of the bee, see the marks of the process. The alimentary tube contains no such marks. It seems therefore probable, that the honey undergoes a preparation in the honey-bladder, which reduces part of it to wax. This is not seen, because the wax is constantly formed in the middle of a heap of bees, which keep close together, in order to increase the heat, probably to prepare the wax, and to keep it soft till formed into combs:

combs; for if it was cooled, it would probably exceed the powers of the bees to form it into the regular order we fee it in. On examining the bottom of a hive in which a young fwarm has been for some days, there will be found bits of real wax which have fallen while the bees have been at work. There will also be found small bits of wax whiter than the former, hollow on one fide, and convex on the other, fimilar to a fcale of a fish. These scales, in their form, resemble the shape of the bee's body; and appear to have been formed on it as on a mould. These scales, when collected, appear to be perfect wax. It may hence be concluded, that they are the matter of which the cells are formed, and that those found at bottom have escaped during the opera. tion.

While the bees are forming the wax, they keep very close together, and by that means create a considerable degree of heat.

and to keep it for till formed into

reduces

Let

Let us now suppose, that a bee swallows fome honey into the honey-bladder. May we not also suppose, that the heat causes the bee to sweat or tranfpire, probably fome of the honey in the honey-bladder; and that it is by the heat dried into the form of the body of the bee, in manner of a small scale, other bees may give it the fine polish it is observed to have?

the area with the war accounted

I have found a scale, in every respect fimilar to those we found in the bottom of the hives, under the fcales which cover the body of a bee; and this feveral times; which gave me the first hint of the origin of wax. I have fearched for them, separated them from the body. examined them, and compared them with those found on the bottom of the hive. They were convex on one fide, concave on the other, oval, and polished. I have worked each separately; I have foftened them at a fire, and melted them; I have perfuaded others to repeat my experiments.

Adex with

combandario.

It is very difficult to find this scale on the body of a bee, because it is probable, that it is formed only when it is to be applied; and that they remain in the heap till they are cleared of it. If they are stupised by sulphur, in the action of forming the wax, the white scale may be found; or if one of them dies, by the honey's becoming so thick in the honey-bag, that the passage is obstructed, which seems to be sometimes the case.

Hence we see the advantage of giving honey to young swarms, when bad weather succeeds their swarming; for they are not only kept alive, but they are enabled to form combs for the young brood, which the queen is impatient to lay for recruits.

The degrees of heat in the hive, are very different, according to the fituation of the bees. They fometimes open their ranks, by fixing themselves at a greater distance from one another, when too warm; or by closing their ranks, to increase their heat. Thus they accommodate

commodate themfelves to different degrees of heat and cold.

Of the manner in which Bee: gather Honey.

The bees gather honey on the flowers whose calyx or cup is not much deeper than the length of their proboscis; but there is so little honey in each flower, that they go over a great number,

Floribus insidunt variis,

On various flow'rs they fix their short abode,

before they can collect a sufficient quantity to fill their little bladder, which is the reservoir where it is gathered together, as we mentioned in the beginning. The very instant a bee settles on a slower, she extends her proboscis quite to the bottom of the cup, from whence she sucks the honey. When their bladders are full, the bees return to the hive, and carry the honey into a cell, discorging it by that part of the head which is between the two jaws or talons, that they lengthen out more than usual, and which they seldom keep open. They deposite

deposite the honey with stirring the head fometimes on one fide, fometimes on the other; and when there happens to be a drop not well ranged, they extend their probofcis to gather it up again, and place it in the fame order as the reft. As the honey that a fingle bee can carry at once is but a small part of that which a cell can contain, it requires the honey of a great number of bees to fill each cell.

When the cells are full of honey, if the bees would hoard it up for winter, they stop up the cells by making a thin cover of wax; but those cells, where the honey is deligned to ferve for daily food, remain open, and at the disposal of the whole fwarm,

-in medium quæsita reponunt.

deposite

Lay up the stores they get for common use.

The honey which they referve the last for their food, is always put into the most inaccessible place; that is to fay, in the upper part of the hive, if it hath no external cover that can be taken off; but if it hath one, they leave in the upper part empty combs, and place the honey towards the middle of the hive.

Divers particularities of Bees.

Besides what we have mentioned hitherto with regard to bees, nature hath furnished them with other talents, which we have thought it our duty to remark. They love cleanliness, and do every thing in their power to preserve it.

Neu propius tettis taxum sine, neve rubentes Ure foco cancros, altæ neu crede paludi, Aut ubi odor cæni gravis;

Let them not near the baleful yew tree dwell, Nor broil crabs near, which give a naufeous fmell, Nor near the steaming stench of muddy ground Place their abodes——

The glue that they gather serves them for covering with a kind of mastic the glass-windows round the hive, and the hive itself round the pedestal, insomuch that by this means they hinder the entrance of the least insects.

nam sape savos ignotus adedit
Stellio, et lucisugis congesta cubilia blattis:
Aut asper crabro imparibus se immiscuit armis;
Aut dirum tineæ genus, aut invisa Minervæ
Laxos in soribus suspendit aranea casses.

For lurking lizards often lodge, by stealth, Within the suburbs, and pursoin their wealth: Oft broods of moths infest the hungry swarms, And oft the furious wasp their hive alarms With louder hums, and with unequal arms. Or else the spider at their entrance sets Her snares, and spins her bowels into nets.

There are some bees that remain centinels at the mouth of the hive,

Sunt quibus ad portas cecidit custodia sorti,

Some are appointed centries at the gate,

in order to oppose the insects that would pass by the entrance, and when one bee is not sufficiently strong to guard it, several others come to her succour.

We should be tedious if we were to relate all that we have seen done remarkable on such occasions. It will be sufficient to mention, that a snail which had entered into the hive, notwithstanding the

the refistance of several bees, after having been killed by their stings, was
embalmed all over with that mastic we
have mentioned, as if with design to
prevent either the stink that the putrissed
slesh would occasion in the hive, or to
avoid the worms which that corruption
might produce.

Nature hath endued the bees with an exquisite smell, for they fcent at a great distance the honey and wax.

They have divers manners of giving each other pleasure, of which they appear extremely sensible. They are likewise subject to fight and kill each other, not only in single combat, but general battles; yet this never happens in common, unless in autumn, the harvest of honey is not sufficient for the support of the whole swarm during the winter.

Virgil, instead of this physical cause of their civil wars and destructions, assigns a political reason;

----nam sepe duobus Regibus incessis magno discordia motu.

E 2

Continuoque

Continuoque animos vulgi, et trepidantia bello Corda licet longe præsciscere: namque morantes Martius ille æris rauci canor increpat, et vox Auditur fractos sonitus imitata tubarum. Tum trepidæ inter se cocunt, pennisque coruscant, Spiculaque exacuunt rostris, aptantque lacertos, Et circa regem atque ipsa ad prætoria densæ Miscentur, magnisque vocant clamoribus bostem.

If once two rival kings their right debate;
And factions and cabals embroil the state;
The people's actions will their thoughts declare,
All their hearts tremble, and beat thick for war;
Hoarse broken sounds, like trumpets harsh alarms,
Run thro' the hive, and call them forth to arms;
All in a hurry spread their shivering wings,
And sit their claws, and point their angry stings;
In crowds before the king's pavillions meet,
And boldly challenge out the soe to sight;
No sense of danger can their kings controul,
Their little bodies lodge a mighty soul.

I cannot find that Virgil hath copied this reason from any of the ancient naturalists preceding his time, it seems therefore to be a mere siction of the poet, with a view perhaps to throw an odium on regal powers; as Horace hath likewise delicately slattered the Roman disdain of kings with

——Delirant reges, plectuntur Achivi.

For kings are madmen, and their subjects rue.

It seems as if the bees had some forefight of fine and bad weather, for not only they do not go out when there is an appearance of wet weather,

Inque vicem speculantur aquas, et nubila cæli;

By turns they watch, by turns furvey the skies, To judge if threatening rain, or tempests rise;

but when a storm seems to threaten at the time they are in the sields, they escape it by quitting their labour, and arriving at the hive almost all at once, and with great precipitation.

Nec vero a stabulis pluvid impendente recedunt Longius, aut credunt cælo, adventantibus euris; Sed circum tutæ sub mænibus urbis aquantur, Excursusque breves tentant, et sæpe lapillos, Ut cymbæ instabiles sluttu janttante suburram, Tollunt; bis sese per inania nubila librant.

Nonerange abroad when winds or storms are nigh,
Nor trust their bodies to a faithless sky;
But make small journies, with a careful wing,
And sly to water at a neighbouring spring:
And lest their airy bodies should be cast
In restless whirls the sport of ev'ry blast,
They carry stones to poise them in their slight,
As ballast keeps th' unsteady vessel tight.

E 3

Nothing

Nothing agrees better with bees than heat; the greater it is, the more animated they are, the more lively for labour: cold, on the contrary, is so injurious to them, that however animated they were within the hive, when they go out of it in the winter, they are numbed and struck almost immediately motion-less.

---- contracto frigore pigra.

With cold benumb'd unactive they remain.

If you bring them near the fire, the warmth they receive from thence reanimates their former vigour.

In order to defend themselves from cold during winter, they croud about the middle of the hive as near to each other as they can be in the space that is between two combs. There they stir themselves from time to time, without changing place, and this motion excites a warmth that protects them from the external cold. The heat is so great by this agitation, that it is communicated to the glass windows of the hive, where it is very sensible to the hand that is applied.

It is probable that they succeed one another by turns in labouring, because they work night and day in the hive. and there is a part of the bees that repose themselves even in the day-time.

Virgil, on the contrary, following Aristotle, Tays,

Omnibus una quies operum, labor omnibus unus.

All work together, all together reft.

Their repose however doth not cease to contribute to the public good; for their presence in the hive causes a warmth, which serves to breed the young that are inclosed in the cells, as we have discovered by the following experiment.

We have sometimes broke off large pieces of combs, where there were little worms in the cells, and left them at the bottom of the hive. A great number of bees have gone and placed themselves on those broken combs, and continued there till all the brood have fallied forth in the form of bees. This experiment E 4 fhews

thews moreover the care that the common bees take of the young ones.

Sole communes gnatos, confortia tecta : Urbis babent.

Of all the wing'd inhabitants of air,
These only make their young their common care;
In well-disposed society they live,
And laws and statutes regulate the hive,

We have discovered that they have divers manners and different motions by which they understand one another; as, for example, when a bee that is at work on the combs demands honey of one that is just arrived, she that wants the honey extends her proboscis, and puts it between the talons of her that is to give the honey; in proportion as the latter difgorges it, the other receives it with the proboscis, without spilling a drop.

They understand one another likewise when, by a motion of their wings, they ask, as it were, to be unloaded of the wax, which they have gathered in the country; likewise when in the morning they rouse each other to go out to work;

Mane

Mane ruunt portis, nusquam mora.

At morn rush out, their diff'rent tasks pursue; Sit on the bloom and suck the rip'ning dew.

Lastly, When several bees would quit a place, if one makes a motion with her wings, which causes a little buzz, all the others following the example make the same motion, and retire. I imagine, that it is in this manner they give notice in the hive, when they are preparing to fally forth for making a new swarm.

Of the Drones.

The drones are commonly a third bigger and longer than the bees; their head is rounder, and more full of hairs. It is certain they have no sting, and their internal parts are very different from those of the common bees.

One rarely sees them go out of the hive, and whenever they do go out, it is not till two or three o'clock in the afternoon, and never but in fine weather. They do not return loaded with wax, but we have found their bladder or refervoir full of honey as in the common bees;

bees; whether it be that they have collected it in the fields, or that they took it in the hive before they went out. which latter we are the most inclined to believe, because we have never seen them fettle upon flowers, and after they have returned into the hive, we have never feen them lay the honey in the cells.

Immunisque sedens aliena ad pabula fucus.

And drones that riot on another's toils.

We are even apt to think that they have not the organs for discorging it, as the other bees do; for in the other bees, you cannot compress, ever so little, that part of the body which is opposite the bladder when it is full of honey, but you fee the honey iffue immediately at that part of the head by which they are accustomed to discharge it into the cell; whereas it is not fo with regard to drones, although, after having opened them, their bladder hath been found quite full of honey.

In some hives, the drones are few in number, in others they are extremely numerous. numerous. During a part of the fummer they are dispersed in the hive. Afterwards, in proportion as their number increases, they assemble together in companies, in different parts of the hive, where they continue cantoned, and almost entirely motionless.

At the time that the fwarm fallies forth, and that the bees are all in motion, the drones keep their place, and do not go out with the fwarm; or if any attend the colony, they are only a few in number. But from the end of July to the middle of August, these drones are attacked by the common bees,

-----agmine facto
Ignavum fucos pecus à præsepibus arcent.

All with united force combine to drive The lazy drones from the industrious hive.

Several bees fall upon a fingle drone, and feize him by his wings and body; and although the drones refift as much as they are able, they are obliged to withdraw and leave the hive; they difappear so entirely, that we never could discover what was become of them.

When

When this fort of combat happens, you fee all these animals in great commotion, as well without as within the hive. All the drones are so generally expelled, that of several hundreds, which we have often remarked in one hive, by the end of October we have not found a single drone in several hives that we have examined.

Their origin is the same as that of the bees, they are the offspring of the queen, and produced in the same circumstances; with this difference alone, that the drones are lodged in separate combs made expressly for them.

We have said, that in an hive there are combs whose cells are a third or an half bigger and longer than the common cells. The pregnant bee chuses these great cells for depositing there, with all the same state and attendance, as we have mentioned with regard to the common bees, those eggs from which the drones are to be hatched, and which cannot be distinguished by the sight from the common eggs; but it is probable that the mother hath some exquisite

allots them abodes proportioned to the fize they are to have when they are inclosed in the cell in their utmost perfection. The drones undergo the same metamorphoses as we have remarked of the bees; they are as many days before they fally forth from their cells, and become recluses after the eighth day from their birth.

Laftly, they are nursed with the same care and tenderness as the common bees; but it is furprifing that this attention and love which the bees have for those little ones, should be turned, as I may fay, into fo great an hatred at the end This hatred is fo univerof fummer. fal, that it spares not even the young drones, who are yet only worms or nymphs included in the cells; for we have often remarked, that at the time that a part of the bees have been expelling the great drones from the hive, there were other bees employed in unflopping the cells where the imperfect drones were inclosed, in dragging them out of the cell, in killing them, and throwing their

their bodies out of the hive; where we have fometimes feen two or three hundred killed of different ages.

Mr. Maraldi, by a nice examination of the internal firucture of the drones, which differs in some respects from that of the bees, discovered some resemblances to the male organs of generation; and from thence conjectures that they are the males of the bee-insect; yet be could never discover them in the act of copulation. The ancients were inclined to think that there was no conjunction of sexes among st bees.

Hlum adeo placuisse apibus mirabere morem,
Quod nec concubitu indulgent, nec corpora segnes
In venerem solvunt, aut fætus nixibus edunt:
Verum ipsæ è foliis natos et suavibus berbis
Ore legunt: ipsæ regem parvosque Quirites
Sufficiunt, aulasque et cerea regna resingunt.

But of all customs which the bees can boast,
'Tis this that claims our admiration most,
That none will Hymen's softer joys approve,
Nor waste their spirits in luxurious love:
But all a long virginity maintain,
And bring forth young without a mother's pain.

Whereas the common bees are of neither fex.

From herbe and flow'rs they pick each tender bee. And thus collect a buzzing progeny. From these they chuse out subjects, and create A little monarch of the rifing state; Then build wax-kingdoms for the infant prince. And form a palace for his refidence.

And Pliny observes,

Apium enim coitus vifus est nunquam. Plures existimavere oportere confici floribus compositis apte atque utiliter *.

At last, however, that fagacious Enquirer, Mr. de Reaumur, from whom Nature can scarce conceal any thing, hath, in a great meafure, removed the veil.

Mr. de Reaumur divided a great number of bees into two bives, of which the one had a queen, and the other had none. The queen did not at first appear to be much respected in her hive; but by degrees her fubjects came to acknow-

[·] Swammerdam had a notion, that the female was fecundated without any venereal congress; that it was fulficient for her to be near the males; that a vivilying aura exhaling from the body of the male, and fauffed up by the female, might impregnate her eggs.

reter

ledge her, to give her the royal retinue, to care sher, and to lick her with their proboscis, which is a pleasing and useful homage, as she is made more sleek by it, and her bronchiæ or stigmata are more opened for the air. Mr. de Reaumur judges with a great deal of probability, that the trouble and confusion, with which the separation of the two hives had been necessarily attended, was the cause of the little attention that had been paid to the queen at the first, when each thought of nothing but bimself.

The two hives were very unequal in fize, and unequally peopled by bees. The fmall one had four or five times fewer than the other, but it was there the queen refided. In this hive they began industriously to work on combs, yet in a little time it was deferted by several bees who chose to go and settle elsewhere, perhaps on this very account because they had a queen; they were sensible that this queen would be too prolific for the hive, which could not contain a sufficient number of cells for all her young.

On the other hand, the bees of the larger hive came to settle in the small one, which was grown unpeopled, although the queen resided there; and they came thither in such crouds, that not being able to enter all, notwithstanding their utmost efforts, they heaped themselves on the outside in great clusters. Some subtile instinct had taught them that a queen was there, and some very urgent reason conducted them thither.

As this queen might be their mother, or at least their fifter, one may attribute to them some particular affection for her; but Mr. de Reaumur hath been well assured that every queen is alike to them, and that they are attached, not to the person, but to the dignity, which is but too commonly true with regard to men.

The larger hive, in which there was no queen, had a fate far different from the small one. Scarce could the bees determine with themselves to go out and seek their sustenance in the fields; seve-

T'

ral of those that did go out, disdained to return; no labour within, no waxen edifices or stores, they pined away, at last all died; and all this calamity for want of a queen, that is to fay, if we may dare to furmife the thoughts of infects. for want of having hopes that a numerous iffue would furvive them. The difpleasure of being deprived of posterity, went fo far as to make them neglect life, which may appear perhaps heroical. It was evident that the small hive displeased very much, on account of its fmallness, the bees that were lodged in it, yet there they built their combs, and formed their works; for there a queen refieled.

- Rege incolumi mens omnibus una est: Ille operum cuftos.

His life unites them all, but when he dies All in-loud tumults and distractions rife; They waste their honey, and their combs deface, And wild confusion reigns in ev'ry place.

When an hive full of bees, amongst which there was a queen, was foaked*

^{*} The motions of bees being too lively and quick to make the necessary observations, Mr. de Reaumur contrived

in-water, Mr. de Reaumur observed, that as foon as the queen was the least revived, all the others, who were no more recovered than her, forgot themselves, and were employed on that important personage, contributing all in their power to restore her.

There is, however, fome foundation to suspect that heroic love in bees, either for their queen or for their posterity, to be only at the bottom a felf-interestedness. It is of great moment to them to be, even in their lifetime, a mighty people; the cold weather would deftroy them, if their great numbers did not fufficiently warm the hive, and their numbers depend on the fruitfulness of the mother.

They proportion their work to the prolifickness of the mother. Mr. de Reaumur observed an hive, where they were at work on a few combs, and with little vigour. From whence this inac-

trived a method, by half-drowning them in a tub of water, to perceive distinctly the minutest circumstances, as they recovered flowly to life and motion.

amongst bees? He saw the reason of it when he got into his hands the mother of the hive, who was small and pitiful in comparison to other mothers. The rest judged of her as she deserved.

What is still more surprising is, that a cell, which was known by its size and shape to contain an egg from whence a mother naturally should be hatched, having been conveyed into another hive, which was designedly deprived of its mother, the bees of that hive immediately perceived that they had, at least, the hopes of a mother, and set themselves to work; but on the footing alone of hopes, and did not apply themselves to it with all their natural vivacity till the mother was born, who indeed appeared very likely to answer their expectations.

As the queen hath her title only because she is the mother of all the people, the bees are attached to her only as she is a mother, and not as she is a queen. They pay her a kind of filial duty, that is proporproportionate to her fertility and usefulness; if another queen comes into the same hive, they will respect her as much as the former, and easily suffer the royalty to be divided; they receive with pleasure the assurance of a more numerous posterity.

One would think that where multiplication is fo honourable, the mysteries of love should not be very fecret; yet how diligent foever the naturalists have been in peeping behind the curtain, they have never discovered the consummation of nuptial rites: even Mr. de Reaumur himfelf could fee no more than to raise a jealoufy, and to give ftrong fuspicions. Having stood the fiery trial of fo many prying eyes in every age, the bees had gained the character of an inviolable chastity; but Mr. de Reaumur hath, with learned barbarity, intirely blafted their reputation; he makes the queen no better than a Messalina*, or, to compare her to one of her own dignity, another Cleopatra. He put a drone and

Vid. Juvenal, Satyr. vi. ver. 128.

a female bee in private together; the drone appeared to be very cold and indifferent, and, contrary to what one would expect, it was the female that made all the advances, a thousand tender careffes—The rest I beg leave to give in the language of Ovid.

Pugnacemque tenet, luctantiaque oscula carpit, Subjectatque manus, invitaque pectora tangit; Et nunc bac juveni, nunc circumfunditur illac, Denique nitentem contra, elabique volentem Implicat, ut serpens, quam regia sustinet ales.

With transport fastens on him as he strives, Class in her arms, and round his limbs she writhes.

The more the boy refifted and was coy,

The more the clasp'd and kiss'd the struggling
boy.

So when the wriggling make is match'd on high, In eagle's claws, and hiffes in the fky: Around the foe his twirling tail he flings, And twifts her legs, and writhes about her wings.

The experiment was repeated and varied feveral times, but always the like coldness in the males, and the same ardour in the females. The adventure hath often a tragical end with respect to the males,

males, they die, and one cannot assign any reason for it unless it be for shame.

How Mr. de Reaumur escaped having his eyes pulled out by the ladies in France, I know not, but he saw and hath blabbed secrets of the queen in French, that I would not for the world translate into English; that philosophers, however, may not be angry with me for omitting a natural curiosity; I shall give the substance of what Mr. de Reaumur hath said in one line of Horace,

Clumbus aut agitavit equum lasciva supinum.

The fertility of the mother bees, even such as are the most teeming, is suspended during winter, and moreover an hive always loses a great number of its inhabitants, either by cold or by hunger. At the return of the spring, the mother resumes her employment of laying eggs, by virtue of an impregnation that she must have received six months before. The eggs of the bees therefore are not, as in the greater animals, destined by nature to be emitted all at a certain determinate and nearly equal time after their fecundation. They acquire the

maturity that is necessary to them in very unequal times; probably they cease to acquire any during the whole winter.

By Mr. de Reaumur's calculation, a queen may lay two hundred eggs a day in the most favourable seasons, which may include more than an hundred days in the year. It is not furprifing therefore that an hive should no longer be capable of containing both its ancient inhabitants and the new-born progeny; from thence great numbers are obliged to go forth and establish themselves elsewhere: this migration is called a fwarm, and the hive is faid to have bred. When a fwarm, that feeks its fortune, goes to feize on a place already occupied by other bees, on an hive well peopled, it often finds a very vigorous refistance, and the great battles that are fought either by bees or men arise in general from fuch occasions.

A fwarm doth not go out unless it hath a queen at its head,

-ducunt examina reges;

The youthful bees, led by their monarch, shun The crouded hive, and sport it in the fun.

This

This is so true, that Mr. de Reaumur having been surprised to find no swarm to issue from an hive so well peopled, that it must have become too thronged an habitation, and suspecting that the want of a queen was the cause of it, found in reality, by soaking the whole hive in water, that a new colony could not have a commander to lead them, or more properly a mother to assure them of that posterity which they are so passionately fond of.

When you fee the works carried on faintly in an hive, it is a mark that there will foon be a fwarm. It feems as if the resolution had been taken in a general council of the nation, the day fixed, and that till then it was sufficient to supply the actual wants of life.

Four or five days after a female is born, she is in a condition to be a queen, and to command a swarm. As all her dignity confists in her fruitfulness; it is highly probable that she quits her minority as soon almost as she quits her nest, and makes herself capable of wear-

ing the crown by the aid of the drones; for it doth not appear that any drones go forth with the fwarms, at least they do not with all fwarms,

It may happen that a fwarm might be composed only of an intirely new generation, but that is not the constant rule; old and young bees go forth together in order to found a colony; you may diffinguish their age, almost with certainty, by their colour alone; the old are more reddish. The queens themfelves are in this respect like the others. Most commonly a swarm is conducted by a young queen. But it is possible that it may be led forth by two, or even by three. What will happen in that case? The reader perhaps would not have divined it, but it will cost their lives to the fupernumerary queens; there will remain no more than one. Is It the common working bees that have destroyed the fupernumerary fovereigns? Or hath there happened a combat between the rival queens? It is most probable that the first is the capse. The bees are defirous of posterity, it is their only wish, but

but then they would have it proportionate to their provision for them. A greater issue would occasion fatigue to themselves, and perhaps unhappiness to their offspring. They chuse rather to prevent these inconveniences by ridding themselves of some queens, whom they consider as made only for the common good, and that ought to be facrificed to it when occasion requires.

The first fifteen days of the new establishment of a swarm in an hive are employed in the most active labour, there is sometimes as much work dispatched in that little time, as in all the rest of the season that is proper for working.

There may go forth three fwarms from a fingle hive in one feason; and there have been swarms that confisted of forty thousand bees.

An hive that is tended with the usual care must perish in the course of a few years by divers accidents happening to the Bees. Mr. de Reaumur mentions an hive that was preserved for thirty years;

the

6 AN ACCOUNT OF BEES.

the case must be rare; but nine or ten years might, with care, be very possible.

Virgil indeed fays,

Ergo ipsas quamvis angusti terminus ævi Encipiat (neque enim plus septima ducitur æstas).

The narrow bounds of age they quickly run, And the sev'nth year the thread of life is spun,

Yet Aristotle allows they may live to nine or ten years, and Columella expressly says,

Durantque, si diligenter exculta fint, in annos decem,

And Pliny likewise observes,

Alveos nunquam
Ultra decem annos durasse proditur.

ere may go forth three finantials

Com a Engle I we whos featon; and

the bive that is readed with the utual tree much faithe course of a few for the course of a few of the course of th

Leant hash heli vitti

BOOK II.

CHAP. L

Of the Apiary and Hives.

HE curious reader is now as much acquainted with the natural history of these useful and industrious insects the bees, as the limits of this work will admit of: for I propose to give only such an outline of it as may excite the ingenious inquirer to purfue a study which will afford him much entertainment. now that he shall have the bees under that easy and constant command, of which the means shall be taught him in the following sheets; at the same time that it will throw much light on the various steps directed to be taken in the management of them, even to those who make profit their chief object. These have indeed been the motives of my learned and worthy friend who has favoured the public with that account.

In order to make the following infructions the more clear to the reader, I shall I shall trace the several steps to be taken in the management of bees, thro' the various seasons of the year, beginning with spring, when the round of their operations may be said to begin. Previous to the entering on this detail, the choice of a situation favourable for their labours, not only as to the air, but also as to the quality and quantity of food, and ease and safety of coming at it, is a matter worthy of attention.

Principio sedes apibus statioque petenda.

A description of the habitations intended for them will next be proper, as well as the choice of proper inhabitants, supposing them to be purchased.

SECT. I.

Of the Situation of the Apiary.

THE apiary should face between the fouth and west, in a place neither too hot, nor too much exposed to the cold; it should be so situate as that the bees returning home from their labours may descend to their hives; it should be near the mansion-house, on account of the

the conveniency of watching them. I have ever found it best to place the mouth of the hives to the west in spring, care being taken that they enjoy the afternoon fun; the morning fun is extremely dangerous during the colder months, when its glare often tempts these indufirious infects out to their ruin; whereas the mouth of the hive being then in the shade, the bees remain at home; and as clouds generally obscure the afternoon's fun at that feafon, the bees escape the temptation of going out. When food is to be obtained, the warmth of the air round the hive continues in the afternoon, which strengthens the bees, and enables them to purfue their labours.

The hives should not be placed where the water from the eves of houses, from trees or hedges, drop on them. A small stream of clear water running near them is thought to be of advantage, especially in hot countries, or in dry seasons, with gently declining banks, in order that the bees may have safe access to it. It appears from Columella*, that

* Lib. ix. c. 5.

they found it necessary in Italy, when there was no stream near, to have the water brought near them in troughs, with pebbles or fmall stones in the water, or rather pieces of wood, for the bees to reft on whilft they drink; for water is fo necessary for infects, that if flies are confined in a close room during a very few days in the fummer, in which they have no access to moisture, they will all die: water may, besides, be of particular use to bees in working up their feveral materials, fuch as combs. honey, &c. However much these precautions are necessary in other countries. the natural moisture of our atmofphere, and of all our vegetable productions, on which our bees feed, renders them very little necessary here. The near neighbourhood of large rivers or basons of water, with high banks, should be avoided, because winds may whirl the bees into them; and they cannot eafily get on shore from thence to dry themselves.

The garden in which the apiary stands hould be furnished with such plants as afford

afford the bees plenty of good pasture; and the trees in it should be of the dwarf kind, with bushy heads, in order that the swarms which settle on them may be more easily hived.

The proprietor should be particularly attentive that the bees have also in their neighbourhood fuch plants as yield them plenty of food: Columella * enumerates many of these fitted to a warm climate: among them he mentions thyme, the oak, the pine, the fweet fmelling cedar, and all fruit trees. Experience has taught us, that broom, mustard, clover, heath, &c. are excellent for this purpose. Pliny recommends broom, in particular, as a plant exceedingly grateful and very profitable to bees; and Mr. Bradley speaks fo highly of the advantages which arise from the planting of it for the food of these useful insects, that I hope my readers will pardon the length of the following quotation from him.

"Of the broom we have two forts, "which will grow freely in England, "viz. the common fort of the fields, and

Lib. xxi. c. 12.

" the Spanish broom, which till very " late has been propagated and cultivat-" ed only in the gardens; but at present " fome gentlemen have raifed it in their " fields, by my advice; and though they " could never before have any profit by " bees, they are now mafters of weighty "flocks; and also have begun to find " the good effect of these plants for bind-" ing and working of baskets, for they " produce long and tough withs, not to " be worn or broken like withs of wil-" lows or ofiers. The bloom or flower " of this fort is also very beautiful and " fweet, perfuming the air like orange-" flowers in May, which invite the bees " and enrich them very greatly, fo that "their hives are full betimes in the " fummer. And confidering the profit " of honey and wax, when bees pro-" fper, I think that whatever ground hap-" pens to be planted with fuch flower-" ing plants, as give them a large share " of nourishment, and afford them plenty " of wax and honey, may be faid to be " valuable: for from the observations I " have made of bees, and the manner " of gathering their honey, one may " rea" reasonably conjecture, that an acre of " ground, which is cultivated with fo " rich a flower-thrub, will bring fuch a " return as will pay the rent; provided "the neighbouring parts do not keep " many bees, to rob our own flocks " for by a calculation, which one may "juftly enough make on the bees ac-" count, one may conclude, that an acre " of Spanish broom will afford wax and "honey enough for ten good flocks of "bees; for this broom brings a vaft " quantity of flowers fertile both in ho-"ney and wax, and continues blowing "a long time. And when a stock of " bees have flowers to their liking, of "which this is one of the chief, and " have a large quantity of them, they " will fill their hive both with wax and "honey, in five or fix weeks, if the " weather will permit them to go abroad: "but this hazard is no more than other "crops are subject to, the weather hav-"ing the management of all crops, " either for their well or ill fare. The "common broom is no way comparable "to the Spanish broom, either for its "flowers, or its withs."

The Abbé Boissier de Sauvages having discovered a substance not before attended to, which the bees collect and turn to honey; I shall here give the purport of what he says in a memoir read before the Society of Sciences at Montpellier, on the 16th of December 1762, on the origin of honey *.

He begins with declaring it to be his opinion, that the bees have no other share in the making of honey, than simply collecting it. Other writers believe, that when the liquor which the bees collect has been for some time in their stomachs, it comes from thence changed into true honey; the liquor having been there properly digested and rendered thicker than when it entered. The Abbé Boisser's opinion is supported by the honey's being still a body subject to vinous fermentation when properly diluted, which does not obtain in any animal substance that I know of.

Besides the liquor already mentioned, which is obtained from the slowers of

^{*} Observations sur l'Origine du Miel, par M. L'Abbé Beissier de Sauvages, a Nimes, 1763.

plants, the Abbé acquaints us, that he has seen two kinds of honey-dews, which the bees are equally fond of: both derive their origin from vegetables, though in different ways.

The first kind, the only one known to husbandmen, and which passes for a dew that falls on trees, is no other than a mild fweet juice, which, having circulated through the veffels of vegetables, is separated in proper reservoirs in the flowers, or on the leaves, where it is properly called the honey-dew: fometimes it is deposited in the pith, as in the fugar cane, and at other times in the juice of pulpy fummer fruits, when ripe. Such is the origin of the manna which is collected on the ash and maple of Calabria and Briançon where it flows in great plenty from the leaves and trunks of these trees, and thickens in the form in which it is usually feen,

[&]quot;Chance," fays the Abbé Boisser,
"afforded me an opportunity of seeing
"this juice in its primitive form on the
"leaves of the holm-oak: these leaves
"were covered with thousands of small
"gian todio and G. 3 acres and "round

"round globules or drops, which, with"out touching one another, feemed to
"point out the pore from whence each
"of them had proceeded. My taste in"formed me, that they were as sweet as
"honey: the honey-dew on a neighbour"ing bramble did not resemble the for"mer, the drops having run together;
"owing either to the moisture of the air,
"which had diluted them, or to the
"heat, which had expanded them. The
"dew was become more viscous, and
"lay in larger drops, or, plaister-wise, co"vering the leaves. This is the form
"that it is usually seen in.

"The oak had at this time two kinds of leaves; the old, which were strong and strong and strong the new, which were tender, and lately come forth. The honey-dew was found only on the old leaves, though these were covered by the new ones, and by that means sheltered from any moisture that could fall from above. I observed the same on the old leaves of the bramble, while the new leaves were quite free of it. Another proof that this dew proceeds from the leaves B, that other neigh-

"bouring trees which do not afford a " juice of this kind, had no moisture on "them; and particularly the mulberry, " which is a very happy circumstance, " for this juice is a deadly poison to filkworths. If this juice fell in the form "of a dew, mill, or fog, it would wet " all the leaves without diffinction, and "every part of the leaves, under as well " as upper. Heat may have fome share in "its production: for though the com-" mon heat promotes only the transpi-" ration of the more volatile and fluid "juices; a fultry heat, especially if re-" flected by clouds, may fo far dilate the " veffels, as to bring forth a thicker and " more viscous juice, such as the honey-" dew

"The second kind of honey-dew, "which is the chief resource of bees after the spring slowers and dew by transpiration on leaves are past, owes its origin to a small mean insect, the excrement thrown out by which, "makes a part of the most delicate how may we ever take *.

The Present call this indeed a Puter on. It is a kind of wine feeter.

Thefe wine-freters rest during feve-" veral months on the bark of particular "trees, and extract their food by pierc-"ing that bark, without hurring the " tree, or bringing upon it any defor-" mity; as do those insects which make "the leaves of fome trees curl up, or " cause galls to grow upon others. They " fettle on branches which are a year " old. The juice, at first perhaps hard " and crabbed, becomes, in the bowels " of this infect, equal in fweetness to the " honey obtained from the flowers and " leaves of vegetables; excepting that " the flowers may communicate some " of their effential oil to the honey, and " that this may give it a peculiar flavour; " as happened to myfelf, by planting a "hedge of rosemary near my bees at " Sauvages, the honey has tafted of it " ever fince; that shrub continuing long " in flower.

[&]quot;I have observed two species of vine"freters which live unsheltered on the
"bark of young branches: they have a
"smooth skin, and those without wings
see species of vine"smooth skin, and those without wings
see species of vine"smooth skin, and those without wings
see species of vine"smooth skin, and those without wings
see species of vine"smooth skin, and those without wings
see species of vine"smooth skin, and those without wings
see species of vine"smooth skin, and those without wings
see species of vine"smooth skin, and those without wings
see species of vine"smooth skin, and those without wings
see species of vine"smooth skin, and those without wings
see species of vine"smooth skin, and those without wings
see species of vine"smooth skin, and those without wings
see species of vine"smooth skin, and those without wings
see species of vine"smooth skin, and those without wings
see species of vine"smooth skin, and those without wings
see species of vine"smooth skin, and those without wings
see species of vine"smooth skin, and those without wings
see species of vine"smooth skin, and those without wings
see species of vine"smooth skin, and those without wings
see species of vine"smooth skin, and those without wings
see species of vine"smooth skin, and those without wings
see species of vine"smooth skin, and those without wings
see species of vine"smooth skin, and those without wings
see species of vine"smooth skin, and those without wings
see species of vine"smooth skin, and those without wings
see species of vine"smooth skin, and those without wings
see species of vine"smooth skin, and those without wings
see species of vine"smooth skin, and those without wings
see species of vine"smooth skin, and those with skin, and those with

great bulk of the swarm; or perhaps
the young in their caterpillar state,
before they are changed into slies; for
each swarm has in its train two or
three males with wings: these live on
the labours of the females, at least s
always saw them hopping carelessly on
the backs of the females, without going to the bark to seek for food.

"Both species live in groups on diffe"rent parts of the same tree. They there
"stick close to one another around the
"branch, entirely covering the bark; and
"it is remarkable that they there take a
"position which may seem to us to be
"a very uneasy one; for they adhere to
"the branch with their head downward,
"and their belly uppermost.

"The leffer species is of the colour of the bark on which it feeds, and that is generally green. It is chiefly distinguished by two horns, or strait immovable sleshy substances, which rise perpendicular from the lower sides of the belly, one on each side. This is the species which lives on the young thoots of brambles and of elder.

AN ACCOUNT OF BEES.

"The former of these species is double "the fine of this last, and is that which I to how have most particularly in view, because it is that from which the homey comes. These insects are blackish, and instead of the kind of horns which distinguish the others, they have, in the same part of the skin, a small button, black and shining like set.

"The buzzing of bees in a tuft of " French or holm oak, made me suspect " that fome very interested view brought " fo many of them thither. I knew that it was not the feafon for expecting "honey-dew, nor fuch the place where "it usually is, and was surprised to find "in the center the tuft leaves and " branches covered with drops which " the bees collected with a hudining " noise. The form of the drops drew " my attention, and led to the following "differery, laftead of being round, " like drops which had falleng each of " these formed a little longish oval. I " foon perceived from whence they pro-"ceeded. The honeyed leaves were fitt-" ated beheach a fwarm of the larger " black HT I

"these insects, I saw them from time to
"time raise their bellies, at the extremity
"of which there then appeared a trans"parent amber-coloured drop, which
"they instantly darted from them to the
"distance of some inches. I found, on
"tasting some which I had catched in
"my hand, that it had the same flavour
"with what had before fallen on the
"leaves. I afterwards saw the smaller
kind dart their drops in the same
"manner."

"This darting, to which the drop owes "its oval form, is not a matter of indif"ference to these insects themselves, but
"seems to have been wisely instituted in
"order to preserve cleanliness in each
"individual, as well as among the whole
fwarm: for, pressing as they do one
upon another, they would otherwise
"soon be glued together, and rendered
"incapable of stirring."

" blace the salelves with sive are they are

"We may now, with some probabi"lity, account for the seemingly odd
"fituation in which they reft. Their
"belly

" belly

belly is about twenty times larger than "their head and breast. If the insect was placed in a contrary direction, it " could not, without extreme difficulty, " raise its heavy belly, so as to project it " outward, fufficiently to discharge the "drop over its companions; whereas, when its head is lowermost, much less " effort is requifire to incline it forward; "and even in this fituation the infect " feems by its fluttering to collect all " its ffrength. When the winter's cold " and rains come on, these vine freters " place themselves wherever they are " least exposed; and as they then take "but little nourishment, and but seldom " emit their drop, they feem not to mind " whether the head or tail be uppermoft.

"The drops thus spurted out fall upon the ground, if leaves or branches do not intervene; and the spots which they make on stones remain long, unside they are washed off by rain. This is the only honey-dew that falls; and this never falls from a greater height than a branch on which these insects can cluster.

"It now is easy to account for a pheor nomenon which formerly puzzled me "much. Walking under a lime tree in "the king's garden at Paris, I felt my " hands wetted with little drops, which " I at first took for small rain. The tree " should have sheltered me from rain " but I escaped it by going from under "the tree. A feat placed by the tree " shone with these drops. Being then "unacquainted with any thing of this "kind, except the honey-dew which is "found upon leaves, I was at a loss to " conceive how fo glutinous a fubstance " could fall from the leaves in fuch " fmall drops; for I knew that rain could " not overcome its natural adherence to "the leaves, till it became pretty large " drops; but I have fince found, that the " lime tree is very subject to these insects.

"Bees are not the only infects which " feast on this honey. Ants are equally " fond of it. Led into this opinion by "what naturalists have faid, I at first "believed that the horns in the leffer " species of these vine-freters, had at "their extremity a liquor which the "ants

"ants went in fearch of: but I foon dif"covered, that what drew the ants after
"them came from elsewhere, both in
"the larger and the leffer species, and
"that no liquor is discharged by the
"horns:

"There are two species of ants which fearch for these insects. The larger " black ants follow those which live on " the oak and chefnut; the leffer ants " attend those of the elder. As the ants " are not provided with the means of " fucking up fluids, they place them-" felves near the vine-freters, in order " to feize the drop the moment they fee " it appear on the anus: and as the drop " remains some time on the small vine-" freters before they can dart it off, the " ants have leifure to catch it, and there-" by prevent the bees from having any " share of it; but the vine-freters of the " oak and chefnut being ftronger, and " perhaps more plentifully supplied with " juice, dart the drop inflantly, fo that " the larger ants get very little of it.

"The vine-freters, finding the greatest plenty of juice in trees in the middle "of

"of the fummer, afford also at that time "the greatest quantity of honey; and "this lessens as the season advances, so "that, in the autumn, the bees prefer to it the flowers then in season.

"Though these insects pierce the trees
"to the sap in a thousand places, yet the
"trees do not seem to suffer at all from
"them, nor do the leaves lose the least
"of their verdure. The husbandman
"acts therefore injudiciously when he
"destroys them."

In Kempen-land in Germany, I have feen, fays Worlidge *, about forty great bee-hives, which contain, when they are full, about feventy pound weight in honey, placed near a great field, fown with buckwheat; and it was related to me of a truth by the inhabitants, that the bees did fuck fuch plenty of honey out of it, that in a fortnight's time the faid hives were filled therewith.

All the willows which bear an early bloom, goofberries, &c. are of great use

Mystery of Husbandry, chap. in. § 3.

to bees for closing the combs in which their young brood is laid on the first approach of spring. Turneps in bloom, and other early plants, come in very seasonably both for food and wax, at a time when their winter stock may have been nearly exhausted. Mustard is attended with this advantage, that by sowing the seed at different times, the bloom may be continued during some weeks.

Though bees collect good honey from most herbs and slowers, yet as by the following fact it is evident that they may collect from poisonous plants honey which may be noxious in its effects, equal care should be taken in removing the plants which afford such juices, as is taken to collect plants of a contrary quality.

Xenophon mentions in the famous retreat of the ten thousand, "that the foldiers sucked "fome honey-combs in a place near "Trebizonde, where there was a great "number of bee-hives; that all who "fucked them became intoxicated, vo-"mited, and purged; not one was able " to fland upon his legs; those who had " taken but little, were like men drunk : " but those who had taken a good deal, " were like men mad, and fome lay like " men dead: the next day, about the " fame hour, they recovered their fenfes; "but it was three or four days before " they were entirely restored, as if they "had taken a poison." This fact cannot be a romance from so grave a writer, who was present, and for a considerable time had the principal command. Mr. Tournefort, in his travels through this country, was particularly attentive to this account of Xenophon, and obferves, that the chamærhododendros pontica, maxima, mespili folio, flore luteo, which grows commonly in the neighbourhood of Trebizonde, bath these effects, and that even its smell affects the head; he judges therefore, that the honey had been extracted by the bees from the chamerhododendros; and adds, that father Lamberti, a missionary, observes, that the honey which bees gather from a certain Shrub of Colchis or Mingrelia, is dangerous, and causes vomiting. From the description Mr. Lamberti hath given of the Shrub, Mr. Tournefort pronounces it to be the chamarhododendros.

dodendros, mespili solio; its smell very much resembles the honey-suckle's, but is much stronger.

SECTION II.

Of Hives de la form

CTRAW hives, as far as regards the bees, are preferable to any other habitations, because the straw is not so liable to be heated by the rays of the fun at noon, to which they are generally exposed, and is a better fecurity against the cold, than any kind of wood or other material. Their cheapness renders them of an eafy purchase, even to the cottager, which is of great advantage in an article, the production of which, in a confiderable quantity, depends on its being cultivated by the multitude, as must be the cafe here, if a quantity of wax is collected fufficient to make it an object of utility in a commercial view. I might also have mentioned the greater quantity of honey produced: for when it is obtained in the plenty, I flatter myfelf the instructions given in this work will enable men to do; they will then have in their own hands a material which will 5

will yield them wine in flavour equal to many imported, and in wholesomeness much superior.

As I propose that the management of bees in hives shall be altered from what is now practised, so the size and form of my hives are different from those now in common use. I say now, because I take to myself some share of honour, that without any communication with the Count de la Bourdonnaye in Britany, nearly the same thought has occurred to us both.

VIE

My hives are seven inches in heighth, and ten in width. The sides are upright, so that the top and bottom are of the same diameter. A hive holds nearly a peck. In the upper row of straw, there is a hoop of about half an inch in breadth, to which are nailed sive bars of deal, full a quarter of an inch in thickness, and an inch and quarter wide, and half an inch asunder from one another; a narrow short bar is nailed at each side, half an inch distant from the bars next them, in order to fill up

the remaining part of the circle: fo that there are in all feven bars of deal, to which the bees fix their combs. The space of half an inch between the bars. allows a fufficient and easy passage for the bees from one hive to another. In order to give greater steadiness to the combs, fo that upon moving the hive the combs may not fall off, or incline out of their direction, a flick should be run through the middle of the hive, in a direction directly across the bars, or at right angles with them. When the hives are made, a piece of wood should be worked into the lower row of straw, long enough to allow of a door for the bees of four inches in length, and half an inch in heighth.

The proprietor of the bees should provide himself with several flat covers of straw, worked of the same thickness as the hives, and a foot in diameter, that so it may be of the same width as the outside of the hives. Before the cover is applied to the hives, a piece of clean paper, of the size of the top of the hive, should be laid over it, and a coat of cowdung,

dung, which is the least apt to crack of any cement easily obtained, should be laid all round the circumference of the hive. Let the cover be laid upon this, and made fast to the hive with a packing-needle and pack-thread, so that neither cold nor vermin may enter.

Each hive should stand single on a piece of deal, or other wood, fomewhat larger than the bottom of the hive: that part of the fland which is at the mouth of the hive, should project some inches for the bees to rest on when they return from the field. This fland should be fupported upon a fingle post, two and a half feet high; to which it should be fcrewed very fecurely, that high winds or other accidents may not blow down both stand and hive. A quantity of foot mixed with barley-chaff, should be strowed on the ground round the post, which will effectually prevent ants, flugs, and other vermin from rifing up to the hive. The foot and chaff should from time to time be renewed as it is blown or washed away; though as it is sheltered by the stand, it remains a considerable time, especially H 3

especially if care be taken that no weeds rise through it. Weeds indeed should not be permitted to rise near the hive, for they may give shelter to verminwhich may be hurtful to the bees.

The stands for bees should be four yards asunder; or if the apiary will not admit of so much, as far asunder as may be, that the bees of one hive may not interfere with those of another hive, as is sometimes the case when the hives are seated near one another, or on the same stand; for the bees mistaking their own hives, light sometimes at the wrong door, and a fray ensues, in which one or more lose their lives.

The person who intends to erect an apiary, should purchase a proper number of hives at the latter end of the year, when they are cheapest. The hives should be full of combs, and well stored with bees. The purchaser should examine the combs, in order to know the age of the hives. The combs of that season are white, those of a former year are of a darkish yellow; and where the combs

AN ACCOUNT OF BEES, 103

combs are black the hives should be rejected, because old hives are most liable to vermin and other accidents.

whereby man, or them, and we defling If the number of hives wanted were not purchased in the autumn, it will be necessary to remedy this neglect after the feverity of the cold is past in the foring. At this feafon, bees which are in good condition, will get into the fields early in the morning, return loaded, enter boldly, and do not come out of the hive in bad weather; for when they do, this indicates that they are in great want of provisions. They are alert on the least disturbance; and by the loudness of their humming we judge of their strength. They preserve their hives free from all filth, and are ready to defend it against every enemy that approaches.

The summer is an improper time for buying bees, because the heat of the weather softens the wax, and thereby renders the combs liable to break, if they are not very well secured. The honey too being then thinner than at other times, is more apt to run out at H 4

oren. I refer the read r test

the cells, which is attended with a double disadvantage; namely, the loss of the honey, and the daubing of the bees, whereby many of them may be destroyed. A first and strong swarm may indeed be purchased; and if leave can be obtained, permitted to stand in the same garden till the autumn; but if leave is not obtained, it may be carried away in the night after it has been hived.

I suppose that in the stocks purchased, the bees are in hives of the old construction. The only direction here necessary is, that the first swarm from these stocks should be put into one of my hives; and that another of my hives should, in a few days, be put under the old stock, in order to prevent its swarming again. As this matter will be fully treated of in the next chapter, I refer the reader to it.

After an account of my own hives, I shall subjoin the Count de la Bourdon-naye's improvement on hives, as related by the society established by the States of Britany for the improvement of agriculture, arts and commerce, who have been

been constantly distinguished by the regularity and judgment which attend all their steps. They have proceeded admirably in regard to bees *. They began with procuring information of what has been hitherto done to preserve the lives of those useful creatures, and at the same time increase the quantity of wax, their principal object. Count de la Bourdonnaye took upon himself not only the making of this inquiry, but also the conducting of such experiments as might be necessary to ascertain the true merit of each method proposed.

In their Memoirs for the year 1759 and 1760, we are informed †, that the Count preferred the following, on account of the success with which it was attended, and also for its cheapness, which, as they justly observe, is a most important point in whatever relates to the management of rural affairs.

^{*} Corps d'Observations de la Societé d'Agriculture, de Commerce, et des Arts, établie par les Etats Bretagne, Années 1757 et 1759, p. 162.

[†] P. 237.

Count de la Bourdonnaye's hives are made of straw, divided into two parts, which are placed one over the other. Each of these parts is twelve Paris inches in diameter in the inside, and eleven inches high; so that, when joined, they make an hive twenty-two inches in height. They are nearly flat on the top, and have in the middle of the top a hole an inch and a quarter square. The upper half rests on the lower. They are made of sufficient thickness to be proof against cold, and not to be heated by the rays of the sun. When united, their joining is luted close.

SECTION III.

Of Boxes.

HOWEVER much hives may exceed boxes in real utility, yet many prefer boxes, both as more ornamental to the eye, and as by means of windows made in them, they afford entertainment by feeing fomething of the progress made

^{*} The Paris foot is to the English foot, as 12-7608 inches are to 12 inches.

within. With this view glafs-hives have been also made use of; but it has been found that they give so little real information, and are found so little agreeable to bees, that they are now generally laid aside.

Mr. Hartlib, in his Commonwealth of Bees, mentions an experiment of glaffen-bives invented by Mr. William Mew, minister of Easlington in Gloucestershire: and in the fame book gives a description of a bee-hive made of boards of an octagon form, with a glass-window on the backfide of it, for the observation of their works. Soon after this John Geddy, Efq; published a further account of boxes for bees. Joseph Warder, physician at Croydon, made confiderable improvements on the boxes, and added feveral curious circumflances concerning bees in his work, intituled, The true Amazons, or the Monarchy The Reverend Mr. John Thorley of Bees. of Oxford, in his Inquiry into the Nature, Order, and Government of Bees, added but little of real utility to Dr. Warder, exceptthe use of his Narcotic, which, I flatter myself, will now be very little wanted.

The

The Reverend Mr. Stephen White, rector of Holton in Suffolk, in his Collateral Bee-boxes, or an easy and advantageous Method of managing Bees, has attempted a new improvement, by having his boxes on a level: but it has been found that the bees lay their eggs promiscuously in both boxes, and that therefore these boxes do not fully answer the design they were intended for. It is needless to say more of the improvements made by these gentlemen, because their works are in every one's hands, who may compare their methods with mine, and follow what shall appear to them the best.

A very ingenious Lady in Swifferland, and extremely attentive to every circumstance relating to bees, has entered into the same view with Mr. White, of making what may be called collateral boxes of a simple and seemingly convenient structure. As I think her boxes and observations well worthy the public eye, I shall give her description and uses of her boxes, as related in the Memoires et Observations recueilles par la Societé Oeconomique de Berne, Année 1764, Part I. p. 95.

The article is termed, Observations sur les Abeilles, par Madame Vicat nee de Curtas, Epoufe de M. Vicat, Professeur en Droit a Laufane. I am not a little proud of the fimilarity in our views.

She tells us, that the has always been of opinion, that the cells intended for breeding the young, are placed in the center of the hive. The hive is both drier and warmer there than in any other part. The moisture which flies upwards. might be prejudicial to the young. The method which the bees observe in laying up their honey, confirms this opinion. The center is the last part filled, after the young brood are all become bees: and this honey is the first confumed, probably to make room for the queen's laying her eggs in those cells in the spring. This is much more likely, than that the bees should eat that part first, because it would putrify if kept. The queen begins early in the fpring to lay her eggs, and the lays great numbers of them. M. de Reaumur fays, that fhe lays two hundred eggs in twenty-four hours, and that fix thousand bees are brought to † perfecperfection in the space of three weeks. On this principle Madam Vicat has contrived her boxes, so that these cells, so much wanted in the spring, shall not be taken away.

She places her boxes on a stool, or rather table of fir; for oak, being a more folid wood, is colder, and thereby the bees, which either fall or rest upon it in the winter, may be so chilled as not to be able to rife again. This table is three feet long, fifteen inches in breadth, and three inches thick. It flopes on the fides, which gives the middle an elevation that keeps it dry in rainy weather. There run along each fide two grooves, the innermost to receive the boxes, and the other, which is deeper, to receive the cover. In the middle of the table is a hole eight inches square, which is closed with a flider, supported underneath by grooves cut in the folid wood. There is in the flider a hole four inches square; and this hole is covered with a plate of vin pierced with little holes, like the nozzle of a watering-pot, in order to admit air in hot weather. For the winter, perfecand

and for the cold nights in spring and autumn, there is a flider of folid fir. which keeps out the air. The table is rested upon four strong feet, high enough to admit of examining the flate of the bees from below. That the bees may have a convenient landing place before the hive, the table is extended fome inches forward beyond the cover, and terminates there in a femicircle.

The hive or colony is composed of four boxes, if I may be allowed this expression, where there are only three sides. It may confift of three or of two boxes, as may be most agreeable to the owner. Each of the boxes is made of three pieces of deal, a full half inch thick. The two standing pieces are each eleven inches in height, and five and an half in breadth, and are dove-tailed into the piece at top, which fets the two flandards at the distance of feven inches from each other above, whilft they are ten inches afunder at the bottom. They are kept thus distant by a rod, or thin piece of wood, which at the fame time renders' the box the ftronger. This rod is placed within

within two inches of the bottom; and another is made to cross about an inch from the top, in order to afford a prop or flay to the combs. These boxes are not jointed or fet into each other. They are only fet quite close together; fo that any one of them may be eafily separated from the rest of the colony. They are connected by rods of woods which run along the whole colony, and pass through wooden rings fixed to each fide of each box: Each of these wooden rods has a hole in the end next the back of the colony, fit to receive a large iron wire; which after being passed through the holes, is drawn tight, to secure the piece of deal which forms the back of the colony. The piece which forms the fore-part of the colony, is fecured by two nuts screwed on to the ends of the wooden rods which come to the forepart of the colony. By these means the boxes are kept very close together. The pieces of deal at each extremity of the colony or hive, are exactly fitted to the boxes, fo as not to exceed them in any part. These pieces being placed only at the extremities of the hives, when any nidiw

part is taken away, what remains may be flipt or pushed forward or backward in the grooves, and the extremities be immediately fitted thereto. There is in the middle of the end-pieces an opening, that in the front to give an outlet to the bees, that in the rear to be usually shut up. Three of these boxes hold as much as an ordinary straw hive; but the addition is not too much for a strong stock of bees.

There is on the table, as already mentioned, an outer groove to receive the cover of the boxes, which is made of fir. above half an inch thick. On one fide it is this cen inches high, and on the other feventeen; so that there may be a declivity fufficient to carry off the rain water. There is in the fore-part of it an opening, answering to the opening in the hive to admir the bees! To this opening in the cover a frame is fixed, either on a pivot, or in a groove, and there are in it four partitions, to be either turned on the pivot, or moved in the groove, as occasion requires. The first partition gives a free pallage to the bees, and is Sancra

HA AN ACCOUNT OF BEES.

applied to the mouth of the cover in the working or Iwaming featon: the next narrows the passage to, that bursew bees ein get out or in at a time, and is used when there is danger of robbers: the third is pierced full of holes to let in air, whilst it confines the bees, and is used chiefly in the beginning and end of winters the fourth is intirely that, and is applied when the weather is extremely cold.

It will be convenient to have panes of glass in the sides of the boxes, and a hole to be opened occasionally at top, through which a thermometer may be introduced whenever it is thought proper.

When one of these hives or colonies is first peopled, the upper piece or top of one of the boxes is taken off, and the straw hive is placed upon the opening, putting a grate of wire in the hole, to prevent an union of the combs in the box with those in the hive, which would render the separation more difficult.

In the month of October, the first and fourth boxes, counting from the entrance,

trance, may be taken away; and this at a time when we are fure of not taking away any of the young brood; nor, as we have just observed, any of the cells appropriated for them, these being in the middle of the hive. When a box is to be taken away, the rod which holds the boxes firmly connected is unforewed. The boxes which are to remain untouched, may be secured by staples. The opening in the bottom of the piece of deal which forms the back part of the hive, is then to be opened, and the smoke of linen rags is blown into the box. As foon as we can judge that the bees are by this means driven out of the farther box, the end is loofened and taken away; then the box itself is loosened from the next, and the combs, if they run in a longitudinal direction, must be cut through with a wire, or a sharp thin knife. If the combs run crofs-wife, they may be taken out fingly, before the box

Is

is taken away. The box being then removed, the piece of deal forming the back of the hive, is immediately joined to the remaining box, and secured as it was before. The smoke should be kept up all the time, to prevent interruption from the bees. If the first box is to be taken away, exactly the same steps are to be pursued; and if it be done when most of the bees are abroad, scarce a bee will be lost.

As foon as both boxes are taken away, the remaining boxes should be slipped forward, so as to make the front stand where it did before; and when the additional boxes are added in the spring, the two remaining boxes are pushed to the farther end. If the season is favourable, both the old boxes may be taken away in the summer.

In this method, no void space is left in the hives, and consequently the bees are not thereby exposed to so great a degree of cold as might endanger great numbers of their lives. We should, on this account, avoid adding an empty box whilst the nights continue cold in the spring. With proper care, the bees increase as fast in these colonies, as in any hives; and if swarms are wanted, it is but delaying the addition of empty boxes in the spring. Thus far M. Vicat.

In

In the construction of my boxes, I have in view the advantages proposed by the authors who formerly recommended boxes, namely ornament, and facility of taking honey and wax. In regard to the latter, I hope my small square boxes, Fig. 1. will be found superior to them; as they will also be at least equal to them in the entertainment they afford by means of their windows. I intend the larger box, Fig. 3. to answer the purpose of glass-hives, which it will exceed; for in it not only all the labouring bees, but also the queen, may be in view as often as the proprietor pleases.

The double square box, Fig. 1. Plate II. made to part in two, is eighteen and a half inches high, and ten inches square. It consists of a frame, with doors a a on three of the sides, the fore part having a fixed cover. The upper box has a cover b, moving on hinges, and secured in the fore part with a lock. The sliding frames, Fig. 2. 66, in which the bees make their combs, are three and a quarter inches thick, eight inches wide, and eight and a half in depth. Each of these frames

118 AM ACCOUNT OF BEES

have four flides d, Fig. 1. inch wide, and half an inch afunder; intended to prevent the bees extending their combs to the glass, which would render the taking them out inconvenient. There is an upright partition e in the middle, to firengther the frame; in the middle of which there is a division of half an inch. to afford an eafy paffage to the bees; and two fimilar passages in the bostom to give a free passage to the bees to go from one box to another; for this box stands on a lower box, which inflead of fliders to contain the combs, has fix bars, to which the bees fix the combs in the The two boxes are fixed tolower box. gether by means of a hasp. The lower box has three doors, as the upper one; and the doors in each have a pane of glass fixed in them, with small brads, which are easily drawn out, when there is occasion to take out the panes of glass. Between the upper and lower boxes there is a flider f, which is put in when the frames with the combs are taken out of the upper boxes, or when the upper box is changed. A like flider g is pus in the bottom.

The box. Fig. 3. confifts properly of when brought together is secured by hooks and eyes. When united, they are twenty-two inches in height, eighteen in thickness, and twelve in width; and make the appearance of one of the divifion of Fig. 3. These boxes are divided into two separate apartments for bees a, b. In the upper apartment there is a frame constructed in the same manner. and for the same purposes as in the other boxes. In each apartment there are two glaffes covered with doors c c, to keep out the glare of light, when they are extended. Each of these boxes have a cover d, fliding in a groove, to be taken out when the frame with the combs is taken up. There is in these boxes, as the former, a flider e, which goes in a groove between the upper and lower apartments; and also a like slider fin the bottom, in order to clear the hive of dead bees, or any other filth which may annoy them. Each box has an opening or door, ggg half an inch in height, and four inches in length at the bottom. and in the division which separates the boxes. Disould

boxes, in order to give the bees the easier passage to and from the fields, for carrying on their labours. Before every door, whether in an extended or collected state, there should be a semicircular landing-board placed before each door, having two pieces of wire in them, corresponding to holes in the boxes, for sixing them in their places. The tops of the boxes b b b, may be formed in any manner agreeable to the owner.

That the description of my instruments may come together. I shall add here an instrument yeary proper for feeding bees.

Honey is so penetrating a substance that no joining will contain it; and therefore a vessel, rig. 4. should be turned out of the solid wood, in which honey is put in order to seed bees, when it is found necessary. The vessel a may be nine inches in diameter, and two and a half inches deep. On one side a piece is cut out to admit a nossel b four inches in breadth, and one inch clear of the turned vessel in length, the opening for the bees to pass from the hive to the honey, half an inch in height. The cover should

should be rurned out of the same wood, and secured by a rabbit c, which enters a groove in the lid. In the middle of the cover, a hole d is made, in order to see when the honey is eat up, in which is a pane of glass, with a cover sitted to it, of the dimensions of the hole.

The boxes and all parts of them are made of red cedar, the fragrance of which is agreeable to the bees, besides that it is the warmest and driest of any wood.

Fig. 5. represents one of my straw

fail and come that A was examine and the

of Swarming.

IT has been already observed, that the queen begins to lay her eggs so soon as the severity of the winter's frost is past, and proceeds in proportion to the mildness of the season. The number of young bees that may by this means rise in the hive may endanger the lives of all the bees by famine; an accident not sufficiently attended to; and yet when pointed

pointed out appears felf-evident : for if the weather comes in mild in January. or even to late as February, fo that the queen is induced to lay many eggs, they in due time become bees; and the inereafed multitude confirme a great deal of honey. If this mild weather is fucceeded by cold, rainy, or even dry weather, a famine may enfue in the hive, when the badness of the weather prevents the possibility of supply : for during even the cold dry weather, what flowers come forth or open, are found to have none of that sweet juice in them which conflitutes honey. Dry days tempt bees to go out, when the cold and fatigue destroys many. On this account the proprietor should examine frequently into the face of his hives at this feafon, that, if necessary, he may give them a proper supply, in which he should rather be bountiful than otherwise, be cause they are faithful stewards, and will return with interest what is thus in their so great need bestowed upon them. manner of feeding them will be directed hereafter. It is from this cause that many hives die so late as May; and the owner pointed

owner is surprized what could have destroyed a hive which he had observed in a thriving state some time before, little suspecting that the number of bees which he was pleased to see, added to his own neglect, have been the cause of his loss. He is not to judge of the state of the hive by its weight at this time, because the number of young bees or maggots in it weigh heavy, and may impose on the unwary for real wealth.

cludiers on the cutfille and the diones

When a hive is become too much crouded by the addition of the young brood, a part of the bees think of finding themselves a more commodious habitation; and with this view fingle our a queen, with whom they take wing. This is called fwarming, and happens garlier or later, as the feafon has been more or lefs kindly. If the fpring is mild, calm, and an early bloom is come on, then the fwarms will be early and Arong: but if it proves cold and windy, with either rainy or dry weather, then will there be but few fwarms, and those alfo weer backward on the said for STORY OF A STORY CHARTE

So so the love

When

124 AN ACCOUNT OF BEES.

When the bees are thus crouded, and the weather is warm and calm, they delight to rife, especially after a sudden shower or a dark cloud has sent them home in crouds. They feldom fwarm before the fun has warmed the air, that is, not before ten in the morning, and feldom later than three in the afternoon. We may know that their fwarming approaches, if the hive appears fo full of bees, that part of them hang in clusters on the outfide; and the drones are perceived in greater numbers than ufual, especially in the afternoon. But the most certain fign, and which indicates the event to be on that day, is, that the bees refrain from flying into the fields, though the feafon feems inviting. Just before they take their flight, there is an uncommon filence in the hive, and this continues for some time, or as long as the bees which are going out take up in filling their stomachs with honey, to be a store in case of bad weather; but as foon as one breaks forth, they all follow, and are inflantly on the wing and five

For three or four nights before a fwarm fallies forth, there is in the hive

a peculiar humming noise, of which authors give very different descriptions, probably owing to the strength of imagination in each. Every found among bees arifes from their striking their wings against the air: their wings being their fole organ of voice, if I may be allowed the expression. By moving their wings more or less forcibly and swiftly, they beat the air, and form the varied and confused sounds which we callhumming. The noise which foretells their fwarming is eafily diftinguished by those who are accustomed to it, and is more especially observed before the casts, or fecond and following fwarms. The reafon that this noise is less frequent before the first swarm is, that the young queen is not yet in a condition to go out with the new fwarm; and therefore the feeming contest between the queens is not heard; in this case, the old queen leads forth the fwarm. They fometimes fwarm, if much crouded, even before the young queen is come out of her cell; for the bees go on cheerfully in their labours, while they have the expectation of her coming forth. If their swarming is delayed for some days by rain, and the young

2526 AN ACCOUNT OF BEES.

woung queen de become drong enough totale wing, the fwarm generally chuse die young queen for their leaders and with this view, the lies in the bottom of the hive, ready sto fly off with them. The noise than is heard before the fecond and following finarms is owing to there being now two queens ready to fally forth, and a content reems to write which of them shall go. The old queen is feated in the crown of the hive, and the other near the bottom, and make reciprocal answers to one another. The diftance whence the found comes, pro-Bably conflitures the difference observed in the founds, the one being compared to a bafe, and the other to a treble; or as expressed by Worlidge, chap. ix. § 3. The figns of after fwarms are more certain; when the prime fwarm is gone, about the eighth-or tenth evening after, why another brood is ready, " and again math overfilled the hive, the next queen beginning to tune in her treble voice, a mournful and begging note; then in a day or two shall wyou hear the old queen in her base "hote reply, and as it were confent. In silved for loss days by year and the

Sunov

"the morning before they fwarm, they " come down near the Hool, and Hiere " they call formewhat Ibuder. At the "Very time of fwarming they derend " to the fool, where answering one an-Wother in more earlieft manner, with "thicker and thriller notes, the mukit-" tude come forth in great hafte," &c. If rainy weather prevents their twarming a fecond or third time beyond the fourteenth day, one of the queens, generally the young queen, is flain on the morning of the fifteenth; fo impatient are they of the long continuance of divided empire: and so sensible is the of her own danger, that the fometimes tempts a few to accompany her in her flight, be the weather ever folittle inviting.

The time of the year in which they most generally swarm, is from the middle of May to the end of June; but sometimes sooner or later, according as the season is more or less favourable. The earliest swarms do not always prove the best, especially if they are so early as the end of April or beginning of May: for the weather often is afterwards so

wet

wet, and cold, that they are frequently in danger of being destroyed, or greatly reduced, by famine, Though fwarms which iffue forth fo late as July are not in danger of a present famine so yet they fcarcely have time and opportunity to lay in a fufficient store for the winter. Towards the feafon of fwarming, the door of the hive should be enlarged, to give the bees the greater freedom to iffue out; and it should likewise remain fo for young swarms, during the first fortnight or three weeks, to allow the freer entrance to the bees at that time extremely bufy in collecting their necesfary flores. The entrance should afterwards be gradually leffened, to prevent the otherwise easy access of enemies, of which there is great danger, especially as the autumn advances.

Hives continue sometimes to send forth swarms till the old hive becomes too much weakened, and part of it is empty. It is probable, that the prolific young queens prompt the bees to swarm thus frequently; for it is certain, that if there is not a young mother qualified to bring

bring forth a numerous progeny, though there be ever so great a number of bees, they will all remain, and die rather than quit the hive. This is confirmed by the Author of the Natural History of Bees. "I "have drowned," says he *, "several "hives, the swarms in which could not "be forced out by any means; and after "examining all the bees attentively, I "ever found that there was but one "fingle mother, and this the old one; "the eggs or maggots of the young "queen bees having, I suppose, been "destroyed by some accident."

Whenever the bees of a swarm fly too high, they are made to descend lower, and disposed to settle, by throwing among them handfuls of sand or dust; probably the bees mistake this for rain. It is usual at the same time to beat on a kettle or frying pan; perhaps from its being observed that the noise of thunder prompts such bees as are in the fields to return home. Precautions of this kind are the more necessary, if, as Dr. Warder observed.

P. 323.

291 [0]

K

ferves,

ferves t, "the bees always provide a " place for their habitation before they " fwarm; either in some hollow tree, or " in the hollow part of fome old builda ing, or in some deserted hive, which " the fwarm have already prepared, by " cleaning out whatever may be offen-" five to their cleanly nature." Of this he gives an instance; and concludes, that " though they provide themselves of a "house before they swarm, and take "much pains about it, yet if you are " early enough in your taking the " fwarm, and they find themselves at " unawares in a convenient house, they "have no mind generally to leave it: " but if they rife again the same or next " day, be fure hive them not in the fame "hive again, for it is plain they have " some dislike to it."

When the bees first fettle in swarming, indeed when they at any time reft themfelves, there is fomething very particular in their method of taking their repole. It is done by collecting them-

+ The true Amazons, or the Monarchy of Bees; 8th edit. p. 77.

felves

felves in a heap, and hanging to each other by their feet. They fomerimes extend these heaps to a considerable length. It would feem probable to us, that the bees from which the others hang, must have a considerable weight fuspended to them. All that can be faid is, that the bees must find this to be a fituation agreeable to themselves. They may perhaps have a method of distending themselves with air, thereby to lessen their specific gravity; in the same manner as fishes do, in order to alter their gravity compared with water.

When a swarm divides into two or more bands, which fettle separately: this division may proceed from there being two queens, though they fometimes fettle feparately, when there is but one queen among them. In this case, one of the clusters is larger than the other; and the bees of the smaller cluster or clusters detach themselves by little and little, till at last the whole unite with the larger clufter, in which the queen is. If there are two queens, and the fwarm is early and large, each cluster

K 2

may be hived separately: or if the clusters unite, one of the queens must be facrificed to the peace and tranquillity of the hive. If this execution is left to the bees, it generally raises a considerable commotion in the hive, and is done in the evening of the first day; for if it is delayed till morning, the youngest of the queens will, if poslible, take flight, and return to the mother hive. In order to prevent this commotion, it will in this case be advisable to seize one of the queens alive, and keep her prisoner with about a hundred or more of her subjects, in a box with fmall holes in it, fufficient to admit air, but not fo large as to permit the bees to escape. In this box a comb with honey should be given them for fullenance, in case they are kept for fome days, that you may have her in reserve, in case a queen may be wanted for another swarm. For this purpose, towards the evening, fpread a cloth on a table, and strike the bees down upon it, seize the first queen you spy, as prisoner, while you fatisfy yourself that there is another. She will sometimes elude your fight; but if the bees remain quiet, you

may prefume there is another, and put the hive over them again, into which they will foon afcend. If you find them quiet, then all is well. But if, instead of working in the morning, the bees fly about irregularly, the queen must be restored to them, for unless a queen is given to them, they will all return to the mother-fwarm, which they never do while their queen continues with them. though the young fwarm is placed ever fo near her. If their queen dies even feveral weeks after their fwarming, they will return to their mother-hive, carrying their honey along with them.

When the fwarm takes wing, the young queen may fall on the ground, not being able to fly, through fome defect in her wings. The poor difabled queen may be picked up on the grass, and put on the edge of a hive, a hat, or any other thing on which she may become confpicuous to the fwarm; they will immediately collect round her, and may be eafily put in a hive. When fallen, the is never found without fome attendants, whom nothing but violence

on a fleeth prancis of a tree, cafri to be

K 3

数的过去

can separate from her. In case the queen is not raifed from the ground, the bees will return to their first abode; as they are fometimes found to do after they have lighted on a tree, probably owing to the young queen's not coming forth with them, for want of ftrength, or perhaps courage to truft to her wings for the first time.

As foon as the fwarm is fettled, the bees which compose it should be got into one of my hives, fitted with a cover, with all convenient speed, to prevent their taking wing again. If they fettle on a small branch of a tree, easy to be come at, it may be cut off and laid upon a cloth; the hive being ready to be put immediately over them. If the branch cannot be conveniently cut, the bees may be fwept from off it into a hive. Lodge but the queen in the hive, and the rest will foon follow. If the bees must be confiderably diffurbed in order to get them into a hive, the most advisable way is to let them remain in the place where they have pitched, till the evening, when there is less danger of their taking

taking wing. If it be observed that they ftill hover about the place they first alighted upon, the branches there may be rubbed with rue, stinging nettles, or elder leaves, or any other thing distasseful to them, to prevent their returning to it.

The hive should be cleaned with the utmost care, and its inside be rubbed very hard with a coarse cloth, to get off the loose straws, or other impurities, which might cost them a great deal of time and labour to gnaw away.

The hive should not be immediately set on the stool where it is to remain, but should be kept near the place at which the bees settled, till the evening, lest some stragglers should be lost. It should be shaded, either with boughs, or with a cloth, that the too great heat of the sun may not annoy the bees.

Scarce has the swarm arrived at its new habitation, when the working bees labour with the utmost diligence, to procure materials for food and building. Their principal aim is not only to have cells in which they may deposit their

K 4

honey;

honey; a stronger motive seems to animate them. They feem to know that their queen is in hafte to lay her eggs. Their industry is fuch, that in twentyfour hours they will have made combs twenty inches long, and wide in proportion. They make more wax during the first fortnight, if the season is favourable, than they do during all the rest of the year. Other bees are at the fame time bufy in stopping all the holes and crevices they find in their new hive, in order to guard against the entrance of infects which covet their honey, their wax, or themselves; and also to exclude the cold air; for it is indispensably neceffary that they be lodged warm.

A fecond fwarm scarcely is, and much less are the subsequent ones, worth keeping single; because, being sew in number, they cannot allow so large a proportion of working bees to go abroad in search of store, as more numerous swarms can, after having appointed a proper number for the various works to be done within. For this reason it is advisable to unite two or more of these

vonuni

last or latter swarms, so as to procure a fufficient number of bees in one hive. Bees fometimes fwarm fo often, that the mother-hive is too much weakened. In this case the swarms should be restored back; and this should also be done when a fwarm produces a fwarm the first summer, as it fometimes does. The best way, indeed, is to prevent fuch fwarming, by giving the bees more room: though this, again, will not answer where there is a young pregnant queen; she well knowing that her life is the forfeit of her remaining at home.

Though all writers acknowledge that one of the queens is constantly slain on these occasions; and generally a considerable number of the working bees; yet none of them, Columella excepted, lib. ix. c. 9. has proposed the easy remedy of killing the queen of the latter cast or fwarm, before the union is made; a means by which the lives of feveral working bees may be preferved.

If an old hive is fo full of bees, that they rest in the night under the board, and

and yet shew no disposition to swarm, turn the hive bottom up, give it some flight strokes on the fides, so as to alarm the bees. They will immediately run to the extremities of their combs. you look attentively to the middle of the hive, you will there perceive the queen among the foremost. Seize her between the fore-finger and thumb, and confine her in your hand till most part of the bees take wing: let her then go, the bees will foon join her, and fettle on fome branch of a tree. Put them into an empty hive. Put the old flock in its place, that the bees which had been out in the fields may enter it on their return. and having remained there an hour or To, it is then put on another stand near or next its own. The hive having what may now be called a fwarm in it, is then placed on the fland of the old flock : and if the bees in both work regularly, carrying loads, all is well. This backwardness to swarm may be owing to their want of a queen to lead them forth; and the old queen is loth to go till a young one is bred: yet if a royal cell contains a young queen, the bees in both both hives will thrive; as those in the old stock will go on in expectation of the young queen's coming forth.

This separation should not in prudence be attempted, unless you have a queen in referve: for if the bees in the old flock, when placed on their fland, are in an uproar, there is no queen, nor prospect of a queen, among them: and in this case, their own queen should be reflored to them, and the referved queen be put to the fwarm, or the bees in the empty hive, which should then be carried to the distance of half a mile, and remain there for a few days, till they have made some works, and may then be brought back to their former station. Care should be taken that the number of bees separated from the old flock be sufficient in number to make a fwarm. On this account it is perhaps better to use the following method. A fufficient number of bees should be taken out of the flock, in the manner that shall hereafter be directed, and put in an empty hive. The eye will here judge of the numbers. When one half, or a fufficient number.

and yet shew no disposition to swarm, turn the hive bottom up, give it some flight strokes on the fides, fo as to alarm the bees. They will immediately run to the extremities of their combs. If you look attentively to the middle of the hive, you will there perceive the queen among the foremost. Seize her between the fore-finger and thumb, and confine her in your hand till most part of the bees take wing: let her then go, the bees will foon join her, and fettle on fome branch of a tree. Put them into an empty hive. Put the old flock in its place, that the bees which had been out in the fields may enter it on their return. and having remained there an hour or To, it is then put on another fland near or next its own. The hive having what may now be called a fwarm in it, is then placed on the fland of the old flock: and if the bees in both work regularly, carrying loads, all is well. This back-wardness to swarm may be owing to their want of a queen to lead them forth; and the old queen is loth to go till a young one is bred: yet if a royal cell contains a young queen, the bees in bas both both hives will thrive; as those in the old stock will go on in expectation of the young queen's coming forth.

This feparation should not in prudence be attempted, unless you have a queen in referve: for if the bees in the old flock, when placed on their fland, are in an uproar, there is no queen, nor profpect of a queen, among them: and in this case, their own queen should be reflored to them, and the referved queen be put to the fwarm, or the bees in the empty hive, which should then be carried to the distance of half a mile, and remain there for a few days, till they have made some works, and may then be brought back to their former station. Care should be taken that the number of bees separated from the old stock be sufficient in number to make a swarm. On this account it is perhaps better to use the following method. A fufficient number of bees should be taken out of the stock, in the manner that shall hereafter be directed, and put in an empty hive. The eye will here judge of the numbers. When one half, or a fufficient number, is got into the empty hive, it should be carried to some distance. The silence in either hive will soon indicate where the queen is. It would be eligible that their own queen remained in the old stock; but if she does not, the reserved queen may be put to them, and they should be immediately restored to their former stand, and the bees or swarm taken off, be carried to the distance of half a mile as before.

If feveral days of rainy weather should fucceed a swarm's coming off, they may die of famine, if timely relief of honey is not given to them.

Bees are not apt to sting when they swarm; therefore it is not necessary then to take much extraordinary precaution against them. The reverend Mr. Thorley gives a remarkable instance of this; and I mention it the rather, because the steady resolution shewn by the maid on this occasion, is the surest safeguard of any other. He relates it thus *.

" In the year 1717, one of my swarms
" settling among the close-twisted

entraines in Pag. 117. 140 god W

[&]quot; branches

" branches of a codling-tree, and not to

" be got into a hive without help, my

" maid-fervant being in the garden,

" offered her affistance to hold the hive

" while I dislodged the bees.

"Having never been acquainted with bees, she put a linen cloth over her head and shoulders, to guard and se"cure her from their swords. A few of the bees fell into the hive; some upon the ground; but the main body upon the cloth which covered her upper garments.

"I took the hive out of her hands,
"when she cried out, the bees were got
under the covering, crouding up towards her breast and waist; which put
her into a trembling posture. When
I perceived the veil was of no farther
fervice, she gave me leave to remove
it. This done, a most affecting spectacle presented itself to the view of
all the company, filling me with the
deepest distress and concern, as I
thought myself the unhappy instrument of drawing her into so imminent
hazard of her life.

142 AN ACCOUNT OF BEES.

"Had the enraged them, all refistance had been in vain, and nothing less than her life would have atoned for the offence.

"I spared not to urge all the arguments I could think of, and use the
most affectionate intreaties, begging
her with all earnestness in my power
to stand her ground, and keep her present posture; in order to which, I gave
her encouragement to hope for a full
discharge from her disagreeable companions.

"I began to fearch among them for the queen, now got in a great body upon her breaft, about her neck, and up to her chin. I immediately seized her, taking her from among the croud, with some of the commons in company with her, and put them together into the hive. Here I watched her for some time, and as I did not observe that she came out, I conceived an expectation of seeing the whole body quickly abandon their settlement; but instead of that, I soon observed them gathering

"gathering closer together, without the " leaft fignal for departing. Upon this "I immediately reflected, that either "there must be another sovereign, or " that the fame was returned. I directly " commenced a fecond fearch, and in a " fhort time, with a most agreeable fur-" prize, found a fecond, or the fame; " fhe strove, by entering farther into the " croud, to escape me, but I reconduct-"ed her, with a great number of the " populace, into the hive. And now " the melancholy scene began to change, " to one infinitely more agreeable and " pleafant.

" The bees prefently missing their " queen, began to dislodge, and repair " to the hive, crouding into it in multi-" tudes, and in the greatest hurry ima-" ginable; and in the space of two or "three minutes the maid had not a " fingle bee about her, neither had the " fo much as one fling, a fmall number " of which would have quickly stopped " her breath."

Many people have fo firong a dread of bees, that no affurance of fafety can prevail

prevail upon them to act familiarly with these insects. Indeed there seems to be a hidden quality in some men which renders them disagreeable to bees. In either of these cases, it is advisable to follow the directions given by Mr. Worlidge, ubi supra.

"I have gone among them in their " greatest anger and madness, only with " a handful of fweet herbs in my hand, " fanning about my face, as it were, to " obscure and defend it. Also, if a bee " do by accident buz about you, being "unprovided, thrust your face amongst "a parcel of boughs or herbs, and he " will desert you. But the most secure " way of all, and beyond the completeft "harness yet published, is to have a " net knit with fo small meshes, that a " bee cannot pass through, and of fine " thread or filk, large enough to come " over your hat, and to lie down to the " collar of your doublet, through which "you may perfectly see what you do, " without any danger; having also on " a pair of gloves, whereof woollen are " the best."

Oil of olives, or any mild oil, is thought by many to be a cure for the pain and inflammation arising from the sting of a bee; but repeated experiments have shewn that it fails oftener than it fucceeds. It feems probable, that the fuccess sometimes met with was rather an accident than a cure; for there are many people to whom the fling of a bee does not occasion any pain or inflammation: fome men disdain to use the least precaution, even when they are fure of many flings. There are, perhaps, many other femedies which owe their reputation to similar causes. Vinegar is equally unsuccessful; bruised parsley is by many thought to give ease; Mr. Rocque, of Walham-green fays, that being stung even by a wasp, the leaves of burnet, rubbed pretty hard upon the part so injured, immediately took off the inflammation. Honey, which may be got out of the body of the bee which inflicted the wound, is thought a good cure. Indigo, dissolved in water, has been found effectual; as have the juice of the fucculent leaves of vegetables, renewed as often as they grow warm: and fome rehe had said a commend.

commend, as the most sure remedy, to heat a piece of iron in the sire, or, for want of it, to take a live coal, and to hold it as near and as long to the place as you can possibly endure it. One very necessary caution is, to pull out the sting from the wound as soon as possible; for the longer it remains in it, the deeper it pieces, owing to the peculiar make of the sting itself.

A large swarm may weigh seven pounds, and so gradually less, to one pound: consequently a very good one may weigh sive or six pounds. All such as weigh less than four pounds, should be strengthened by uniting to them a less numerous swarm. The author of the Natural History of Bees, makes the following calculation:

"I put," fays he, "into a scale, a half
"ounce weight; and, in the other scale,
"as many bees as made the equilibrium.
"You will suppose that I was obliged to
"employ dead bees for this purpose. I
"must observe, by the way, that these
"were bees which had been killed in a
"dreadful

"dreadful battle, occasioned by a band of aliens, who endeavoured to seize upon a peopled hive. One hundred and sixty-eight of these dead bees weighed but half an ounce. There consequently are twice an hundred and sixty-eight bees in an ounce, that is, three hundred and thirty-six. Now, if three hundred and thirty-six bees weigh an ounce, there must be sive thousand three hundred and sixty-six in sixteen ounces, or a pound; and consequently thirty-seventhousand sive hundred and sixty-two bees to weigh seven pounds."

In order to be satisfied on this point, I took some bees out of a hive on the 9th of March 1768, being a very cold day, and suffered them to sly to a window, which soon chilled them so, that they sell as dead. Of these I collected as many as weighed half an ounce; and found the number to be one hundred and sifty-four, which gives to the pound four thousand nine hundred and twenty-eight. I weighed another half ounce of other bees, and found the numbers to be the same.

L 2

148 AN ACCOUNT OF BEES.

The different circumstances of the bees. may occasion a considerable difference in their weight. When the bees swarm, they come out loaded with wax and honey. and therefore weigh much heavier than bees taken thus by chance, as was the case in both the above experiments; and therefore the number of the bees is not to be thus computed from the weight of the fwarm; for one fourth of the number, at leaft, should be deducted in lieu of the wax and honey they have brought off with them. There is also another allowance to be made, namely, that when alive they do not probably weigh fo heavy as when dead. About twenty thousand bees compose a very large fwarm.

CHAP. II.

Of the Management of Bees in Hives

I HAVE already mentioned, that the fwarms are put into one of my hives, which has a cover fitted to it. A good fwarm will foon fill one of these hives, and therefore another hive may be put under

under it the next morning. The larger space allowed the bees, will excite their industry in filling them with combs. The queen will lay some eggs in the upper hive; but so soon as the lower hive is filled with combs, she will lay most of them in it. In little more than three weeks, all the eggs laid in the upper hive will be turned into bees; and if the season is favourable, their cells will be soon filled with honey.

So foon as they want room, a third hive should be placed under the two former, and in a few days after the end of three weeks from the time the fwarm was put into the hive, the top hive may be taken away at noon of a fair day; and if any bees remain in it, carry it to a little diftance from the fland, and turning its bottom up, striking it on the sides, the bees will be alarmed, take wing, and join their companions in the fecond and third hives. If it is found that they are very unwilling to quit it, it is probable that the queen remains among them. In this case the bees must be treated in the manner that shall be di-

L 3

rected,

rected, when I give directions for taking the honey and wax without killing them. The upper hive now taken away, should be put in a cool place, in which no vermin, mice, &c. can come at the combs, or other damage can happen to them, and be thus preserved in reserve.

So foon as the hives feem to be again crouded, and the upper hive is well flored, or filled with honey, a fourth hive should be placed under the third, and the upper hive be taken off the next fair day at noon, and treated as already directed. As the honey made during the summer is the best, and as it is needless to keep many full hives in store, the honey may be taken out of the combs of this second hive for use.

If the season is very favourable, the bees may still fill a third hive. In this case a sifth hive must be put under the fourth, and the third taken away as before. The bees will then fill the fourth for their winter store. As the honey of the first hive is better than the honey collected so late as that in the third, the honey

honey may be taken out of the combs of the first, and the third may be preserved with the same care as directed for that.

In the month of September the top hive should be examined, and if full, it will be a fufficient provision for the winter; but if light, that is, not containing twenty pounds of honey, the more the better, then, in the month of October, the fifth hive should be taken away, and the hive kept in referve should be put upon the remaining one, to supply the bees with abundant provisions for the winter. Nor need the owner grudge them this ample store, for they are faithful flewards, and will be proportionally richer, and more forward in the fpring and fummer, when he will reap an abundant profit. The fifth hive which was taken away, should be carefully preferved during the winter, that it may be restored to the same stock of bees when an additional hive is wanted next fummer; or the first swarm that comes off may be put into it. The combs in it, if kept free from filth and vermin, will fave L4

162 AN ACCOUNT OF BEES.

fave them much labour, and they will at once go to the collecting of honey.

It is almost needless to observe, that when the hives are changed, a cover, as already directed for the first, should be put upon every upper hive; and that when a lower hive becomes an upper hive, the door of it should be shut up, that so their only passage out shall be by the lower hive; for otherwise the queen would be apt to lay eggs in both indifcriminately. The whole of the above detail of the management of one hive, may be extended to any number: it may be proper to keep a register of each fet, because, in restoring hives to the bees, they may be better pleased at receiving their own labours, than that of other flocks.

If in the autumn the owner has fome weak hives, which have neither provision nor numbers sufficient for the winter, it is advisable to join the bees to richer hives; for the greater number of bees will be a mutual advantage to one another during the winter, and accele-

rate

rate their labours much in the fpring, For this purpose, carry a poor and a richer hive into a room a little before night; then force the bees out of both hives into two feparate empty hives, in a manner that shall be hereafter directed; shake upon a cloth the bees out of the hive which contains the fewest; fearch for the queen, and as foon as you have fecured her with a fufficient retinue, bring the other hive, which contains the greater number, and place it on the cloth on which the other bees are, with a fupport under one fide, and with a spoon shovel the bees under it. They will foon ascend; and while under this impression of fear, will unite peaceably with the other bees; whereas, had they been added to the bees of the richer hive, while in possession of their castle, many of the new comers must have paid with their lives for their intrusion.

I at first supposed that the bees were purchased in common hives; it is now therefore proper to return to the old original hives, which generally contain from two pecks to a bushel.

So foon as the fwarm is come out, one of my hives should be put under it; and if the bees foon want room, a fecond should be added; for as in these large hives the number of young bees may be great, room should be given to them proportioned to their numbers. The two additional hives may become here more necessary, because as the old hive is very large, the queen may be tempted to continue laying eggs longer in it, and longer time will be necessary to fill it with honey. When well flored with honey, it is taken away, and the honey and wax is turned to the proprietor's profit. The bees being now left entirely to my hives, are to be afterwards managed, as already directed; observing only, that no fecondor fubsequent swarm be permitted to quit the hives; but if fuch come forth, they be again restored to it, the young queen being fecured.

It will now be proper to compare the old and my hives together, that we may state an account of the advantages and disadvantages of each.

The object of keeping bees, is undoubtedly the procuring honey and wax in the greatest plenty, and coming at them with the greatest ease. In both these respects, I think the advantages will be found on the side of my hives.

A hive made as large as usual, requires a good season to fill it with honey; and when robbed of part of its riches, the bees may not have an opportunity of filling it with combs and honey. Aye! but when robbed, it contains a great deal of honey: it does; but if a considerable portion of it is taken away, the bees may be starved in the winter.

The fuccession of my hives keeps the bees constantly employed; perhaps excites their industry on the frequent returns of new habitations; and therefore the quantity of honey and wax obtained will not, I think, be less; and the method of coming at it is both simpler and easier, and there is little danger of the bees being starved, because I have advised that store hives with honey be referved, for a certain supply of food.

Thé

136 AN ACCOUNT OF BEES.

The use of a hive is to afford a safe lodging to the bees, and a conveniency for flowing their provisions. Two of my hives abundantly answer these purposes, and the bees are able to fill two of mine as foon as they can one of the old construction; which is attended with this confiderable advantage, that the honey thus procured is more fragrant than honey which remains longer exposed to the perspiratory matter of the bees, and to the heat of the hive; for these rob it not only of its fragrance, but also of its colour, which becomes darker the longer the honey remains in the hive, as may be evidently concluded from the different colours of new and of old combs,

It is well known to those who are conversant in the care of bees, that their numbers decrease greatly in the autumn, not only by the murder of the drones, but also by the unavoidable deaths of many of the working bees; owing to the thousand accidents they meet with in the fields, and to age. A much less space is therefore wanted for them in the winter, than was necessary in the summer;

fummer; and the closer they are collected together in the winter, the warmer they will be. Surely this end is more effectually obtained in my hives, one of which is fully fufficient to contain the number of bees that remain at that feafon, I think I may fay better, than a large mansion, of which they fill but a corner. If the upper hive is fo full of honey, that it cannot contain them at the beginning of the winter, the lower hive yields abundant room till they have confumed fo much honey as to make room in the upper, and by raising them higher from the stool, it adds to their a factual thereightle cells are fi

Let me in farther vindication of my plan, add what the Count de la Bourdonnaye fays of the use of his hives, in which the reader will observe a similarity of opinion, which I have vanity enough to think does me honour. "When the bees," says he, "have filled the upper half, the combs are necessarily inter"rupted by the intermediate bottom; and this, perhaps, induces them to fill that half more completely than they "would

138 AN ACCOUNT OF BEES.

would do if they met not with fuch a flop. When both parts are full, which may be known by the bees wanting room, the upper half is taken away, and as foon as it has been emptied, it is put under the remaining full half.

"Whilst the bees are filling the lower half of the hive, the eggs laid in the upper half become bees; and as the queen deposits her eggs as near the entrance as can be done with safety to the young, she never lays any in the upper half after it is become the upper half; but as fast as the bees are perfected there, the cells are filled with honey. By this means none of the young brood are lost, and almost the whole of what is taken consists of honey and war.

The hives stand separate, and at a distance from walls. No plants are fuffered to rise high near them; and the stool is raised so high from the ground, that mice, their very danger- ous enemies, cannot jump up to it.

Bloow "

When a fwarm is to be put into one of the boxes, the slider at bottom, or one of the panes of glass in the lower part, is taken out, and the bees will readily enter, especially if the queen has been put into the box before them: the slider or pane of glass is then returned to its place, and the bees will go to work by the mouth of the box.

The bees will naturally fill the upper part of the box first, and so work downward. When the owner fees that the boxes are crouded, and that the combs in the upper part are well flored with honey (which he can eafily be affured of by looking in at one or two of the doors), the flider at top is taken off, and one of the frames with the combs in it is taken out, the flider being immediately returned. If on first looking into it, many bees appear in and about the combs in the frame, repeated taps may be given the glass next to the frame, and the bees will probably quit it, retiring to other parts of the box; or if but a few are seen on it, the frame may be taken out, and the bees being fwept Water and

off with a feather, will return to their companions. The combs are then taken out of the frame, by slipping out the moving sliders, and when cleaned, the frame is again returned to its place. The other frame may be taken out at the same time, or it may be delayed for a few days, thereby to have a more frequent seizure of combs.

When the combs are taken out of the lower part of the boxes, it should be done immediately after the combs are taken out of the upper frames; then giving some gentle taps on the glasses below, the bees will ascend, and the slider which enters between the boxes being put in, a pane of glass is taken out, the combs are cut from the bars at top, and as soon as cleared of every remains of combs, the pane is again put in. If some bees remain on the combs, they may be brushed off, and the slider being again drawn out, the bees will soon return to their labours.

As the boxes are only secured together by class, the upper part may be taken intirely

the to other same of the box cor

intirely away when full of honey, returning the bees to their fellows, and an empty fresh box may be put in its place.

The reader will perceive that this method of robbing the bees occasionally and fo eafily of part of their combs, is preferable to the former practice of neceffarily taking the whole box at once. If the owner's curiofity prompts him to examine frequently how the bees proceed in their labours, the boxes, Fig. 3. Plate II. afford an easy opportunity; for as there are but three combs in each feparate frame, he can at any time discover where the queen is, and how she is employed, as well as fee the labours of the working bees; and this with a diffinctness and ease, imcomparably superior to what can be done in glass-hives.

If the weather is very warm, the bees in these boxes may be subject to considerable inconveniences, especially if, as Dr. Warder* observes, that when the appearance of a shower drives the bees home in such crouds, that pressing to get

[·] Monarchy of Bees, p. 128.

.162 AN ACCOUNT OF BEES.

in, they stop the passage so close, that those within are almost sufficiented for want of air, which makes these last so uneasy, that they are like mad things. In this extremity, he has listed the whole colony up a little on one side, and by thus giving them air, he soon quieted them. He has known them, he says, come pouring out, on such an occasion, in number sufficient to have filled at once two or three quarts; as if they had been going to swarm.

The Memoirs of the truly laudable Berne Society, for the year 1764, give us a particular instance of this, when they fay*, that in 1761, many in Swisserland were obliged to smother their bees, when they saw the honey and wax trickling down, not knowing any other remedy for the losses they daily sustained. Some shaded their hives from the sun, or covered them with cloths wet several times a day, and watered the groundall around. In this case the slider at top of my boxes may be drawn back, or a similar slider

may be prepared, perforated with small holes, which will cause a current of air through the box.

CHAP. IV.

Of fhifting the Abodes of Bees.

GREAT improvements may certainly be made in the effential article of providing plenty of pasture for bees, whenever this subject shall be more carefully attended to than it, unfortunately, has hitherto been. A rich corn country is well known to be a barren desert to them during the most considerable part of the year; and therefore the practice of other nations, in shifting the places of abode of their bees, well deserves our imitation.

Columella * informs us, that, as few places are so happily situated as to afford the bees proper pasture both in the beginning of the season and also in the autumn, it was the advice of Celsus, that after the vernal pastures are consumed,

payor!

[•] Lib. ix. c. 14 5 dan del 1

the bees should be transported to places abounding with autumnal flowers; as was practifed by conveying the bees from Achaia to Attica, from Eubœa and the Cyclad islands to Scyrus, and also in Sicily, where they were brought to Hybla from other parts of the island. He likewise directs, that the hives be carefully examined before they are removed from one place to another, and to take out such combs as appear old, loose, or have moths in them, reserving only those that are sound, in order that the hive may be stored with combs collected from the best slowers.

We find by Pliny, that this was like-wife the practice of Italy in his time.

"As foon," fays he †, "as the fpring

"food for bees has failed in the vallies

"near our towns, the hives of bees are

"put into boats, and carried up against

"the stream of the river, in the night,

"in fearch of better pasture. The bees

"go out in the morning, in quest of

"provisions, and return regularly to their

"hives in the boats, with the stores they

⁺ Lib. xxi, c. 12.

"have collected. This method is con"tinued, till the finking of the boats to
"a certain depth in the water shews that
"the hives are sufficiently full; and
"they are then carried back to their
"former homes, where their honey is
"taken out of them."

ignorance and rudicity which have A much later writer, Alexander de Montfort, shews this to be still the practice of the Italians who live near the banks of the Po (the river which Pliny inflanced particularly in the above-quoted paffage), when he fays*, that, treating their bees in nearly the same manner as the Egyptians did and do theirs, they load boats with hives, and convey them to the neighbourhood of the mountains of Piedmont; that, in proportion as the bees gather in their harvest, the boats, by growing heavier, fink deeper into the water: and that the watermen determine from thence, when their hives are loaded fufficiently; and that it is time to carry them back to the places from whence they came. The same author relates +, that the people of the country of Juliers

^{*} Natural Hift. of Bees, p. 427. + Ibid, p. 428.

used the same practice; for that, at a certain season of the year, they carried their bees to the foot of mountains covered with wild thyme.

"they are than carried back

M. Maillet relates, in his curious defcription of Egypt that spite of the "ignorance and rufficity which have got possession of that country, there " yet remain in it feveral footsteps of "the industry and skill of the ancient " Egyptians. One of their most admir-"able contrivances is, their fending " their bees annually into distant coun-" tries, in order to procure them fufte-" nance there, at a time when they could " not find any at home; and their after-" wards bringing them back; like thep-" herds, who should travel with their "flocks, and make them feed as they go. It was observed by the ancient "inhabitants of lower Egypt, that all " plants blofforned, and the fruits of the earth ripened, above fix weeks earlier o in apper Egypt, than with them. They applied this remark to their bees g and the means then made use of by Natural Hift, of Bees, 42 at, ii .meTisti. p. 428.

" them,

"them, to enable these usefully indu-" firitus infects to reap advantage from "the more forward flate of nature there. "were exactly the fame as are now "practifed, for the like purpofe, in that country. About the end of October, sall which inhabitants of the lower " Egypt as have hives of bees, embark " them on the Nile, and convey them " upon that river quite into upper Egypt; " observing to time it so that they arrive there just when the inundation is d withdrawn, the lands have been fown, and the flowers begin to bud. The " hives thus fent are marked and num-" bered with their respective owners, "and placed pyramidically prepared for the purpose. After they "have remained some days at their farthest station, and are supposed to " have gathered all the wax and honey "they could find in the fields within "two or three leagues around; their " conductors convey them, in the fame bears, two or three leagues lower down, and there leave the laborious " infects to long time as is necessary for them to collect all the riches of this spot. "Thus, " number MA

"Thus, the nearer they come to the " place of their more permanent abode, " they find the productions of the earth, " and the plants which afford them food, " forward in proportion. In fine, about " the beginning of February, after havging travelled through the whole " length of Egypt, gathering all the " rich produce of the delightful banks " of the Nile, they arrive at the mouth " of that river, towards the ocean; from " whence they fet out, and from whence " they are now returned to their feveral homes: for care is taken to keep an "exact register of every district from " whence the hives were fent in the be-" ginning of the feafon, of their num-" bers, of the names of the persons who fent them, and likewife of the mark or number of the boat in which they " were placed."

The Author of the Natural History of Bees gives the following account of what is practifed in this way in France; an example well worth our imitation in many parts of this kingdom. "M." Proutant," fays he , "keeps a great

MA

" number

"number of hives. His fituation is one " of these in which flowers become rare " or fcarce very foon, and where few or " none are feen after the corn is ripen-"ed. He then fends his bees into "Beauce, or the Gatinois, in case it has "rained in those parts. This is a jour-" ney of about twenty miles, which he " makes them take. But if he concludes " that the Bees could not meet, in el-"ther of those countries, wherewith to " employ themselves advantageously, " he then has them carried into Sologne, " about the beginning of August; as "knowing that they will there meet " with a great many fields of buck-" wheat in flower, which will continue " fo till about the end of September. "His method of transporting them is "thus: His first care is, to examine "those hives, some of whose honey-" combs might be broken or feparated "by the jolting of the vehicle; they are " made fast one to the other, and against " the fides of the hive, by means of " fmall flicks, which may be disposed " differently as occasion will point our This being done, every hive is fet upon and in

stupon a packing-cloth, or fornething " like it, the threads of which are very wide: the fides of this cloth are then " turned up, and laid on the outlide of each hive, in which flate they are tied "together with a piece of fmall pack-"thread, wound feveral times round the "hive As many hives as a cast built Sfor that purpose will hold are afterwards placed in this vehicle. The thives are fer two and two the whole "length of the carta Over these are 5 placed others; which make as it st were, a fecond flory or bed of hives. 55 Those which are flored with combs "Should always be surned topfy-turvy. "It is for the fake of their combs, and "to fix them the better, that they are " disposed in this manner; for such as "have but a finall quantity of combs in "them, are placed in their natural first-Bation Care is taken in this flowage. "not to let onevhive flop up another; "it being effentially necessary for the to bees to have sing and it is forthis rea-W fon they lare wrapped up in a coarfe sudoth the threads of which were wove very wide, in order that the air may noqu " have

" have a free passage, and lessen the heat " which these insects raise in their hives; " especially when they move about very "tumultuoully, as often happens in " these carts. Those used for this pur-" pose in Yevre, hold from thirty to " forty-eight hives. As foon as all are " thus flowed, the caravans fet out. If "the feafon is fultry, they travel only in "the night; but a proper advantage is " made of cool days. You will imagine "they do not ride post. The horses "must not be permitted even to trot; "they are led flowly, and through the " fmoothest roads. When there are not " combs in the hives fufficient to fupport the bees during their journey, the sowner takes the earlieft opportunity of " refting them wherever they can col-" lect wax. The hives are taken out of " the cart, and then fet upon the ground, "and after removing the cloth from " over them, the bees go forth in fearch " of food. The first field they come to " ferves them as an inn. In the eveningo as foon as they are all returned, "the hives are thus up; and being " placed again in the cart, they proceed carried

"is arrived at the journey's end, the hives
"are distributed in the gardens; or in
"fields adjacent to the houses of differ"ent peasants, who, for a very small
"reward, undertake to look after them.
"Thus it is that, in such spots as do not
"abound in flowers at all seasons, means
"are found to supply the bees with food
"during the whole year."

Before the hives are removed with a view of sending them to better pasture, those that are well stored with honey, if of my construction, should be laid by, lest the weight of the honey should break the combs. If the bees are in a hive of the old make, it should be robbed of its heaviest combs for the same reason. It should be robbed some days before the removal, because the bees will not have time to secure sufficiently the combs with young in them, which might have been loosened.

where it can be had. When necessarily transported by land, the hives should be carried

Gerves them as an inn. In the even-

carried either by hand, or fuspended on a pole on mens shoulders. Carriages hung on springs, such as post-chaises, drove with care, might answer this purpose. If the hives are laid on a board, one fide should be raised to give them air: and if by their noise they express any uneafiness from heat, the hives must be turned bottom up, in order to cool them; and if the weather is very hot, the bees may be taken out of the hives every evening, and returned again in the morning before they are put on their stands. The hive should be transported in the night, and rested during the day, each hive being rested on a temporary fland during the day, that the bees may go forth in fearch of food, or that they may at least have it in their power to go out; for a long restraint would be extremely irkfome to them. I cannot approve of the practice of letting the hives remain in the boats, because many must lose their lives by being blown into the water, with fudden gufts of wind, or other accidents.

This practice would certainly make an ample return for the trouble, if brought BEGO into

into general ufe, in feveral parts of this kingdom. In vallies the plants bloom early, and are cut down more early in the feafon. Rifing grounds would in this case afford a better pasture; and if there is heath at a convenient distance. the hives being carried thither, would confiderably lengthen out the season of collecting honey; for it continues in bloom till late in August. The bees will themselves go far in search of food; but furely carrying them to the fpot whence they obtain their food, faves much of their time and labour, and becomes a proportionable gain to the owner; for by this means they collect the more honey in the fame time.

CHAP. V. hot or voin

Of the Methods practifed for taking the Wax and Honey, without destroying the Bees.

WERE we to kill the hen for her egg, the cow for her milk, or the sheep for the sleece it bears, every one would instantly see how much we should act contrary to our own interest; and yet this

this is practifed every year, in our inhuman and impolitic flaughter of the bees. Would it not argue more wisdom in us, to be contented with taking away only a portion of their wax and honey, as is the practice of many countries. I shall trace this practice from the earliest accounts we have of it, to the present, and conclude with the method I practife myself, when I take only a part of their wealth.

The following are the directions given by Columella * for taking the wax and honey, in the more humane and judicious manner of faving the lives of the bees.

"Choose the early morning, before "the bees are stirring; for it is not pro"per to exasperate them in the middle of
"the day: have ready two knives, about
"a foot and an half long; one with a
"cutting edge on each side; the other
"of a curved form, with a very sharp
"edge on one side only, and a back
"fashioned for foraping. With the for-

10 00

Lib. tx. c. 15. See also Varro de Re rustica, lib. iji.

"mer of these, cut down the combs;
"and with the latter scrape off whatever
"fragments may have been lest. Have
"also ready an earthen pot, with live
"coals in it, and with a funnel-shaped
"cover, through which the smell of
"galbanum, or of dried dung, may be
"conveyed to any part of the hive, in
"order to drive the bees from the combs
"intended to be taken away.

" The first season for taking the combs " is when the bees are observed to expel " the drones. The combs always hang " from the roof of the hive, adhering " but little to the fides. In other re-" fpects, they are of a shape fitted to the " figure of the hive. At the first time of " taking the combs, only one fifth part " of them need be left; because the " fields still continue to abound in food " for the bees: but at the fecond taking, " about the autumnal equinox; a third " part should be left, on account of the "then approaching winter. This, however, is not an invariable rule: for it "fhould be altered according to the " nature of the featons, and the greater 7567 0

" or lefs plenty of food in different fitu-" ations. The combs are cut out with " the cutting knife, and whatever frag-"ments of them are left, may be pared " off with the crooked knife. All the " old combs, and fuch as are any way "impaired by vermin or otherwife, " fhould be taken away, as well as those "that are full of honey. The combs " which contain bee-bread, or young " bees, should be left; the former for a " fupply of food, and the other for a "recruit of young bees. The hive " should be so placed when the combs " are first cut, that the remaining combs " may be eafily come at when thefe "last are also to be taken; for the "older the combs are, the worse is the " honey.

"All the combs should then be carried into the place where the honey is to be separated from the wax; and particular care should be taken to stop every hole through which the bees might find admittance into this place, because they would otherwise be very troublefrome during that operation. Dry dung

" may be kept burning at the door, to " prevent their entrance there.

"The honey should be drained from the combs as soon as possible; and those combs which have young bees in them, or are any ways damaged, should be carefully parted from the rest, lest a bad slavour be communicated to the honey. The honey which shows freely should be kept by itself, as being the purest and best."

Somewhat fimilar to this, but fimpler, and fo far better, is the method now practifed in Greece, as related by Mr. Wheeler *.

"Mount Hymethus is celebrated for the best honey in all Greece. We eat of it very freely, sinding it to be very good, and were not at all incommoded with any gripings after it. This mountain was not less famous in times past for bees and admirable honey; the ancients believing that

^{*} A Journey into Greece, by George Wheeler, Efq; in company with Dr. Spon of Lyons, p. 411.

[&]quot; bees

" bees were first bred here, and that all." " other bees were but colonies from this " mountain: which, if fo, we affured " ourselves that it must be from this part " of the mountain that the colonies "were fent; both because the honey "here made is the best, and that here "they never destroy the bees. It is of a " good confishence, of a fair gold-colour, " and the fame quantity will fweeten " more water than the like quantity of "any other doth. The natives won-" dered at my comrade, in that he pre-"ferred the white honey of France; " telling him, that white honey is raw, " and not rightly concocted either by " nature or the bees. I no fooner knew " that they never destroy or impair the " flock of bees in taking away their ho-" ney, but I was inquisitive to under-" fland their method of ordering the " bees; which being an art fo worthy "the knowledge of the curious, I shall " not think it beside the purpose to re-" late what I faw, and was informed to " that effect, by fuch as had skill in that " place.

"The hives they keep their bees in " are made of willows or ofiers, fashion-" ed like our common dust-baskets, wide " at top and narrow at the bottom, and " plaistered with clay or loam within " and without. They are fet with the "wide end upmost. The tops are co-" vered with broad flat flicks, which are " also plaistered over with clay; and to " fecure them from the weather, they " cover them with a tuft of straw, as we "do. Along each of these sticks, the " bees fasten their combs, so that a comb " may be taken out whole, without the "least bruising, and with the greatest " ease imaginable. To increase them in " fpring time, that is, in March or April, " until the beginning of May, they di-" vide them; first separating the Ricks " on which the combs and bees are " fastened, from one another, with a "knife: fo taking out the first comb " and bees together on each fide, they " put them into another basket, in the " fame order as they were taken out, "until they have equally divided them. " After this, when they are both again " accommodated with flicks and plaister, " they

" they fet the new basket in the place of " the old one, and the old one in fome " new place. And all this they do in "the middle of the day, at fuch time as " the greatest part of the bees are abroad; " who at their coming home, without " much difficulty, by this means divide "themselves equally. This device hin-"ders them from swarming and flying " away. In August they take out their " honey, which they do in the day-time " also, while they are abroad; the bees " being thereby, fay they, difturbed leaft: "at which time they take out the "combs laden with honey, as before; "that is, beginning at each outfide, and " fo taking away, until they have left " only fuch a quantity of combs, in the " middle, as they judge will be fuffici-"ent to maintain the bees in winter: "fweeping those bees that are on the " combs into the basket again, and again. "covering it with new sticks and "plaister. buasia i

"All that I doubt concerning the prac-"tice of this here in England, is, that "perhaps the bees gather a less quan-N 3 "tity "tity of honey in this country; and " that should we take from them a like " proportion of it, they would not have "enough left to preserve them in win-" ter. But this hinders not much: for " by being less covetous, and not taking " fo much honey from the poor bees, " the great increase and multiplying of "them would foon equalize, and far " exceed the little profit we have by de-" ftroying them. This is done without "the fmoke or fulphur, which takes " away very much of the fragrance of "the wax: and fure I am, that the ho-" ney can receive neither good tafte, nor " good fmell, from it."

Mr. Wheeler likewise informs us, that whilst he was viewing the beauties of Parnassus, he enjoyed the sweets of a repast of honey thus easily come at. "After I had discoursed some time," says he *, "with the good old Caloyer (Priest), "whom they esteemed a saint, I was "conducted into a garden well planted "with beans and peas (this was at the "end of January), and another by it, fur-

"nished with four or five hundred flocks of bees. The good old Caloyer presently went, took a stock of bees, and brought me of delicate white honey-combs, with bread and olives, and very good wine; to which he sat us down in his hut, and made us a dinner, with far greater satisfaction than the most princely banquet in Europe could have afforded us."

That the number of our hives might be greatly increased wherever there is proper pasture for bees, appears evidently from Mr. Wheeler's narrative, and is confirmed by the following passage in the account lately published of the sheep in Spain.

"If sheep loved aromatic plants, it would be one of the greatest missor"tunes that could befal the farmers in Spain. The number of bee-hives there
"is incredible. I am almost ashamed to give under my hand, that I knew a parish-priest who had five thousand hives. The bees suck all their honey, and gather all their wax, from the N 4 "aromatic"

" aromatic flowers, which enamel and " perfume two-thirds of the shew-walks. "This priest cautiously seizes the queens " in a small crape fly-catch, and then " clips off their wings, after which their "majesties stay at home : he assured " me, that he never loft a fwarm from " the day of this discovery, to the day "he faw me, which was, I think, five " years after." will have all have egound

The Greek method, which Mr. Wheeler relates, of sharing the honey with the bees, has been lately introduced into France, as we are informed by Messrs. de Réaumur and Du Hamel. The latter gives the following account of it, in the Memoirs of the Royal Academy of Sciences, for the year 1754*.

"M. Prouteau made great improve-" ments in the management of bees. " took a fingular pleafure in being, from "time to time, an eye-witness of the " progress of his researches, and in ad-" miring the fuccess of his industry. I " took notes of what I faw, and com-

" municated them to M. de Réaumur, "who has added them to his own very " interesting observations on bees. The " methods practifed by M. Prouteau have " rendered our province of Gatinois " fomewhat famous.

Y As Room an the Reversity of the winter " M. Prouteau is dead; but the tafte for " rearing bees has increased. This spi-" rit of inquiry being continued, several " fuccessful trials have been made, and " particularly by the Sieur Desbois at Pe-" thiviers, who excels in the management " of these little animals. He has de-" vised new methods of practice, which " are adopted by all who rear bees.

ation, which senerally lafts from

affilioo 7

" It is true, that the first hints of these " practices may be found in M. de Réau-"mur's work: but it is right to inform " the public, that they are executed in "an extensive manner, and with fuc-"cefs; were it only to refute the pre-" judice of those who lay to the charge " of inquirers into nature, that their " pursuits are only matters of mere curiofity and amusement.

To shew in their order the discoveries that have been made in this prowince, I shall here run over the different operations which succeed one another during the course of a year.

"As foon as the severity of the winter is over, the bees go forth from their hives, to gather in their harvest from the trees which are first in bloom. They are seen at this season to alight on the bark of resnous trees, from whence they are thought to gather the proposis. They are permitted to indulge themselves peaceably in these cocupations, till the coming out of the first swarms, which generally lasts from the 20th of May to the 20th of June.

Their fwarming is watched with great vigilance, and all possible care is taken to put both the strong and weak fwarms into hives. The strong ones form good hives, and the weak ones ferve to strengthen those which stand in need of their assistance, as I shall hereafter explain: for the greatest part of the art of managing these insects, "consists

" confifts in keeping the hives always
" well stocked with bees; these being so
" many labourers which work with fur" prising activity to enrich their master.

"As the swarms or casts which come in July are small, they should always be made use of to strengthen weak hives; though many without trousibling themselves about these little swarms, shift their bees from one hive into another, from the very beginning of July, in order to posses themselves of all the wax, and all the honey, which they have amassed in great quantity from off the spring flowers, the manner of performing this operation is thus:

"One or two openings are made at "the top of the hive intended to be "emptied, by cutting down the ofiers "which run crofs-wife, and sparing as "much as possible those which run "length-wife, in order that it may be "repaired after it has been emptied, by "weaving in new ofiers. This hive is "then placed on the back of a chair, the "end

"end of which is rested on a bench, and the hive into which the bees are to be driven, is set over that other hive.

"To prevent the bees from escaping " between the hives, these are wrapped " up in a large cloth, tied round with a "cord. An earthen pot with live coals " in it, covered with a few linen-rags, to " make a great deal of smoke, is put " under the chair, that the fmoke may " get into the full hive. The bees, in-"commoded by the fmoke, afcend to " the top, and finding there an opening, " go into the empty hive to avoid that "nuisance. When it is supposed that they are all got into the upper hive, " this is gently lifted off, and fet upon " the ground, and the full hive is car-"ried away quickly.

"It is well known, that the propaga"tion of their species is what the bees
"have most of all at heart. Take away
"their provisions, which they have been
"at infinite pains to amass, and they
"will procure themselves a new store;
"but if their brood is taken from them,
"the

"the discouragement is sensible, and nothing but the hope of seeing their queen lay eggs anew, can determine them to return to their labours. Accordingly, it is observed, that when the brood is preserved in changing the hives, the activity is much greater than when the bees are deprived of them.

" To explain the manner in which the " young are preserved, it is necessary to " premise, that the smoke of rags intoxi-" cates the bees in some degree, from " which they gradually recover. While " they are in that state, the combs are " taken out of the hive from which the " bees have been driven, and fuch of "them as are full of honey, are fet " apart for the profit of the owner, who " takes great care not to damage those " which contain the young, and replace " them quite at the top of a new hive, "where they are supported by slicks "run across. This hive is placed near "to that in which the bees were left; " and upon giving this last a smart stroke " with the hand, the bees in it fall to " the

"the ground, where they are inflantly "covered with that in which the combs " with the young brood are fixed. The " bees foon recovering, afcend into this "hive, where, finding their young, they " fet to work with incredible alacrity to " repair their losses: they foon fasten "the combs with their young offspring " either to the hives, or to the flicks: "the nymphs which have been killed " in the course of this operation are " taken out of the cells, which are then " filled with honey; new combs are im-" mediately fet about; the remaining "nymphs foon become bees; and by " this increase of the number of labour-"ers, the cells are quickly filled with "honey. That this may be more speedily accomplished, the bees are re-" moved to places where they find plants " ftill in bloom. Of this kind are heath, " melilot, broom, vetches, buckwheat, " wild mustard, or charlock growing in " too great plenty in corn-fields, and " especially the virga aurea Virginiana " Zanoni, which our peafants call baf-" tard-hemp. Relieus duiving unqui bes." consist in process the character with the

30/1/23

"If the weather is favourable, and "there is plenty of flowers, the hives "that were first changed are well filled towards the end of August. When "that is the case, they are emptied a "second time; still with the same care of their young: and as it is of the highest importance that the hives be always well stocked with bees, it is at this time found necessary to strengthen fome hives, by uniting the bees of two hives into one.

wis not citrer cases rathe for the tour.

"When it is intended to unite the " bees of two hives, one of them is fu-" migated, as before, so as to force the " bees into an empty hive. Being then " ftruck to the ground, they are covered " with the hive which is to receive this " reinforcement. The strange bees min-" gle with the others, and form one " family, generally without much con-" tention; though fometimes there arises " a quarrel which costs the lives of many " bees; and it is thought that these hof-"tilities do not cease till one of the " mothers has been killed. If there be " feveral weak hives, and none of the " others

" others stand in need of being reinforced, two or three of the weak ones
may be united together; for in this
state they often turn out very prostable.

" As foon as the hives have been "changed a fecond time, they are carse ried into the neighourhood of a field " of buck-wheat, to enable the bees to " collect a third store; and in a favour-"able feafon for working, when there " is not either much rain or fformy wind, and the flowers blow well, the "hives are so well filled by the end of "September, that near half a foot of "the combs may be pared off. This " operation requires few precautions; " the hive is laid on a chair a little in-" clined, and the bees are forced to re-" tire to the top of the hive, by blowing "in smoke between the combs, which " are then cut without the least disturb-" ance from the bees.

"It is almost needless to say that the hives should not be changed again, unless they are very heavy, and well stocked

"flocked with bees. And even if they are, the hazard of their not recruiting their lofs, in this late feafon of the year, should not be ventured for the inconsiderable profit they would yield; for the honey which is collected from buck-wheat is always yellow, and of little value.

"In the beginning of October, the hives should be visited, or rather weighed by hand, in order to give honey to the bees of such as are light, and therefore judged not to have a fufficiency of provision for the winter; a subject which will be spoken of hereafter. But, in the mean time, I ought not here to pass over in silence a fact which none of us could account for.

"Having visited our hives this au"tumn, to see which of them would
"want help, we found one very light,
"and judged that six pounds of honey
"should be given to this hive. Four or
"five days after, when this hive was
"listed up, in order to put the plate of
O "honey

"honey under it, it was found to be "very heavy, without its being possible to conceive how, in so advanced a seafon, the bees could have collected so "much. We suspected that they had plundered some neighbouring hive; but if they did, they must have gone a great way for it; there not being any hives near that had been robbed.

"The nature of the feafons has a " great effect on the labour of the bees " with regard to their fuccess; and of " this the proprietor should be able to " judge: for though their hives may be "changed three times in favourable " years, the feafons may be fuch in other " years, that they cannot be changed " more than once. This difference " should also be attended to in chusing "their pasture: for instance, if the sum-" mer is wet, shady and watery places " should be avoided, because there the " bees themselves would be in danger " of being destroyed by the wateriness " of the honey. On the other hand; "these are the best situations in dry " years, when all the flowers are parched " up

"up in places exposed to the sun.
"Sudden and unforeseen changes may
deceive the most intelligent husbandman; and in that case he should give
his bees a supply proportioned to their
exigencies.

It fometimes happens, that when " fome hives are quite full of honey, " we find others almost empty. We call "these last degenerated bives, the bees of "which work only to live. This inac-"tion of the bees, is generally a fign " that their queen is dead. In this case, " if the hive is weak in bees, it is added " to a strong one; but if it is strong in "bees, a weak hive is added to it; or "an old hive may be examined, to fee "whether there be not in it a young "queen to spare; by this means, the "activity of the bees is generally re-"flored. Some hives degenerate when "full of combs and honey: not for want "of a queen; but because the bees, " content with their store, indulge them-" felves in idleness. In this case, they " may be put into another hive, if the " feafon is yet favourable; or the combs 0 2

196 AN ACCOUNT OF BEES.

"may be cut off within four or five" inches of the top of the hive. If they "are not fet to work by these means, it "is a sure fign that the queen is dead.

"I shall close this account with the " relation of a fact which happened to " a clergyman in the neighbourhood of " Penthievres. He fet a well-stocked " hive of bees upon a tub turned bottom " up, after having made a hole through "that bottom. The bees made in this " tub combs fo large, that their cells re-" fembled quills. It contained near fix " pounds of wax, and four hundred and "twenty pounds of honey. This was a " great deal: for our best hives weigh " but from eighty to an hundred pounds. " and contain only from two pounds to "two pounds and a half of wax, and " about feventy pounds of honey."

Mr. Boswell, p. 48. informs us, that there is a vast quantity of honey produced in Corsica; for the island has from the earliest times been remarkable for its swarms of bees. When it was subject to the Romans, a tribute was imposed upon

upon it of no less than two hundred thousand pounds of wax yearly. Indeed the laurel, the almond-tree, and the myrtle, in the flowers of which the bees find so much sweetness, are very common here; and the hills are all covered with wild thyme and other fragrant herbs.

P. 280. These fathers have between thirty and forty bee-hives, in long wooden cases or trunks of trees, with a covering of the bark of the cork-tree. When they want honey, they burn a little jumiper-wood, the smoke of which makes the bees retire. They then take an iron instrument, with a sharp-edged crook at one end of it, and bring out the greatest part of the honey-comb, leaving only a little for the bees, who work the case full again. By taking the honey in this way, they never kill a bee.

M. Duchet fays, "I have weighed "feveral of my hives in Novem-"ber, and comparing their then "weights with their weights in March, "I found the strongest had lost ten "pounds, others fix, and some four pounds, dividing the pound into O3 "grains;

198 AN ACCOUNT OF BEES.

"grains; and supposing that the strong hives contained ten thousand bees, and the lesser six and four thousand, making some deduction for bee-bread, it will be found, that each bee consumer about a grain of honey in a formight.

"There are fome hives much more fruitful in young than others, which "should be observed by their keepers. "This is probably owing to some imper- fection in the queen. Young hives are generally the most fruitful, young queens being perhaps the most pro- "lific,

"If the fpring is not favourable to bees, they should be fed, because that is the season of their greatest expence in honey for feeding their young. Having plenty at that time, enables them to yield early and strong swarms.

"Several swarms may take wing at once and sometimes unite, if they are latter swarms no harm can arise from their union, so there are not more than

"three large early swarms unite, they "should be again divided by a skilful "observer; for as the queens rest at "fome little distance from one another, "a kind of division may be observed in "the heap. These may be separated "into different hives, and it is not of "consequence that each queen have "exactly her own bees.

"In robbing a hive of its honey"combs, care should be taken that in
"the combs which are left, the cells
"be small for working bees, not large
"cells for drones; for if the latter are
"left, the drones will be too nume"rous."

It appears from the account of the management of bees in my hives, that there is very little art wanting to cause the bees to quit the hives which are taken away, unless a queen happens by chance to be among them. In that case, the same means may be used as are necessary when we would rob one of the

common hives of part of their wealth. The method is as follows:

have substituted and ideas to

Remove the hive from which you would take the wax and honey into a room, into which admit but little light. that it may at first appear to the bees, as if it was late in the evening. Gently invert the hive, placing it between the frames of a chair, or other fleady fupport, and cover it with an empty hive, keeping that fide of the empty hive raifed a little, which is next the window, to give the bees fufficient light to get up While you hold the empty hive into it. fleadily supported on the edge of the full hive, between your fide and your left arm; keep striking with the other hand all round the full hive from top to bottom, in the manner of beating a drum, for that the bees may be frightened by the continued noise from all quarters; and they will in confequence mount out of the full hive into the empty one. Repeat the strokes rather quick than strong round the hive, till all the bees are gor out of it, which in general, will be in about five minutes. It is to be observed, that

that the fuller the hive is of bees, the fooner they will have left it. As foon as a number of them have got into the empty hive, it should be raised a little from the full one, that the bees may not continue to run from the one to the other, but rather keep ascending upon one another.

So foon as all the bees are out of the full hive, the hive in which the bees are, must be placed on the stand from which the other hive was taken, in order to receive the absent bees as they return from the fields,

all of the many lines are the

If this is done early in the feafon, the operator should examine the royal cells, that any of them that have young in them may be faved, as well as the combs which have young bees in them, which should on no account be touched; though by sparing them, a good deal of honey be left behind. Then take out the other combs, with a long, broad and pliable knife, such as the apothecaries make use of. The combs should be cut from

from the fides and crown as clean as possible, to fave the future labour of the bees, who must lick up the honey spilt, and remove every remains of wax; and then the fides of the hive should be fcraped with a table-spoon, to clear away what was left by the knife. During the whole of this operation, the hive should be placed inclined to the fide from which the combs are taken, that the honey which is fpilt may not daub the remaining combs. If fome combs were unavoidably taken away, in which there are young bees, the part of the combs in which they are should be returned into the hive, and secured by sticks in the best manner possible. Place the hive then for fome time upright, that any remaining honey may drain out. If the combs are built in a direction opposite to the entrance, or at right angles with it, the combs which are the furthest from the entrance are to be preferred; because there they are best stored with honey. and have the fewest young bees in them.

Having thus finished taking the wax and honey, the next business is to return

the bees to their old hive; and for this purpose place a table, covered with a clean cloth, near the stand, and giving the hive in which the bees are, a fudden shake, and at the same time striking it pretty forcibly, the bees will be shaken on the cloth. Put their own hive over them immediately, raised a little on one fide, that the bees may the more eafily enter, and when all are entered, place it on the stand as before. If the hive in which the bees are be turned bottom uppermost, and their own hive be placed over it, the bees will immediately afcend into it, especially if the lower hive is firuck on the fides to alarm them.

As the chief object of the bees, during the spring and beginning of the summer, is the propagation of their kind, honey, during that time, is not collected in such quantity as it is afterwards; and on this account it is scarcely worth while to rob a hive before the latter end of June; nor is it safe to do it after the middle of July, lest rainy weather may prevent their restoring the combs they have lost, and laying in a stock of honey sufficient

204 AN ACCOUNT OF BEES.

fufficient for the winter, unless there is a chance of carrying them to a rich pasture.

When we have reviewed the various means made use of both by the ancients and moderns in taking honey, it appears fomewhat furprising, that a method so simple as the above did not occur to them; and especially that M. de Reaumur did not think of extending to general use, what he had frequently practifed in the course of his experiments. It feems he did not reflect on the effects of the fear impressed on the bees by the continued noise, and how subservient it renders them to our wills; indeed, to such a degree, that afford them but a quiet retreat, they will remain long attached to any place they are ferrled upon; and will become fo mild and tractable. that they will bear any handling which does not hunt them, without the leaft Bewof referement. On these occasions. their only defire feems to be a wish to avoid fuch another diffurbance as has reduced them to their present forlows flate. A perion who has familiarized himfelf

himself to bees, can, by means of the passion of fear thus impressed upon them, and by that desterity in the management of them, which can only be acquired by practice; I fay, fuch a person can, in this fituation, manage the bees as he pleases.

Spectators wonder at my attaching the bees to different parts of my body, and wish much to be possessed of the secret means by which I do it. I have unwarily promifed to reveal it, and am therefore under a necessity of performing that promise; but while I declare that their fear, and the queen, are my chief agents in thefe operations, I must warn my readers that there is an art necessary to perform it; namely, practice, which I cannot convey to them, and which they cannot fpeedily attain; yet, till this art is attained, the destruction of many hives of bees must be the consequence; as every one will find on their first attempt to perform it.

Long experience has taught me, that as foon as I turn up a hive, and give it fome

percental, and there so the

fome taps on the fides and bottom, the queen immediately appears, to know the' cause of this alarm; but soon retires again among her people. Being accuftomed to fee her so often, I readily perceive her at the first glance; and long practice has enabled me to feize her instantly, with a tenderness that does not in the least endanger her person. This is of the utmost importance; for the least injury done to her, brings immediate destruction to the hive, if you have not a spare queen to put in her place, as I have too often experienced in my When possessed of her, I first attempts. can, without injury to her, or exciting that degree of resentment that may tempt her to fling me, flip her into my other hand, and, returning the hive to its place, hold her there, till the bees missing her, are all on wing, and in the utmost confusion. When the bees are thus distresfed, I place the queen wherever I would have the bees to fettle. The moment a few of them discover her, they give notice to those near them, and these to the rest; the knowledge of which soon becomes fo general, that in a few minutes they

they all collect themselves round her; and are so happy in having recovered this fole support of their state, that they will long remain quiet in their fituation. Nay, the scent of her body is so attractive of them, that the flightest touch of her along any place or fubstance, will attach the bees to it, and induce them to purfue any path she takes.

My attachment to the queen, and my tender regard for her precious life, makes me most ardently wish that I might here close the detail of this operation, which, I am afraid, when attempted by unskilful hands, will cost many of their lives; but my love of truth forces me to declare, that by practice I am arrived at fo much dexterity in the management of her, that I can, without hurt to her, tie a thread of filk round her body, and thus confine her to any part in which she might not naturally wish to remain; or I sometimes use the less dangerous way, of clipping her wings on one fide.

I shall conclude this account in the manner of C. FURIUS CRESINUS, who being cited CKHCIENIN

cited before the Curule Baile, and an affembly of the people, to answer to a charge of forcery, founded on his reaping much larger crops from bis finall spot of ground, than his neighbours did from their extensive fields; produced his frong implements of busbandry, his well-fed oxen, and a bale young woman bis daughter; and, pointing to them, faid, THESE, ROMANS! ARE MY INSTRUMENTS OF WITCHCRAFT BUT I CANNOT SHEW YOU MY TOIL, MY SWEATS AND ANXIOUS CARES*. So may I fay, These, Britons! ARE MY INSTRU-MENTS OF WITCHCRAFT; BUT I CANNOT SHEW YOU MY HOURS OF ATTENTION TO THIS SUBJECT, MY ANXIETY AND CARE FOR THESE USEFUL INSECTS; NOR CAN I COMMUNICATE TO YOU MY EXPERIENCE, ACQUIRED DURING A COURSE OF YEARS.

CHAP. VI.

Of feparating the Honey and Wax.

In order to separate the honey from the wax, the combs should be said in a place perfectly secure from the access of bees; for otherwise the bees would not only carry off much honey, but also be

Plin. Hift. Nat. Lib. xviii, c. 6.

extremely

people at work. It is proper to burn cowdung, or rotten hay, at the doors and windows of this place; because the smell of the smoke arising from thence is so disagreeable to the bees, that it will drive them away. If the combs are taken out of the hive before the end of autumn, there are generally young bees in them. The parts of the combs in which these are, should be laid aside, for they would give a had taste to the honey. The bee-bread must also be separated, and both should be melted with the wax.

Before the combs are laid to drain out their honey, they should be carefully cleaned of every fort of filth, or infects. The crust with which the bees cover the honey in them, should then be pared off with a sharp, thin, broad knife, and the combs themselves should be divided thro' the middle, in such manner as to render the cells open at both ends, that the honey may slow the more freely out of them. The combs should be laid in this state on sieves, or some other contrivance which will afford the honey a free pas-

P

210 AN ACCOUNT OF BEES.

fage. It will run quite clear; and the honey thus obtained should be kept by itself, as being the purest and best.

The combs which are but partly filled, and also those that were full and have done running, are broken by hand, and the honey in them runs out. Some put the broken combs into a ftrong bag, and then use a press to squeeze the honey out of them, and even warm the broken combs with the help of fire; but neither of these last consider that, in both these ways, much of the wax passes through the bag with the honey, and that the wax being of greater value than the honey, the owner fustains a loss in that respect, besides that his honey becomes the less valuable, in proportion to its being less pure. It is true, that great part of the wax thus mixed with the honey foon rifes to the furface, and may be taken off, especially after the honey is grown harde the discussion allow and

The makers of mead need not be extremely folicitous about separating the honey so very perfectly from the wax, because,

no closiff s on our work year trees.

because, by washing the wax in cold water, the honey will dissolve in the water, and the wax being strained from it by running the water through a coarse cloth, neither bad taste nor impurity will be communicated by it to the water, which may afterwards be used for making mead. The wax that has been skimmed off the honey separated by pressure, should be washed in the same manner; because, by this means, no part of the wax will be lost.

The goodness and flavour of honey depend on the fragrance of the plants from which the bees collect it: and hence it is that the honey of different places is held in different degrees of estimation. That which is made early in the year, is also preferred to what is collected in the latter end of the season. The colour also depends on the colour of juices which the bees collect. Thus the honey from trees, is higher coloured than from flowers, and from heath, darker coloured than from almost any other flower.

In

date and move are that the

212 AN ACCOUNT OF BEES.

In order to obtain the wax in a pure flate, what remains of the combs after feparating the honey, together with the combs which contain bee-bread, and young bees or maggots, is put into a copper with a fufficient quantity of clean water, which is made to boil over a flow fire, and flirred frequently with a flick. When the wax is melted, it is run through bags, which are put into a prefs, to feparate the wax perfectly. The wax runs from the press into a vessel placed underneath, with some water in it, to prevent the wax from flicking to it. What remains after the pressure, may be again boiled in water, in order to obtain more wax from it; and this should be repeated by flow boilings, rather than by boiling it strongly at once.

All the wax that can be possibly obtained by these means, should be put into a vessel with some water in it, and be melted. It should then be let stand as long as it remains in a sluid state, that whatever impurities are in it, may settle in the water. The clean wax should then be poured off into a vessel, which shall

shall give it the form it is to remain in, as long as it runs clear, there being fome water in the veffel, which will render the taking the wax out the more easy. The veffel is then carried into a place where the wax may cool gradually. It is found, that the larger the cakes of wax are, the better the wax keeps, and the higher price it brings; also, that the more gently it has been boiled, the better it likewise is; for too hasty boiling renders it hard, and this increases the difficulty of bleaching it. The remaining wax should be strained through a cloth, to separate the remaining filth from it, and being again melted, is poured off as before, This fecond melting renders the wax much purer, and it will become more valuable to the manufacturer, because he is saved the trouble of purifying it. and add objection rivers

CHAP. VII.

Of discovering Bees in Woods or Buildings, and putting them into Hives.

A PRIL, when the willow is in bloom, or May, when the white thorn bloffoms, is a proper season for discovering

ing the abode of bees in woods, or near any place where there is plenty of flowers. It is proper to observe early in the morning, whether many or sew frequent these places; if but sew, their abode is distant, or their whole stock is not numerous; but if they appear in numbers, there is the greater room for hope to find their habitation.

Their return to fprings being frequent, you may use the following method to discover the distance at which they live from the fpring: Have by you fome oker diffolved in water, and wet in this fome stalks of grass, with which touch the bees on the back when they come. By their being thus marked, you will be able to judge whether they return foon; if they do, it is a fign that their home is not far off; and by the time they take to appear again, you will be able to judge at what distance it is. If they return foon, you may perhaps follow them to their place of refort. PRIL when the willow is in blown,

If the bees come from afar off, more fkill is requifite to discover their dwelling;

ling; and in this case, the following method may be used: Cut an entire joint off a large reed, with the knot at one end; bore a hole in the fide of it, and through this drop some honey into its infide: then lay it near the foring or other refort of the bees. When the fmell of the honey has inticed fome of them into it, take it up, clapping your thumb on the orifice, and let go one of the bees, which purfue as long as you can keep fight of ir. When you have loft fight of it, let another fly; and if it follows the same course, continue the purfuit. By this means you will be led to their abode. If any of the bees take a different course, let another fly, and fo on, till you find one take the fame courfe as the first: or if you find two or more fly the same way, though different from that of the first, pursue them.

Some rub hives with aromatic plants agreeable to bees, and then with honey; after which they place them near to springs or other places that bees resort to, especially about their time of swarming. The bees, thus allured, settle sometimes

will be fo friedrened by the configued

216 AN ACCOUNT OF BEES.

wards carried home.

of a large reed, with the If the bees are found in the hollow of a tree, or if a fwarm escapes and sentes in the hollow of a tree, and have remained there long enough to have made combs; by firiking the outlide of the tree, you may guess by the found, and humming of the bees, how far the hollow reaches. With a chiffel and mallet cut a hole in the tree, as near as can be to the upper part of the hollow. Then continue striking the tree all around, and the noise will so frighten the bees, that they will all come forth. If an empty hive is kept by the edge of the hole, they may enter into it, and if not, they will fettle on fome branch of a tree, from which they may be put into a hive, If they fill continue in the tree, they will be so frightened by the continued noife, that the combs may be taken out comb by comb. As the combs are taken out, they are put into a hive covered with a cloth and carried into a room. There the bees are brushed off the combs upon the cloth, and put into an empty

empty hive. The combs are then examined, and fuch as have young bees, or bee-bread in them, should be fixed in another hive, and the bees put to them. In case any bees remain still in the hollow of the tree, fet fire to fome cowdung, and let the fmoke enter at the lower opening of the hollow, it will oblige them to fly out at the upper hole which was made. They will foon gather in clusters on the branches of the trees. The hive in which the bees are, may be then brought our, and placed near the tree; one fide being raifed, to give an easy admission to the stragglers, and to the bees fettled on the branches of the trees, who will foon join their companions. To prevent their ever thinking of returning to the tree again, the bollow should be stuffed with nettles, or other plants difagreeable to bees.

If the bees are in the hollow of a wall, frike it with a hamber, liftening whence the found comes, that a hole may be made as near the upper part of their works as may be. Treat the bees and combs as in the former base, and as be-

fore

2.8 AN ACCOUNT OF BEES.

fore that up the holes with nettles to prevent their fettling or returning to that place.

When this is done at a feafon of the year in which the fields yield plenty offood, it is only necessary to put in the empty hive in fuch parts of the combs as have young in them, and the bees will foon collect fresh store for themfelves. But if done late in the feafon. when it may be feared they cannot collect a fresh supply, the combs should be taken out as entire as possible, and being cut as near the shape of a hive as can be, they should be secured in it, the part of the combs containing the honey being placed at the crown of the hive. Let the hive then stand a while, that the -honey in the cells which have been cut or opened, may drain out; then the bees may be put into the hive, and they will foon repair their combs. and be thus enabled to fland the winter. If the owner has a flore-hive of honey, fuch as I have directed, the bees may be at once put into it, and the honey taken out of the tree or walls may be troned to use. PartiParticular care must be taken in this operation, that there is a queen with the bees; if there is not, a queen must be given them.

CHAP. VIII.

eces, and traductive item by fireffine

Of Enemies to Bees.

The proprietor having provided for his bees as great plenty of pasture as he possibly can, should next be as careful to guard them from the many enemies which either annoy or seek to prey upon them. These are of three forts. The first are weak harmless insects, which creep into a hive, without well knowing whither they are going, and only raise disturbances and confusion in it: the second endeavour to destroy the bees, and eat up their honey; and the mischief of the last is levelled only at their wax.

In the first class, we may reckon slugs and fnails. Spiders seem hardly to deferve being ranked among the enemies to bees, because their webs are too weak

DIE

their nells in the coverings of hives, without molefling or being molefled. There is a little infect which adheres to bees, and probably lives by fucking their bodies. It is of a red colour, and of the fize of a very small pin's head. It is usually found slicking to the breast of the bee. The young bees are never troubled with these lice or vermin, which prey upon none but the old ones; nor have these generally more than one louse upon them. These lice are oftener found upon bees which inhabit old hives, where they have had time to multiply, than upon the tenants of a new one.

Millepedes, or wood-lice, are a most defiructive enemy to bees. They often proceed from the stands being made of old decayed wood, in which the wood-lice lay their eggs, and thus breed under the very hive; or enter the hive when it is placed near a dry hedge, or old building the mich these like bour, and chering the hive diring the combs. They their the hive diring the cold of the whiter and spring, but the honey, and

and destroy all their works. The remedy consists in guarding against their sirst attack, by making the stands of new wood, spreading soot mixed with barleychass on the ground under the hive, and by a proper fituation.

Several birds are numbered in the fecond class. Sparrows make great havock amongst bees, especially in the fpring, in order to feed their young, Swallows are also mentioned in this light. The house-lark, a little dun bird with a black bill, is a great destroyer of bees. The only remedy here is, to deftroy the birds, and hire boys to rob their Traps to catch birds, being baited nests. with dead bees, may be placed near the hives. Hornets and wasps, and especially the species of wasps which are scarcely larger than bees, are very formidable enemies; for they seize a bee loaded with honey, kill him inflantly, and fuck out the honey. If this robbery. is committed near the mouth of the hive, they carry off the bee to a place of greater fafety. Their nefts should therefore be carefully destroyed. Columella advises.

advises*, that the hive have two or three openings at some distance from each other, to guard against the craft of the lizard, who, gaping for his prey, destroys the bees as they go forth.

The field-moufe is an enemy to be carefully guarded against as soon as the cold begins to approach: for if it enters at that feafon it makes dreadful havock. At first it destroys the lowest parts of the combs; but as the weather grows colder, and the bees more torpid, it ascends up the hive, and feizes on the richest treafure: nor does the evil end here; for other bees, fmelling the honey fpilt by the moufe, fall upon the hive, and rob it of what remained; or as foon as the warm weather returns, and the bees stir about, they are fometimes fo difgusted at the havock made by the mouse, that they defert the hive. The only way to guard against this, is to prevent its entering into a hive. Whilst the bees continue in their vigorous state, it dares not attempt them: therefore, as foon as the cold approaches, the entrance to the hives

. Lib. ix. c. 7.

should be lessened. If the hives are thatched, they should be examined from time to time, to see that none of these mice nestle in the thatch, through which they would by degrees eat themselves a passage into the hive.

Bees may themselves be reckoned enemies to bees; for they sometimes wage cruel wars against each other. Their sighting and plundering one another ought chiefly to be imputed to their insatiable thirst for honey: for when, in spring or autumn, the weather is fair, but no honey can be collected from plants, and is to be found only in the hives of other bees, they will venture their lives to get it there.

Dr. Warder * affigns another cause of their fighting, which is, the necessity that the bees are reduced to when their own hive has been plundered, at a season when it is too late for them to repair the loss by any industry in the sields.

Sometimes one of the queens is killed in battle. In this case the bees of both P. 126.

hives unite as foon as her death is generally known among them. All then become one people; the vanquished go off with the robbers, richly laden with their own spoils, and return every day, with their new associates, to pillage their old habitation. This causes a throng unusual for the season, at the door of the hive they are plundering; and if the owner lists it up at night, when all are gone home, he will find it empty of inhabitants; though there perhaps will remain in it some honey, which he takes as his property.

When two swarms take flight at the same time, they sometimes quarrel, and great numbers are destroyed on both sides, till one of the queens is slain. This ends the contest, and the bees of both sides unite under the surviving sovereign.

Robbers make their attacks chiefly in the latter end of July and in the month of August. They appear to act with caution at first, and to procure themselves an entrance by sealth; not pitching boldly like the native bees, and then entering

8811 15

entering at once in at the door. If they are encouraged by fuccess, they return in greater parties, sometimes all the bees of a hive, and endeavour to force that entrance which they sought before with so much caution. They come in such numbers, as frequently to make those who are not acquainted with these scenes mistake them for new swarms: but the number of dead bees strewed on the ground, soon convinces them of this error.

The most effectual way to prevent the loss of bees, as well as of honey, occafioned by those robberies, is, early in the autumn, to shorten the entrance into the hive, fo as to leave room for only two or three bees to pass abreast. The bees will be much better able to defend this reduced entrance, than if it were larger. If, notwithstanding this narrowness of the passage, robbers attack a hive, the entrance should instantly be almost entirely shut up, and kept so till the thieves are gone; though many of the bees then out, and fighting in defence of their habitations, must be thereby facrificed to the the fafety of the rest. The entrance should be again opened as soon as the coast is clear; and it will be advisable in the evening to examine the state of the hive, especially as to weight, left these plunderers should have been at it before, and thereby have brought it low. In this case, it will be better to take what remains, than to run the hazard of lofing the whole: but if it feels heavy, the entrance should have only a passage for air, none for bees; and every crevice around the hive should be closed up with equal care, not only to guard against the attacks of their enemies, but to keep the bees themselves from going out. If but a few robbers appear, the bees of the hive should be put on their guard, by irrirating them with fome plant offenfive to them; for they will inflantly feize the robbers, and execute due vengeance on them. The person who is thus employed at a time when all the bees are full of refentment, should himself be well defended from their flings.

In the third class of enemies to bees is a small caterpillar, termed the waxworm, worm, or wax-moth, because of the havock it makes on wax. It is tender in its frame, unarmed and defenceless; and yet can subsist itself in the midst, and at the cost, of the most numerous hive. A few of these little caterpillars will destroy and break to pieces the combs of a hive, build up new edifices for lodging themselves in it, and sinally force the bees to quit the place.

This insect is of the species of the false-moth, and is extremely nimble. It is enough for it to get into a hive unawares. It runs so very swiftly, that it passes unperceived, and slides into some narrow place between the combs, perhaps inaccessible to bees, there to lay its eggs in fecurity. This done, it makes its escape as well as it can. From each of these eggs proceeds a caterpillar, which escapes certain death merely by its extreme smallness, and the quickness with which it spins and enwraps itself in a covering sufficient to secure it from all harm. This covering, or tube, is glued to the wax which the caterpillar feeds on, and this infect lengthens the Q 2 tube

tube as it eats the wax, till at last it shuts itself up in order to be transformed into a chryfalis. Several caterpillars, and confequently feveral moths, must proceed from the eggs which the males and females engender. Probably the bees destroy great numbers of the moths: however, if a fingle female has an opportunity to lay her eggs, she is fo exceedingly prolific, that this fecond brood may quite overspread the hive. If one of the impregnated females escapes out of the hive by means of her great nimbleness, she seeks out another hive. in which the fpreads the fame fource of mischief.

When we consider how great damage this moth in particular, and other insects which frequently find means to creep into the hive, do to the combs of the bees; we shall find the Romans judged very rightly in cleaning their hives; of the manner of doing which, Columella speaks to the following purport *:

"The hives should be first cured by opening them in the spring, in Lib. ix. c. 14.

" order

" order that all the filth which was ga-"thered in them during the winter, "may be removed. Spiders, which "fpoil the combs, and these small worms, " or rather caterpillars, from which the " moths proceed, must be killed. When " the hive has been thus cleaned, the "bees will apply themselves to work " with the greater diligence and refolu-" tion. From the fummer folftice to the " autumnal equinox, the hives should be "opened, cleaned, and fmoked, every " tenth day, and then washed and cooled "with cold fpring-water; and what-"impurities cannot be washed away, " fhould be wiped off with the pinion of " a fufficiently strong wing. Particular " care must be taken to sweep out every " caterpillar that can be feen, and to de-"ftroy all the moths. To this end, a " veffel with a narrow neck increasing " gradually to a wide mouth, with a "light in the neck, should be placed "under the hive in the evening. The " moths, gathering from all parts around "this light, are, in that narrow space, "fcorched and killed."

If the hive attacked is weak, it will be advisable to strengthen it, by the addi-Q 3 dial tion

tion of another weak hive; or rather to add the bees of this hive to another, which wants numbers, especially if the other hive stands at some distance. If the hive attacked has a due proportion of bees, at the same time that the entrance is narrowed, the hive should be removed to another garden at some distance; if half a mile, the better. entrances of all the hives should be narrowed, left the robbers, missing the hive they had fell upon, attack another.

The best method of uniting the bees of different hives at this feafon is, to take the bees out of both hives as already directed, then to firike the bees of one of the hives upon a cloth, take away their queen, and immediately place over them the hive in which the bees taken out of the other hive are, that they may unite while thus in fear and diffrefs, which they will now do without fighting, as they would be apt to do, if strange bees were added to a hive possessed of their honey. When united and quiet the hive with honey in which they are to remain is put over them, and they will foon afcend into it,

In regard to the enemies to bees, it will plainly appear, that the use of my hives will be the greatest security against them, especially against such creatures as make a lasting settlement in the hive, such as the moth, wood-lice, &c. for as the hives are so often changed, the enemies are dislodged before they can well make their quarters good. And if every other

CHAP. IX.

little rifk.

means of defence I have proposed are put in practice, the bees will run very

Of the Difeases of Bees.

MADAM Vicat, already so justly commended, has published in the Memolrs of the Society of Berne, for the year 1764, extremely judicious observations on bees, and on every inconveniency they are liable to. Her remarks well deserve our attention; and I shall give them nearly as related by herself.

On June 9, 1761, this lady bought an hive of bees, in a straw-hive. The combs were emptied of their honey, and Q 4 thereby

acoustic men

thereby rendered the more liable to be attacked by the moth. She placed it in a little garden in the heart of the city of Laufanne. She foon discovered that there were moths in it, and that the bees had lice on them; which determined her to place a glass-hive over the straw one, and to fhut up the opening into the lower hive. She frequently looked into the glass hive, to see what passed in it. The bees never stopped in it, and it ferved only as a thoroughfare to the straw hive. The bees, though very laborious and numerous, could not defend themselves against the moths, which multiplied daily: On the 18th of July, her bees were reduced to little more than three hundred. Finding their number decrease every day, she suspected that some accident had happened to the queen, which upon examination the found to be true; as fhe also did, that these moths may foon destroy the most numerous hive. They had mouldered away the wax, and had united the three middle combs, by their galleries, to fuch a degree, that they appeared but as one mass. Upon turning up the hive, to fee what condinoir be were emptied of their honey and

tion it was in, she found the sides covered with white and hard cocoons, which would soon produce moths. They were in such quantity as to fill the crown of her hat.

winters the purishing a dry radional but

It appears to her that the moths are most ready to attack hives which have fwarmed oftner than once; because in them the combs, in which the young bees were reared, being empty, ferve for both shelter and food to their maggots, which feed only on wax. For the fame reason, late fwarms, and hives in which there is not much honey, are equally exposed to these infects. Such hives should therefore be cleaned at least once a week. If moths are found on the stool of the hive, it should be cleaned every morning. In order to do this the more eafily, without disturbing the bees, or running the hazard of being stung by them, she caused a large square hole to be made in the stools on which her bees stand, with a flider underneath, fitted to it. By this means the preferved another hive, which the had placed in the fame garden on the fame day, June 9, 1761: and though it was a swarm put into a new straw hive, she observed moths in it by the end of July. She calls this hive N° 1.

When she secured this hive for the winter, the put it into a dry room: but the air there being too mild, the bees confumed almost the whole store. She drew the flider often; for the difafter which had happened to her other hive rendered her now more attentive; and the generally found a quantity of moths on it. The combs became mouldy, which the endeavoured to wipe off with foft brown paper, and rubbed it off the fides of the hive with a napkin. So many bees died during the winter, that the hive became very weak in comparison to what it was in the autumn. About the middle of March, she placed it in a little garden furrounded with houses.

She placed near the former a fwarm of June 1761, which had been kept in a hive of Mr. Paltau's construction, and had flood the preceding furnmer in the

country,

Described in a work, infittled, Newvelle Confirmation de Ruches, printed at Mentz in 1756, 8vo. p. 316.

country, and the winter in a greenhouse in town, where the air was constantly kept temperate. Few of these bees died. She calls this hive N° 2.

That she might judge of the strength of these hives, she counted the bees which entered into each of them in a quarter of an hour; taking the same hour of a fine day. She repeated this during several weeks, and found that about six hundred and sixty entered in N° 2, and two hundred, or sometimes two hundred and twenty, in the same time, into N° 1.

In May, the numbers of bees were for much increased, that it was no longer possible to count them. N° 1. was now as well stocked with bees as N° 2. She had been particularly careful of the former, and had fed them with honey in rainy weather. She had cleaned the slider every morning, and often found on it even four moths at a time. She thinks that the bees can easily pull them out of their holes before their galleries have been strengthened with cross threads,

threads, and cemented with the crumbs of wax or their excrements. The bees do not always carry them out of the hive, but fometimes leave them on the stool, where the little maggots soon weave a case to conceal themselves in; as she has known them do in a few hours. She found the greatest number of them at about four or sive o'clock in the morning.

She refolved to place over N° 1. a glass hive, to give the bees an opportunity of working in it. With this view, she cut fome rounds off the top of the straw hive, fo as to make an opening of four inches, upon which she put a piece of board with a corresponding opening of four inches; and on the 25th of March 1762, a glass hive was placed over it. She shut up the mouth of the straw hive, in order to oblige the bees to enter by an opening under the glass hive, which the covered, left the cold might incommode or even kill her bees, which were few in number. Though they increased fo much by May as to be equal with N' 2. yet the bees never stopped in the threadt

glass hive. She judged from this, that they would rather descend, if she gave them a convenient habitation below. She therefore placed under the straw hive a box, which had an opening in it of eight inches, for the bees to pass through. They foon extended their works downward, fo that in a fortnight they almost filled the box with combs. On the 8th of July she took away the glass hive; and though it had hitherto ferved them only as a paffage, they were much difconcerted when it was removed: for after she had filled up the opening in the top of the flraw hive with flax and rue. the loaded bees continued for feveral days to fly round it, though the rue was difagreeable to them, before they would enter by the opening in the box, which was the only one they now had.

It is very remarkable, that the bees made no combs in the glass hive, though they were fo fond of entering by it; and yet they descended into the box as soon as it was placed under them. We might have imagined it to be easiest for them to enter below, at the bottom of the box;

box; but instead of so doing, they entered by the glass hive, passed through the straw hive full of combs, and carried their load down into the box. This gave her the first hint, that it was most adviseable to put the additional hive into which she would have the bees to work, under the full one, and she has since found it succeed accordingly.

On the 20th of July, the found that the bees of N° 1. had cast out so great a quantity of their young brood, that the gathered some handfuls of it about the hive. The bees continuing to do the fame next day, she determined to take away the straw hive the day after. For this purpose, she chose eight o'clock in the morning, which she had observed. to be the time when the greatest number of bees were gone into the fields. She began by loofening the straw hive from the board on which it rested, and to which the bees had fastened it with propolis. She then took the wadding out of the hole in the top of the fraw hive; near to which fome linen rags were kept fmoking, and this fmoke was blown into the

the hive by a pair of bellows. As foon as the judged that most of the bees had been forced down into the box, the caused a strong iron wire to be drawn through between the hive and the board it rested on, thereby to cut transversely all the combs which were extended from the hive into the box through the hole of communication. The hive was then taken up with all the combs but one, which separated from the middle of the hive. She carried this comb, with two fingers of each hand, to a table at some distance, on which the hive had been placed bottom up. The comb which she carried was almost covered with bees: and as it fell from the middle of the hive, where the queen generally refides, fhe fearched for her, and found her on the first round of the hive, scarce able to crawl, being daubed with honey which had flowed from the combs cut through. She washed her in a glass of water; but finding that this did not entirely carry off the honey which fill adhered to her wings, she washed her a second time, and put her among feveral bees which had also been washed, but had recovered strength They immediately fet themselves to dry and assist her. She kept her thus for half an hour, in the presence of several curious persons, who had often sought in vain for her. As soon as she thought her able to make use of her legs and wings, she carried her to the stool on which the box remained, now to become the only habitation of the bees. Here she was again brushed and licked during an hour, by bees which were in great numbers on the fore-part of the box, and at last she entered.

A farmer with whom this lady kept fome bees in the country, had an old straw hive, which he intended to destroy, in order to come at their honey and wax. She proposed to him to follow the same steps as she had taken with hers, which he agreed to, knowing that he could not lose any thing by it. Having been taught by experience, she advised him to put a box under the hive, rather than a hive over it. As she had observed that her own bees had so obstinately adhered to their former passage, she advised him

to place the box at a small distance from the place where the hive had stood, that the whole might be the newer to them. They set to work heartily on the 3d of July; and by the roth of August they had lain in so much provision, that she determined to take off the hive in the same manner as she had done her own. The honey did not run so much, because the weather was not so hot.

Whatever pains are taken to drive the bees out of the hive by means of smoke, many still remain in it. In order to preferve these bees, she found that the best way was to sweep them with the wing of a fowl into a tub of water, as fast as the combs were taken out. This practice was attended with several advantages. It prevented the people being stung, it cleared the bees of any honey that might have dropped on them, and it made many of their lice fall off them.

In order to take them out of the water, the caused a thin linen cloth to be spread over the mouth of an empty tub, in such manner that it hung every where over the

242 AN ACCOUNT OF BEES.

the brim, that was held there by one person, whilst another poured the water in which the bees went gradually thro' it. The bees remained on the cloth. It is essential that the quantity of water be large in proportion to the number of bees, and that they be quite senseless before they are taken out. If the first water tastes of honey, they should be bathed in a second quantity. M. de Reaumur*lost many bees by not attending to this precaution †. When the bees have been sufficiently bathed, Madam

Vicat

Memoires pour servir à l'Histoire Naturelle des Insects, tom. v. p. 560.

As an instance how long some insects may retain life when immersed in a sluid, I have been assured by a very ingenious and accurate gentleman, that, being present at the opening of a bottle of Madeira wine which had been brought from Virginia to London, three slies were found in it. He immediately observed, that they had a fair opportunity of trying the truth of the common opinion, that a sly cannot be drowned; and desired the company to lay the slies in the sun, the day being very warm. The slies were accordingly laid on a china plate, and in less than an hour two took wing. M. de Reaumur kept bees under water near nine hours, and all of them came to life. Tom. v. p. 540. They have remained twenty-sour hours, under an exhausted air pump, and revived. Derham's Physico-Theology, book i, chap, i.

Vicat spreads them on whited-brown paper, which, with the warm air, soon dries them.

It was fometime before this lady could find the queen of the farmer's hive. The country people, who faw this operation, were struck with great compasfion on feeing fo many bees laid out, as it were, upon the table; for they thought them quite dead, and could not believe her when the affured them that they would all return to life. By the time the had found the queen, many of the bees had so far recovered, as to take care of her. Madam Vicat observed on her croflet a loufe, which the fluck off with a pin. She faw a fecond on the hind part of her head; but it fluck fo fast that she could not remove it : nor was the much folicitous about it. because the queen seemed to be in good plight. All the bees were placed on the stood before the box; and the was informed next day, that they had all foon returned to their companions. Having observed in the combs some cells which had young in them, the put an addi-R 2 tional mortis

tional height under the box, in which the placed the combs with the young in them: and remarking on the 20th of August that there were several moths under the last addition, in which the combs with young were placed, she judged it not to be right to preserve such combs for the future. Experience has since confirmed her in this opinion.

were moon firm

It is generally alleged, that the moths get fo much the upper hand in the hives by the fourth year, that it is necessary to destroy the bees on the third year, in order to get the then remaining honey and wax; for that all would otherwise fall a prey to the moths. Madam Vicat has now shewn, that hives may be preferved from moths without condemning to the fire those precious labourers, the bees; a practice as barbarous as it is Tenfeless; a practice which was strictly forbidden by a Grand Duke of Tuscany, under the penalty of fevere punishment, as we are informed by M. de Reaumur *. If care is not taken, even three years will be too long a time to allow; for the

LEWIST

⁻iffin A. Tom, v. p. 666. and his young bad

moths will frequently destroy a hive the very first year.

The lice which stick to the bees are not generally thought to be prejudicial to them *; and this may be true when there are but few of those vermin; but when every bee in a hive has two or perhaps three lice upon it, as is often the case, we may believe that the bees are greatly incommoded by them: indeed we may be assured of it, by their using every means in their power, tho inessectually, to get rid of them. M. de Reaumur declares †, that he cannot think well of a hive in which the greatest number of bees have lice on them.

Madam Vicat had a hive near a chair in her garden, in which she used to sit at work for hours. She one day saw many bees endeavouring to rid themselves of these troublesome enemies, and endeavoured, but to little purpose, to assist them, by killing the lice with her scif-

R 3

P. 135.

† Tom. v. p. 711.

fars. Recollecting that tobacco is a poifon to many infects, the immediately strewed a little Morocco tobacco over fome bees which had lice on them. The lice fell off instantly, as dead. In order the bees, the confined fome which were louly, under a glass placed on paper firewed with tobacco. After the bees had paffed feveral times over the tobacco, the lice fell off them dead. She left the bees in the glass three hours, and at the end of that time they appeared vigorous and well. She had bathed some bees in water, in order to rid them of the lice; but found that, though many of them fell off, they recovered themselves again as foon as the bees did. One of the lice jumped two inches high, to get at a bee which the held in her hand.

The farmer to whom the entrusts the care of her bees in the country, lost a hive in the winter of 1763, in a manner that had never happened before. There was plenty of provision in the hive, and it was as well stocked with bees as any other. They did not die of cold, for the weather

weather was warm, and they went abroad the day before their almost sudden destruction. Of eight hives which he had in another apiary, fix perified in the fame manner. To bed a bini month was not near fary to bathe the queen. Sh

She had a glass hive, in which the number of bees was reduced in the spring to about four hundred. In order to strengthen it, she resolved to take about a thousand bees from one of the strongest hives, and to add them to this. She knew that bees, by being bathed together, are reconciled to one another as foon as they return to life; and therefore took the following method. She held the mouth of a wide mouthed bottle to the opening of the firong hive, whilft, with the other hand, the gently flruck the hive. Upon this, the bees iffued into the bottle held close to the mouth of the hive; and as foon as the judged that a fufficient number of them had entered the bottle, the clapped a paper over the mouth, and held the bees prifoners. The bees in the glass hive were so much chilled by the cold of the night, that they eafily fell down when R 4 the

After the bees had been a few minutes in the water, she spread them out on a brown paper to dry, and afterwards put them into a bag of clear sieve-cloth. It was not necessary to bathe the queen, She therefore secured her under a glass, with about a dozen of bees to keep her warm. The bees being all returned to life, she put the queen into the hive, and applying the mouth of the bag to the mouth of the hive, all the bees entered, and ranged themselves on the combs.

At night she drew out the slider in order to wipe the bottom of the hive. There she found a great deal of candied honey, and several bees which seemed to be expiring. In the morning, she found many more in the same situation, and knew not what to impute it to. This was on the 24th of March; and the weather was so cold, that the bees of her other hives did not go abroad. At eleven in the morning, she saw the queen in the midst of a group of bees on a comb. She could not conceive the meaning of a noise that was frequently made in the hive.

hive. As foon as she heard this noise she approached, and was grieved to see numbers of bees fall to the bottom. They struggled as much as possible to get upon the combs, but could not.

well-kalderen megallagt. Allagemen

She had never heard that candied honey is prejudicial to bees; yet could not account for this havock from any other cause; for the bees not being able to swallow the candied honey, emptied it out of the combs, in order to come at such as they could swallow. The candied honey falling on the bottom of the hive, the bees could not stir without daubing themselves in it. Their legs were clogged with it, and by their endeavours to rid one, another of it, they daubed each other more. Their bodies were smeared with it, and their wings so loaded that they could not fly.

On the morning of the 25th, she searched in vain for the queen on the combs, where only a few bees now remained free from this misfortune. In general, the queen is the last that suffers any injury; by reason of the great care which

ney is prejudicial to bees; yet could not

The honey does not candy every year; and even in the coldest weather this accident is not universal. Madam Vicar had an instance of it; for, in an apiary where there were a dozen of hives, only one perished, and in another where fix perished, two remained safe. It seems always probable, that the honey candies when the weather changes fuddenly from warm to cold. Whilft the weather continues cold, the bees remain in a lethurgic state, eat none of it, and therefore do not then open any of the cells; but if there be returns of warm weather, they want food in this weather, and in this case they do open their cells. A fudden return of cold congeals or candies the honey in these open cells. On the return of warm weather, the bees return to the cells they had opened,

and finding there a substance which is too solid to pass into their stomachs, or which they cannot swallow, they throw it out of the cells, in search of good honey: the candied honey falls upon the stool, or bottom of the hive, and by this means they make their own graves. The ancients seem to have known that candied honey is prejudicial to bees. Virgil * cautions particularly against leaving an opening so large as to admit a degree of cold capable of congealing the honey.

Many hives of bees which are thought to die of cold in the winter, in truth die of famine; as was the case in the winter of 1759; for the constant rains of the preceding summer hindered the bees from laying in a sufficient store of provisions. The hives should be carefully

Nam Frigore Mella
Cogit hyems, eademque Calor liquefacta remittit,
Utraque vis Apibus pariter metuenda—

I am of opinion that candied honey must be what has been too long in the combs, because sower and hard, and is usually called stone-honey. It is posson to the bees, and sometimes drives them from their hives.

examined

examined in the autumn, and should then weigh at least eighteen pounds.

These observations of Madam Vicat's feem to account more rationally than any other reasons I have yet seen assigned, for a purging which writers speak of as incident to bees in the fpring. Columella describes it * as an annual diffemper which feizes them in the fpring, when the fpurge bloffoms, and the elm discloses its seeds; for that the bees, being allured by the first flowers, feed fo greedily upon them, that they forfeit themselves therewith, and die of a looseness if they are not speedily relieved. He relates Hyginus's advising, in this case, to cover the bees with ashes of the fig-tree; and affirms, that, being enlivened by the warmth of these ashes, the bees will revive in two hours, and go into a hive brought to them. Columella advises giving them rosemary and honey diluted with water. Aristomachus seems to have prescribed the most effectual cure, namely, to take away all the vitiated combs, that is, all the combs in which

AN ACCOUNT OF BEES. 253

there are open cells appearing to contain candied honey.

The authors of the Maison rustique* impute this purging to the bees feeding on pure honey, which does not form a food sufficiently substantial for them, unless they have bee-bread to eat at the same time; and advise giving them a honey-comb taken from another hive, the cells of which are filled with crude wax, or bee-bread.

CHAP. X.

Of feeding Bees, and of the Care of them during the Winter.

PROVIDENCE has ordained that infects which feed on leaves, flowers, and green fucculent plants, are in an infensible or torpid state from the time that the winter's cold has deprived them of the means of subsistence. Thus the bees, during the winter, are in so lethargic a state, that little food supports them: but as the weather is very change-

Tom. i. part i. liv. v. c. 1. p. 454. 7th Edit. 4to.

able, and every warm or funny day revives them, and prompts them to return to exercise, food becomes necessary on these occasions. Mr. White is of opinion*, that a greater degree of cold than is commonly imagined to be proper for bees, is favourable to them in winter. If a sharp t frost continues for two or three months, without intermission, you may observe through your glass, that the bees are all this time closely linked together in clusters between the combs. If they are not altogether without motion, yet it is certain they ftir not from their places, while the cold continues, and therefore eat not at all.

The following directions are given for feeding of bees in the Maifon rustique to Replenish the weak hives in September, with such a portion of combs full of honey, taken from other hives, as shall be judged to be a sufficient supply for them. In order to do this, turn up the weak hive, after taking the precaution

white:

P. 9. + P. 10.

¹ Tom. i. part i. liv. v. c. 1. p. 435.

of defending yourfelf with the smoke of rags, cut out the empty combs, and put the full ones in their place, where fecure them with pieces of wood run across, in fuch manner that they may not fall down when the hive is returned to its place. The bees will foon fix them more effectually. If this method be thought too troublesome, set under the hive a plate of liquid honey, unmixed with water. with straws laid across, and over these a paper pierced full of holes, through which the bees will fuck the honey without daubing themselves. This should be done in cloudy or rainy weather, when the bees flir leaft abroad; and the hive fhould be covered, to protect the bees from robbers, who might be allured to it by the fmell of the honey.

Another circumstance which may render it very necessary to feed the bees, is, when several days of bad weather ensue immediately after they have swarmed; for then, being destitute of every supply beyond what they carried with them, they may be in great danger of being starved. In this case, honey should

should be given them, in proportion to the duration of the bad weather.

The degree of cold which bees can endure has not been afcertained. We find that they live in the cold parts of Russia, and often in hollow trees, without any care being taken of them. Their hives are frequently made of the barkof trees, which does not afford them much protection from cold. Mr. White * therefore judiciously confirms Mr. Gedde's observation, that bees which stand on the north fide of a building, whose height intercepts the fun's beams all the winter. will waste less of their provisions (almost by half) than others which stand in the fun: for coming feldom forth, they eat little, and yet, in the spring, are as forward to work and fwarm, as those which had twice as much honey in the autumn before. The owner should, however, examine their state in the winter, and if he finds that, instead of being clustered between the combs, they fall down in numbers on the flool or bottom of the hive, the hive should be carried to a

binovil

warmer place, where they will foon recover. He must be cautious in returning them again to the cold, lest the honey be candied, as before observed.

Where the winters are extremely fevere, the authors of the Maison rustique advise*, to lay on the bottom of an old cask the depth of half a foot of very dry earth, powdered, and pressed down hard, and to set on this the stool with the hive; then to preferve a communication with the air, which is absolutely necessary, to cut a hole in the cask, opposite to the mouth of the hive, and place a piece of reed; or of elder made hollow, from the mouth of the hive to the hole in the cask; and after this to cover the hive with more of the fame dry earth. If there be any room to fear that the bees will not have a sufficiency of food, a plate with honey, covered as before directed, may be put under the hive. If the number of hives be great, boxes may be made of deals nailed together, deep enough to contain the hives when covered with dry earth. The bees

^{*} Tom. i. part 1. liv. v. c. 1. p. 441.

258 AN ACCOUNT OF BEES.

will thus remain all the winter free from any danger from cold, hunger, or enemies.

Every hive should have at least twenty pounds of honey in it in the beginning of the winter. If short of that quantity, a referved hive should be put to them, or they should be fed with clean honey, put into a pewter dish covered with paper, and put under the hive at night. For feeding bees in boxes, three or four pounds of honey should be put in the box, Fig. 4. Plate 11. already described. A piece of paper of the exact dimensions of the cavity of the box, pierced with holes, through which the bees may fuck the honey, must be laid on the furface of the honey; and in the evening the entrance into this box being closely applied either to an opening made in the back of the lower part of the bee-boxes, and securely supported in that situation, or to the mouth of the bee-boxes, the bees will foon fmell the honey, and carry it all off by morning. By this means robbers are not tempted, indeed have no opportunity of annoying them, for the box

box is removed in the morning. If the first quantity is not deemed sufficient, the same may be repeated next night; for every wife man will take care that his bees be plentifully provided.

That bees fuffer fuch degrees of cold, as we here are strangers to, without detriment, seems certain; nor is it easily accounted for, why a much lefs degree of cold becomes fatal to them in our mild climate. If I may venture my opinion. I think that in these extreme colds. the bees are so perfectly frozen that their juices cannot corrupt or putrify; but they remain in the same state till the return of fpring; when the change of the weather being fudden, the bees foon come to life: whereas in our climate they are so far chilled as to lose the figns of life, and their juices being still in a liquid state, foon putrify, and real death enfues with corruption; the stench of which proves destructive to the live bees, if the dead bodies remain long in the hive. It is therefore a good rule, to examine the hive from time to time, whether any bees fall to the bottom; that if they S 2 Haid or

they do, the feeming or real dead flould be removed.

Hives should never be placed on stones, because they are susceptible of too much heat in the summer, and are so cold in the winter, that it is an immediate death to every bee that lights on them. Even wood is then too cold; and therefore I would advise the owners of bees to have straw bottoms, in every respect similar to the straw covers already described, to be laid under the hive during the winter, that when the bees descend, they may not be chilled by the coldness of the substance they light upon.

So foon as the weather becomes mild in the spring, the straw bottoms should be taken out and cleaned, and put under the hive again, to remain there till the danger of the frost is past. The hives should be then carefully again cleaned, and the quantity of honey examined into; for if the weather comes in so warm as to tempt the bees out, a greater quantity of food becomes necessary to support them in this labour, at a time in which

which plants yield little of that juice which constitutes honey; especially if the weather is dry and windy. In April, their young brood occasions an additional confumption of honey; and therefore a supply becomes peculiarly necesfary, and should be given to them as above directed. Owing to this neglect, many hives are loft fo late as in the month of May. If one of my under hives, which had fome honey in it, was taken in the autumn to be kept in referve, it becomes a very timely fupply at this feafon, and the quantity of comb made to their hands, will forward the bees much in their fummer's labour.

Every hive should have a thick covering of straw, properly secured at top, put over it, to throw off the rain, as well as keep the bees warm. Some people advise putting a kind of grating before the doors of the hives during the winter, which at the same time that it prevents the bees going out to their destruction, admits sufficient air. I am of opinion that this is wrong; because, that as it is necessary they should eat a little, so they

must go out at times to discharge their excrements. They have the fagacity to judge of the proper degree of cold, and when they feel it too great upon coming to the door, they drop their excrements on the stool, and return to their companions, unless they are allured out by a very bright fun. On this account it is proper that, during the winter, the mouth of the hive should not face the fun at noon, but rather the west. The mouths of the hives should be lessened so much during the winter, by means of a slider fitted to it, that there may be room left only for air, and to afford a paffage to two or three bees.

Even in spring many bees lose their lives, being tempted out by a bright sun in search of food. The mouth of the hiveshould therefore be continued facing the west, till all danger from the cold is past: for if the mouth was placed to the south, a clear morning may carry them out, being tempted by the glare of light which shines in; but such a morning often brings a cloudy afternoon, which then prevents their going out. When the

the season for working comes on, they must not be restrained from going out by any bar in their way; for they become then so impatient of confinement, that they will even die in search of an outlet, rather than bear imprisonment.

sold on animal of arolled mention to be gine to boil;

Directions for making Mead.

A LL the writers who have hitherto treated of this subject, have given into a capital error with regard to the firength of this liquor, by directing too great a proportion of honey to be diffolved in the water. The usual practice of making it fo ftrong as to bear an egg, is very wrong. The liquor is thereby rendered a mere stum, and this bad quality is still encreased by the long boiling generally practifed. It is fcarcely possible to procure honey fo pure but that fome bee-bread, wax, or other fubstance is mixed with it; and this cannot be perfeetly separated from it, so far as I know, but by boiling. On this account therefore, the boiling of mead feems indifputably necessary. Vin order the more effectually noi. S 4

fectually to feparate these imperious from the liquor intended to be boiled, it is advitable to mix forme whites of eggs with it before it is put on the fire: very particular care must be absolutely taken to fkim off the thick feum that rifes upon it, the moment before it begins to boil; and this must be attentively continued fo long as it does boil. The only intention of boiling being here to separate the impurities, and to make a perfect union of the water and the honey, both which purposes are very soon obtained, it evidently appears that the boiling need be of but very fhort duration. This circumitance should be particularly attended to in making of mead; because the longer the boiling has been continued. the less will the liquor be disposed to ferment kindly. It is perhaps owing to our too long boiling only, that mead, highly effected by most of the northern nations, has long lain under diferedit in this country; a differedit from which it might probably be retrieved, if due care were taken to prepare it rightly. The common method of boiling it too much, has always prevented its fermenting

AN ACCOUNT OF BEES. 965

ing fufficiently to remove its luscious sweetness; whereas, were it to undergo a due fermentation, that sweetness would go off, and the liquor would acquire a fine racy flower.

Some notable housewives have added hops to their mead. This helps to take off its sweetness, and as the bitterness of the hop goes off, gives it a pleasant flavour. A ferment is here, as in all vinous liquors that are boiled, generally wanted, to bring on a perfect fermentation: but as the least taint in the ferment will communicate itself to the whole liquor, due care should be taken that it be very sweet and good. Mead, judiciously managed on these principles, will keep for years, and be improved by age. It is racked, fined, &c. in the same manner as other white-wines.

inving vainty imagined outleives the cally on the cally on the call outlein the failthing of force the call outlein the call of the call o

official norm: and arrer

and the protection of the last

ing fufficiently to remove its lufcious

Of Wasps and Horners, and of the means of destroying them.

a due termentation, that fweetness would

bebbs ov Natural History of Wasps, amo

E naturally interest ourselves in the actions of animals that live in fociety. Without being observers of Nature, we love to hear of the good understanding amongst beavers, who work by concert in building houses of earth and wood feveral stories high, in order to defend themselves from inundations. The republics of ants and bees have gained esteem and admiration through all ages. Societies are perhaps the first and most beautiful contrivance of human reason: we are surprized to find that animals, which we despised, imitate us in this effential point; and after having vainly imagined ourselves the only creatures endued with skill and forefight, we are almost inclined to grant in some insects a greater sagacity than in ourselves.

The beer are a pacific people that labour for our good, and in return we interest ourselves for them; other insects make war upon them, and confequently excite our enmity and abhorrence: they have no enemies more dreaded than the wasps, who are not content with plundering them, but likewise devour them. The wasps, compared with the mild and well-policed republic of bees, appear to us a favage nation, a kind of hottentots; but we judge thus ill of them only for want of knowing them. We may apply to wasps, what hath been often observed with respect to a distant people, who have been thought barbarians, and are afterwards found to exceed us in many things. The republics of wafps are in nothing inferior to those of bees: although more warlike, they are not less industrious nor less laborious. In fhort, they are with respect to bees, what the ancient Spartans were with respect to the Athenians. Angels thouse , also

I shall not enter into a detail of the several species of wasps that naturalists make mention of, but shall confine myself

Tacra are.

branches of trees.

felf to the description of their manners, to the discovery of their industry, and to relating the methods by which they people and govern their states: I shall therefore say nothing of those species that live recluse like hermits. The objects of my enquiry shall be only such as live in society, such as form with toll and industry a fort of cakes, composed of hexagonal cells like those of bees, but made of materials very different from wax.

These heaps of cells are principally defined to lodge eggs and embryos till they are able to take flight. We give the name of a wasp-nest to these cakes, including under that term all that the wasps build round about the cakes. We fhall content ourselves with diffinguishing these insects into three classes; and that, with respect to the places they chuse for building their nefts. Those of the first class, attach themselves to plants and branches of trees. There are feveral foecies of this kind, which are all of the fmallest fize, and compose likewise no very numerous states. The wasps of the fecond (elf

fecond class commonly place their nest under a covert; they build it either in the hollows of trees, or in granaries that are little frequented. These are the largest of all; we call them hornets. Lastly, those of the third class build only under ground; they are not so big as the hornets, but are sometimes bigger than those of the first class; they are the most common of all in the kingdom, and assembled in the greatest number; several thousands of these live together in society.

The wasps of all these classes resemble each other in their contrivances; they work all their nests pretty much with the same art; their occupations are nearly the same within their nests; so that I shall give only the history of those of the third class in detail, and shall barely mention the others as occasion offers itself of taking notice of any thing particular. In order to make them known, it is sufficient to observe, that they are those of the third class, against whom we have found much difficulty to preserve our fruits, particularly the muscadine.

Thefe

These wasps that build under ground, are not greedy of fruits, but must be ranked amongst the most carnivorous infects; they make cruel war upon all other flies; what they catch by chafing, is not fufficient for them; you find them in great numbers in butchers shops in the country. After having fatiated themfelves there with meat, they cut off fometimes pieces bigger than the half of their body, and carry them to the neft. On each fide of the mouth they have a talon, or, if you will, a long moveable tooth: the extremities of these two teeth or talons, are dented like a faw; it is with these teeth that they cut off pieces of meat, which they gnaw all round and underneath, till the flice holds no longer by any thing: they are employed on it with so much eagerness, that it would be eafy to kill them even with the hand, without any risk of being stung, and to destroy in that manner a great number of them every day. Notwithstanding their robberies, the butchers in the country live in tolerable peace with them: I have a butcher at Charenton that does more; he even makes their robbery 5517

tobbery turn to his account. They are particularly fond of a calf's liver; he therefore allots them one every day towards the end of fummer, or fometimes only the milt of an ox; they attach themselves to this food by choice, and will touch no other meat: whether it is that these are more to their taste, or whether, being more tender and less fibrous, they are more eafily cut. It is not, however, merely to hinder them from touching other meats that he abandons to them these; another reason, of economy, induces him to do it. Flies, and particularly the large black flies, deposit their young upon meats, which causes their corruption much faster. Now the wasps defend the meat from these large flies; they dare not remain in the shop; there is no fafety for them; they are purfued by the wasps; and it costs the butcher no more for the defence of his shop than the milt of an ox, or at the most, the liver of a calf each day.

When they are fatiated, and loaded with plunder, they return to their nest.

The first gate that conducts into it, is an hole

hole about an inch in diameter, the opening into which is on the furface of the ground; the edges of the hole are turned up like the burrows of a rabbit warren, but the earth round about it is covered with grass. This hole is a kind of gallery that the wasps have undermined: it feldom goes in a ftraight line, but in windings and turnings; the paffage is not always of the same length, because the nest is sometimes nearer, fometimes further from the furface of the earth. I have never found any nest. whose highest part was not at least half a foot; but I have found several that have been more than a foot, or a foot and a half distant from the surface.

This hole is the paffage that leads to a little subterraneous town, which is not built indeed in our taste, but yet hath its symmetry; the streets and apartments are regularly disposed; it is even surrounded by walls on all sides: I do not give this name to the sides of the hollow where the nest is situated, but the walls I speak of are in reality only paper walls, yet strong enough for the uses to which they

they are defined; they are sometimes more than an inch and half thick.

These walls, or, to speak less metaphorically, this external covering of the wasp-nest, hath different figures and fizes, according to the figure and fize that the wasps have given to the works, which it includes. Commonly the external figure of the nest resembles a bowl or a spheroid, whose least diameter is fometimes horizontal and fometimes vertical. I have found fome nests that had the figure of a cone flatted, and fomewhat narrower towards the base. This cone was between fifteen and fixteen inches high, and was about a foot in diameter near its basis: the diameter of those which resemble a bowl, is commonly between thirteen and fourteen inches.

I have faid, that the external covering is a fort of paper; I know no substance which it resembles more, though it differs a little from our paper; its predominant colour is an ash-grey, with divers shadowings; sometimes it inclines very

T

much

much to a white, and sometimes to a brown or yellowish: these colours are irregularly varied by bands or streaks about a line broad, which gives a very remarkable colour to the whole outside of the nest, and makes a sort of marbling.

But what renders it still more singular, is the arrangement of the different species of which this covering is composed; we have compared it to bowls and to cones, but we did not design to convey an idea that it had the polish of bowls: on the contrary, its surface is extremely rough: at the first view you would take it for a rock made of icicles. We shall describe it more particularly in speaking of the manner of its structure.

Each neft hath two round holes, by the one of which the wasps constantly enter, and come forth by the other; each hole can let but one wasp pass at a time; although the holes are narrow, by means of this regulation the motion of the wasps is never retarded.

We are yet only arrived at the gates; we will now enter into an examination

of the infide of the neft. It is occupied by feveral flat cakes parallel to each other, and all placed nearly horizontal. They refemble the cakes or honeycombs of bees in this, that they are every one an heap of hexagonal cells, very regularly built; but they differ from the honey-comb in many circumstances; they are made of the fame materials as the external covering of the nest, that is to fay, of a fort of paper; whereas the cakes of bees are composed of two ranges of cells, of which fome have their openings on one of the faces of the cake, and others open on the other face; those of the wasps have only a single range of cells, and all have their openings at the fame place, namely, at the bottom. Thefe cells contain neither wax nor honey; they are destined only for lodging eggs, for the worms that are hatched from them, and for the young wasps that have not yet taken flight; whereas the worms that are the offspring of bees, lie almost horizontal; those of wasps stand almost direct, with their head downwards, because they have it always turned towards the opening of the cell. The thickness

thickness of the cakes is pretty near equal to the depth of the cells, and proportionate to the length of the flies.

All wasp-nests do not contain an equal number of cakes; I have found in some to the number of sisteen, and in others no more than eleven; the diameter of the cakes varies in the same proportion as that of the covering. The sirst, the uppermost of the cakes hath often no more than two inches, whilst those of the middle have a foot in diameter; they are likewise smaller than those of the middle.

All these cakes are disposed like so many sloors, or stories, which furnish lodgment to a prodigious number of inhabitants; we may make a gross calculation of them. Instead of sisteen cakes, unequal in diameter, let us suppose that they are every one eight inches in diameter; or, to make a more commodious calculation, let us suppose these cakes to be squares whose sides are eight inches. I do not believe that I have been too favourable to our calculation. I have found

found that feven cells ranged in a row, took up no more than the length of an inch and half. By confequence in an inch and half square, there are fortynine cells; now if an inch and half fquare give forty-nine cells, forty-nine inches square, which are the furface of one of our cakes, will give about 1067 cells; therefore our fifteen cakes will have about 16,005 cells. Indeed there is fomething to be bated in this fum on account of the inequality of the cells. which we shall mention hereafter. But though we should allow only room for ten thousand flies, it would be sufficient to give an idea of the numerous people of these little republics; particularly when it shall be seen that there is not. perhaps, a cell that one with another doth not ferve to produce three young wasps. Thus a wasp-nest breeds in a year more than 30,000 wasps.

The different floors or cakes, leave between them a free passage for the wasps; there is always between one and another half an inch distance, yet this doth not make very lofty stories, but their height

the colden and i concernion and ball water

T 3

is proportionate to that of the inhabieants. They are all suspended in such manner, that the first bears almost the whole weight of the others; it is fastened to the roof of the wasp-nest, the second is fastened to the first, the third to the fecond, and so on successively to the last, They are thus connected together by a fort of little columns, confisting of the fathe materials as the cakes and the rest of the neft. The architecture of these columns is indeed very plain, they are barely round, their bases and chapiters however have a larger diameter than the reft; by the one they are connected to the inferior cake, by the other to the fuperior. They have, towards the middle. fearce more than a line in diameter, but at the base and chapiter, more than two lines. There is therefore between every two cakes a fort of ruftic colonnade, for the great cakes are suspended by more than fifty fuch columns. The cakes are fastened likewise in some places to the borders of the wasp-nest, which consequently lightens the weight of each fuperior cake. of Artalogists and the sail. THE PARTY OF THE PARTY OF THE PARTY.

Hitherto we have only given a general idea of the edifice; we shall now shew how the wasps build it, of what use it is to them, on what they are employed in the infide; in a word, we are to pry into the whole government of this little people. But these are flate mysteries that pais under ground, they are not to be penetrated into, if the wasps are left in their natural habitations. I have atrempted to draw them from thence: I have tried to put them more within reach of observation, and have succeeded fo far as to lodge them in glass hives, flich as the curious make use of for bees. There I have, at leifure, feen all their little contrivances, and have shewn them to fuch persons as have visited me at my country-house.

It doth not feem eafy to transplant the lodging of such untractable infects; but the love they bear their young, hath gained me success. If there be any case wherein natural history exposes a man to hazards, this surely is one. You must brave the stings of several thousands of wasps, that on all sides attack you on at-

T 4

tempting

tempting to disturb them. The wounds they inslict are not indeed mortal, but are extremely painful.

to them, on what they are

With an undaunted spirit of philosophical heroifm, M. de Reaumur encountered these difficulties, and dislodged a neft, together with all the earth that naturally environs it. I ordered a fervant, fays he, whom I had disciplined and armed cap-à-pée for these wars, to cut up a large clod of earth, in the middle of which was encamped a neft. After having conveyed the whole clod into my garden, I pierced it in different places in order to procure peep-holes for feeing what passed about the nest; but I found afterwards that it was of no use to take away their nest upon a clod; the love these insects have for their nests, or rather for their young, is inconceivable; whatever disorder and confufion is made in their nefts, although it be broken and almost torn in pieces, they never abandon it, but follow it every where; it is full of young wasps that require their care and nurfing; infomuch, that in order to have an hive, wherein

000000000

wherein a wasp-nest hath been put, well peopled, you need only give these sufficient time for returning to their nest, and for that purpose wait only till the evening before you transplant it, otherwise you lose those that were out in the country. Those that happen to be abroad when a nest is transplanted, at their return to their hole, finding no more their companions nor nest, know not which way to go, but continue several days about the hole before they determine to quit it.

After they have been put in the hive, they begin with working to repair the disorders of their nests. They remove with wonderful activity all the earth and filth that may have fallen into the hive; afterwards they take care to fasten their nests firmly to the sides of the hive where it has been placed; they work at repairing the breaches; are employed in making it stronger, and increase considerably the thickness of the external covering.

This cover of the wasp-nest is a work particular to these slies; bees do not cover their

their cakes or combs. We have already mentioned, that this cover is more than an inch and half thick: it is not of a maffy thickness, but composed of several vaulted strata that leave vacuities between them. In proportion as the wasps thicken this cover, they build on the strata already formed, another stratum composed of the like vaulted pieces.

The cover is a kind of box, that feems made for including the cakes and sheltering them from the rain, which penetrates fometimes through the ground. It is proper for this purpole, although it confifts only of a fort of paper, by means of the architecture we have been mentioning: had it been entirely massive, it would have been more eafily foaked through. By being arched, the water that hath penetrated through one arch, can only wet that underneath by droppings; whereas, if the whole was maffy, the water could pervade by contact alone: belides, this fort of architecture faves a great number of materials. Nothing is more amusing that to see them work at enlarging or thickening this cover.

cover. There is no work that they carry on with greater dispatch; a great number of wasts are employed on it, but the whole is performed without any confufion. They fetch the materials neceffary from the country round about; the wasp that collects them, berfelf employs them on the work; the builder or majon wasp (for others have other employs which we shall mention presently) returns loaded with a little ball, which the holds between those two talons, that we have faid the makes use of for cutting off pieces of meat. This ball is the matter prepared for the work; the wasp being arrived at the neft, carries it to the place the would enlarge; the ball is foft as paste: the fastens herself to the part on which the hath applied and preffed her little ball. Immediately afterwards you fee the wafp retiring backward, and as she moves she leaves a portion of her ball, but not detached from the reft, which the holds between her two fore-legs. Imagine to yourself a paste that is ropy, or a piece of foft clay that you would addround the brim of an earthen veffel, and you would form an idea of the manner in which which the wasplabours. Hertwo talons act as the thumb and finger of the potter would do, in passing new earth to the brims of the vessel, in drawing it out, and flattening it down.

services the country round about take

This new rim (perhaps the Latin word fascia will more fully convey the meaning of the French term bande) that hath been applied, is yet too gross and unpolished; her next work is to make it thin and fmooth; she goes without the least loss of time, and refumes her talk where she first begun. This fecond labour is pretty much the same in the manner of working as the former. Her talons, by patting the foft matter, extend it; she goes over the work in this manner four or five times, till she hath reduced the additional part to the thinness of the rest, or to that of a leaf of paper. It must be obferved, that it is with extreme quickness that the wasp labours, and always retiring backward; by this means the is in a condition of judging continually whether her work is good; the motion of her talons is much quicker than that of her legs. Each rim or leaf is about a line which in in breadth, and are all of different colours; which is owing to the different coloured materials of which they have been composed. This I was convinced of by the following expedient: With a stick smeared at the end with glue, I took out of the hive whatever wasp I had a mind for; those that I took, loaded with a ball, never quitted it, notwithstanding the violence that I did them; they would still preserve the fruit of their labour. Amongst these balls some were white, others yellowish, and others blackish.

We are now to examine the composition of these balls. There is nothing in the whole history of these insects that was longer concealed from me. In vain had I observed wasps on all occasions when I could suspect that they were going to collect materials, I could never succeed in surprising them at the time they were loading themselves. Bees that gather their wax and honey on slowers, even wasps themselves, that settle on plants and trees in order to suck the juice of the leaves, or what exsudes from the stems.

flems, had thrown me wide of the mark ! I thought to find them on fuch plants, tearing up fibres for forming their paper. After a fruitless fearch, and when I no longer purfued my enquiries on this infect, a mother wasp, of the subterraneous kind, came to inform me of what I had fought so often in vain. She placed herself near me on the frame of my window that was open. I faw her contipue at rest in a place, from whence I could not imagine she could draw any thing very fucculent. Whilft the rest of her body was still, I remarked divers motions of her head. It immediately came into my thoughts, that the wasp detached from the frame materials for building, and the notion proved true. I observed her with attention; she feemed to nibble the wood; her two talons acted with extreme agility in cutting off fine pieces. She did not swallow what the detached, but added it to a little heap of the same materials which she had already collected between her legs. In a little time the changed her place, but fill continued nibbling. I afterwards catched the wasp whilft she was busy on this

this work; I found her loaded with pretty near such a quantity of materials as they are wont to carry to their nest; the had not however yet formed it into a ball. The matter was not moistened for much as it is when the infect cements it to her work.

I examined this heap of filaments. which in all respects, except that of not being yet well moistened, resembled the balls which I had taken from wasps employed on building. These filaments appeared however very different from what one would expect the infect to detach from wood by nibbling. One would imagine that they should resemble fawdust, that each bit should be pretty near as wide as long; each filament on the contrary was extremely fmall, although it had at least a line in length; there were even fome much longer. Big and fhort pieces of wood, like those of fawdust, would not fuit our subterraneous wasps; they could not well be interwove for making a fine paper, it is necessary to have a fort of threads like to thoje of the paper which we make use of: and 2517

in

in getting such we must take notice of the great sagacity of the wasp. She doth not merely hash the wood, which would only give her little short pieces like those of saw-dust; but before she cuts it she makes, as I may say, a sort of scraped lint; she presses the sibres between her talons, raises them up, and by that means separates them one from another; having done this, she afterwards cuts them.

I learnt this cunning of the wasp, not only from observation, but was affured of it likewise by detaching myself the sibres of wood with a penknise. I rubbed at first the wood lightly with the blade of the penknise, in order to separate the fibres one from another, and I rubbed it afterwards more strongly in order to detach them. I collected in this manner silaments, which I compared with those that the wasp had collected, and could observe no difference between them.

Ever fince I observed the wasp detaching wood from my window, I had been attentive to observe the actions of those that

that fettled upon dry wood, and have remarked that wasps of all forts go thither to cut filaments necessary for making their paper. I have feen them particularly attach themselves to the supporters of espaliers, to the frames and shutters of windows. But it is to be observed, that they attach themselves only to old and dry wood, which hath been a long time exposed to the injuries of the air. It would not be easy to draw the fibres of flax fresh pulled; in order to draw them, it is left to fleep for a certain time; that is to fay, it is kept foaking in water for feveral weeks, and afterwards is dried. The first surface of the wood, that hath been exposed several years to the injuries of the air, has been so often watered by rain, that it is in the condition of flax that hath been fleeped. The cakes and columns, that fupport them, are made of the fame materials. The wasps likewise work the cells that compose the cakes, in the fame manner as the strata that form the cover; but the texture of the cells is more loofe, and refembling net-work ; on the contrary, the texture of the columa enters

lumn is more close and compact. These columns are entirely massive, it is necessary that they should be much stronger than the rest. The wasps do them over sometimes with a fort of varnish, they rub them with their mouth; the places rubbed appear shining, and always continue so. This varnish is perhaps the glue that binds together the threads of which their paper is composed.

N. B. I cannot belp observing that the artifice of the wasp in making paper, gives great light into the manner in which the ancients made their paper of the Egyptian papyrus. They might indeed have made it in much greater perfection, had they more carefully observed and been instructed by the wasps; for Pliny, in describing the method of making it, says, præparantur ex eo (scilicet papyro) chartæ diviso acu in prætenues sed quam latissimas philuras. M. de Reaumur hath remarked the great sagacity of the wasp in avoiding that error, and the reason on which her practice is founded.

The cells of the cakes are hexagonal: but I know not whether this figure enters independent biring of an inchied w

enters into the defign of their architecture, or is owing to the young wasps pressing the cells and making them take this figure. This is certain, that the outward cells have the half of their circumference round.

A great part of the wasps which we ranked in the first class, of those that build their nests on plants or on branches of trees, give their nest no covering at all. Their cakes are bare, and their position is vertical. The species of this class are often content with making a single cake; some give it no more than two or three inches diameter, others give it sive or six inches. Sometimes, however, they make two or three cakes parallel one to another.

There are in the kingdom wasps of this class that give their nests very singular covers. Mr. Varignon brought one of them to the academy some years ago, Plate 3. Fig. 3. whose covering resembled very much a rose not yet blown; it was in like manner composed of several leaves applied one upon another.

U 2 But

But all the wasps of this kingdom. that I know of, form nothing to fingular as a species of wasps at Canada, whose nest is in the cabinet of the king's garden, and have been communicated to me by Mr. Vaillant. At the first view, and even after having examined fome time the furface, one would take it for a work of human composition. Its cover refembles fo much our pasteboards, that it is not enough to fay it resembles them; you can find no difference between the one and the other: it hath the polish, the colour (which at present is that of old pasteboard, but was formerly white) and likewise the texture. It is a fine pasteboard, and as thick as that of common portefolios. This cover approaches in figure to a cone, but the fummit of the cone is not very pointed; near the fummit it hath a long hole through which passes a branch of a tree, that had been chosen by the insects for suspending their nest, one could not draw out this branch without tearing the pafteboard. for a figure vite belder

The wasps of the second class, the biggest of all, and called horners, make

in granaries and in hollows of trees their nests pretty much like those of our subterraneous wasps, only their paper is of a coarfer fort, the predominant colour of it is yellowish, whereas that of the fubterraneous wasps is an ash-grey.

The wasps of all these classes begin with building the first or superior cake. Before they begin on a cake, of whatever range it be, they form one of the columns that is to fuspend it; upon the inferior end of this column, they build the first cell of the cake; they furround it afterwards with other cells: they begin to form new columns in proportion as the increase of the number of cells requires it, and they extend the outward cover in proportion as the number of cakes enlarges. the signator of the wa

The construction of the wasp-nest is not the only employment of the wafp, it is but a fmall part of them which are concerned in the building; the others have other employs. In order to shew their different occupations, it is necesfary to give a more perfect knowledge

SlodT

of the inhabitants of our little commonwealth, than we have hitherto given. What we are going to relate of them will ferve to confirm the notions of Mr. Maraldi with regard to bees.

In the infect kind those which have stings are a people quite distinct, that have fcarce any fimilitude with any others. The same wasp-nest is inhabited by three forts of wasps different in fize, and which have some differences likewise in shape: or they may be diftinguished into three fexes, males, females, and fuch as I shall call mules, although they have nothing in common with real mules but their inability of perpetuating their species: of which I am fully convinced by my ownobservations. Themalesareamongst wasps what the drones are amongst bees; the females in the wasp flate hold the place of the king or queen amongst the bees. But instead of there being only three or four females, as in the beehive. I have feen in wafp-nefts more than between two and three hundred at a Laftly, those of our wasps, which I call mules, are amongst them, what the generality of bees are in the bee-hive. Thefe

Net these mules, which in appearance bring back nothing, contribute to the regaling their companions. I have seen them several times, after they have entered the hive, repose themselves quietly on the upper part of the nest; after which they discharged from their mouth a drop of clear liquor, that was greedily sucked up, sometimes by two wasps at the same instant; after that drop, the mule discharged a second, and sometimes a third, which were distributed in like manner to other wasps.

The mules, although the most laborious, are the least in size; they are the most lively, light and active. The females are the biggest and beauiest, they move more slow and sedate. The bigness of the males is of a middle size between that of the mules and semales.

During the months of June, July, August, and the beginning of September, the mother-wasps keep themselves confined to the nest, they seldom go abroad but in the beginning of the spring,

fpring, and in the month of September; at the other times they are employed in laying eggs and feeding their young. which is no fmall occupation; indeed by themselves alone they could never sufficiently attend fuch a prodigious number of young as we have before calculated each wasp nest contains. They feed them as birds feed their young ones. Every moment they are carrying them a bill full. It is furprifing to fee the activity with which a mother-wasp runs through the cells of a cake one after another: the puts her head pretty far into those cells where the young are very little, what passes there is concealed from the eye of an observer; but it is easy to conjecture by what one fees done in those cells where the young are bigger and ready to undergo their metamorphofis. Those we have last mentioned being more advanced are less quiet, they put forth their head quite out of the cell, and by little gapings feem to crave for food. The wasps of the larger fort, the hornets, before they give food to their young, press a little their head between the two talons we have so often mentioned. I am inclined

clined to think that the attention of the wafps goes for far as to adapt the food to the strength of the young, for I have seen fome give but a drop of hquer to fuch as were premy big, and have feen folid food given to fuch as were bigger. The mothers not being fufficient to distribute nouriflument to fo many young, the mules are often employed in that fervice. I have made an observation on the wasps of the first class, which feems to prove shae they feed their young in the manner of birds which differge, that is to fav. fwallow the grain, and let it foften a little and be concocted in their crop, before they offer it to their young; for I have feen a mother-wasp of this fort, which brought home the paunch of an infect, after having swallowed it entirely, go through her cells, and leave the young some pieces fo large that they were scarce able to fwallow them.

I have taken away fragments of cakes, full of little wasps, which for want of the mother's bill sucked what I gave them. It would not perhaps have been impossible to have reared them, if one would have taken the trouble.

N. B. This experiment bath been since tried with success by a youth, who took pleasure in feeding wasps with boney, as the generality of boys delight in breeding birds. Vid. M. de Reaumur's History of Insects, Vol. vi. p. 190.

The young wasps are not in the cells under the form of wasps; when they have taken that they remain there but a little time. They are produced from a white, transparent egg, of an oblong figure, very like the kernel of a pine-apple, excepting that it is bigger at one end than at the other. Eight days after the egg hath been laid, you find in the cell a worm, which is confiderably bigger than the egg; perhaps this worm is the egg itself more developed; the head is then discernible, you may distinguish the two talons. The worms continue to grow till they become big enough to fill intirely their cells. When they are arrived at that fize, they are ready to undergo their metamophofis; they have no longer need of taking food, they enjoin themfelves a fast, and forbid all commerce wish other wasps. They stop up the mouth mouth or entrance of their cell, by making it a little cover; fome worms make it almost flat, these are commonly such as are to be mules, others make it convex. and even extend a little the fides of the cell, by making a border of the fame materials as the cover. The cover is of a texture like that of the cod of caterpillars or filk-worms. Our worms of wasps spin and weave this cover precifely as caterpillars fpin their cod; they give themselves the same motions of the head. The thread, of which they form it, is to fine that I could never observe exactly from whence they draw it, although I have fometimes held in my hand the cakes where the worms were at work in inclosing themselves. It appeared, however, to me that the thread came like that of caterpillars from a little below the mouth. In about three or four hours the cover of a cell is entirely finished; I have often taken pleasure in breaking those that were begun, in order to make them renew their work; but it is necessary that there be remaining still a provision of filk in the worm; for if you defiroy a cover that hath been made feveral Villa Contract

feveral days, the worm will weave no more. These covers are extremely white, particularly in the nests of hornets.

I have not made very exact observations of the number of days between the laving the egg and the worm's inclofing itfelf in the cell. I think however that the number of days in the wasps of the first class doth not exceed one and twenty. This I am certain of, that the worms of the wasps of that class do not continue above nine days in their cells, after they have stopped them up. A little after the worm hath inclosed himself, he is transformed into an aurelia; he quits his ancient cafe or ikin, and is closed with one extremely thin, and fo transparent that it lets the shape and colour of all the parts of the wasp be seen, although the infect is, as it were, swaddled in it. At last, about the 8th or 9th day the insect strips off this last covering, and appears under the form of a fly. The first cafe or fkin remains fo exactly applied to the fides of the cell that it feems to make a part of it. The wasp, that hath just disengaged himself, begins with mak-

ing use of his talons or teeth, as we have described them before; which he employs in nibbling all round the cover that inclosed him; the cover being thus detached, he quits his abode with eafe. The horners or large wasps begin with nibbling their cover in the middle, and enlarge the hole continually till it can let them pass through, ai analy to todains cials doth not exceed one and twenty

The wasp that is just at liberty from its cell is not different from those of its species and sex but in this, that it is of a more pale yellow or citron colour; he foon takes the benefit of the food, that hath been brought to the nest by others. In wasp-nests, that are without an external cover, I have feen wasps which the very fame day that they were transformed went into the country, and brought back. plunder, which they distributed to the young wasps in cells. The cell from whence the young wasp is departed doth not continue long vacant; as foon as it hath been quitted, an old wasp is employed in cleanfing it: in a few days you find there a new egg; thus the fame cell ferves for breeding feveral wasps.

As

As the mules are fix times smaller than the females, their cells are pretty near in the same proportion. When we said therefore that in a square, whose sides are of an inch and half, there are forty-nine cells, we meant only the cells of mules: the same square contains much fewer cells of female worms; these last mentioned are likewise deeper, because the semales exceed the mules in length as well as bigness.

There are not only cells built folely for breeding mule worms; and others for raising up females or males; but it is to be remarked, that the cells of mules are never intermixed with those of males or females. A cake is entirely composed of cells for mules, but the cells of females and males are mixed in the same cake; they have need of cells equally deep. The males indeed do not want such wide cells as the females, and therefore theirs are much narrower, in the proportion that the difference of size requires.

These piles of cakes, the massy columns that support them, in a word, the whole edifice we have been describing, in a work

364 AN ACCOUNT OF WASPS.

Those habitations so peopled in the summer are almost deserts during winter, and entirely abandoned in the spring; not a single wasp remains within them. Those that have outlived the severe season, go and begin a new edifice, which together with its future inhabitants owes its origin to a small number of wasps, and sometimes even to a single wasp.

One of the most singular remarks that the history of these insects supplies, is, that the cakes sirst formed are composed of cells that can contain none but mules. The republic, whose foundations are just laid, hath need of labourers, and those are born the sirst. No sooner is a cell sinished, and oftentimes it is not above half-built, but an egg of a mule worm is deposited in it. As they are first born, so likewise they die the sirst; whatever pains I have taken to cover well my hives, I never could succeed in having a single one alive at the end of a mild winter.

The females being much stronger and destined to perpetuate the species, support

port the winter better; but even of these there scarce remained a dozen living, some hundreds were perished in the hive.

I am not certain that the male wasps perish all in the winter as well as the mules, yet I never could preserve any of them alive in my hives; but I think I have seen some slying about in the beginning of the spring.

A female wasp becomes the foundress of a republic, of which the is in the strict sense of the expression, the nursing mother. The establishments they form are very far from being so useful to us as those of bees; they are indeed only noisome to us: yet we cannot help acknowledging that they have fomething in them more great and glorious: if the delight of glory be felt by infects, if folid glory amongst them be measured as amongst us by furmounting difficulties, by accomplishing enterprises useful to their kind, each mother wasp is an heroine to whom the mother bee, fo respected by her subjects, is not to be compared. In short, we may justly apply to her these lines in Virgil celebrating Rome;

Felix

306 AN ACCOUNT OF WASPS.

Felix prole virum: qualis Berecynthia mater, Leta deum partu, centum complexa nepotes,

Proud of her sons, she lifts her head on high;
Proud as the mighty mother of the sky;
Who views her sons, that fill the blest abode,
A hundred sons, and every son a God.

When the female bee issues from the hives where she was born, to become a sovereign elsewhere, she is attended by a swarm of workmen that are very industrious, very laborious, and ready to execute all the works necessary to the new establishment; whereas the mother wasp that hath not a single workman at her disposal, since we have observed that the winter causes all the mules to perish, the mother-wasp, I say, undertakes alone to lay the foundations of her new republic.

The males, which I have already faid, that I imagine do not all perish like the mules, although not so idle as the drones or males of bees, yet seem not by nature sitted for relieving the semale wasp in her most important labour, that of building. They are a kind of cotqueans, never employed but in a fort of house-wifery.

wifery, such as keeping the nest clean, sweeping away the dirt, and carrying out dead bodies.

When the mother-wasp begins in the spring to build under ground a nest, which hereafter will be peopled by so many thousand slies, her suture issue, she hath no longer need of consorting with the males; she was impregnated in the months of September or October, and at that time the numbers of males and semales are pretty near equal, some hundreds of the one and the other in the same nest.

The courtship and the nuptial rites between the sexes are mysteries that have been revealed to me by means of my glass hives. About the middle of October I saw the semales and the males come upon the outside covering of the nest, and keep there whilst it was heated by the rays of the sun. I could perceive their coupling performed pretty much in the same manner as that of other slies. I sometimes saw a male wasp in love, moving, as I may say, with a discontented

tented air, now going forwards, then suddenly turning back; so soon as he saw a female, he ran, he sled with all the wings of love—The rest I must throw a weil over, and refer the curious reader to M. de Reaumur himself in his History of Insects, vol. vi. p. 200.

It is furprifing indeed that a fingle infect should contain so many thousand embryos, but it is not the only instance that nature gives us of it; this fruitfulness is perhaps much inferior to that of many sorts of fish.

The females and the mules have a fling; the males alone are unprovided with it. The sting of the females resembles that of the mules, but is much longer and bigger. The violent smart it occafions is produced by a venomous liquor, that is very limpid, introduced into the wound.

Peace doth not always reign in the republics of wasps; there are often combats between mule and mule, and between mule and male. The last, althorough, bigger,

bigger, are more weak or greater cowards; after having held out a little while, they betake themselves to flight: in general the combats feldom end in death. though I have fometimes feen the male killed by the mule. Our female wasps are less murderers than the bees; they do not treat fo ill their males as the bees treat their drones.

But now the fcene changes; about the beginning of October the wasps cease to think of nourishing their young; from being tender mothers and nurses they become unmerciful stepmothers; they tear out of the cells the worms that have not yet inclosed themselves, they carry them out of the nest; mules and males are employed in the cruel work, but I never faw a female engaged in these barbarous expeditions. It is not one fingle species of worms that the wasps attack (as Mr. Maraldi hath obferved of bees, who at a certain feafon destroy the worms of drones), mules drag their fellow mules, and males tear to pieces males; the massacre is general. Shall we endeavour to conjecture the Allsmith on wall X 31 avoid agli reason

reason of such apparent barbarity? Is it that they chuse rather to put to death their young that they imagine they shall not be able to rear, or that they judge will never come to any thing on account of the cold weather they are threatened with? for the cold pinches them all extremely. As foon as the hoarfrosts begin, they never stir abroad, till the fun hath warmed the air; as the cold increases, they have not strength to pursue the flies that are their prey; at length the cold destroys them. A few females only survive; these pass the winter without eating, for they do not make flores like the bees; indeed if they had any they would not make use of them: I have often put into their nest fugar, honey, and other foods, which they were fond of in the fummer, but in the winter they did not touch them.

In every season, on days of continued rains and high winds, they never stir abroad; all keep fast, for they have nothing provided.

one dingle socials, of worms charteful

The fubterraneous places inhabited by our wasps, prove that they are naturally great

in the configuration of the configuration of

great miners, that they make holes and turn up earth with great dexterity. Perhaps they may take advantage of holes that have been made by moles, but fill there must be a great deal of earth to remove, in order to make those holes fourteen or fifteen inches diameter, which the size of their nest very often requires. If you stop up the mouth of one of these holes with earth, as I have often done, they do not long continue prisoners; in a few hours they get thro' this new earth, and remove it away; for the performance of this work they make use of their two talons or teeth.

The sting of the wasp is an hollow tube, open near its point, at which opening issues the venomous liquor. Having been stung by a wasp, I bore it with patience, and let her draw back her sting at leisure; I then catched her and put her on the hand of a servant, whom I disciplined so as not to regard being stung: after having provoked the wasp, she stung him, but the smart was very little: I immediately took the wasp and made her sting me a second time; I scarce felt

X 4

312 AN ACCOUNT OF WASPS.

it, the venomous liquor had been almost exhausted; I then provoked the wasp, but in vain, for she would not inslict another wound.

mana a se flum orem

This experiment and some others, that perhaps no one will have an inclination to repeat, have discovered to me that if you let yourself be stung peaceably, the sting never stays behind in the wound; it is slexible, doth not pierce a hole direct, but makes the wound in zic-zac: if you oblige the wasp to draw it back suddenly, the friction is great enough to retain the sting, which is, as it were, a little hooked in, so that she tears it away; whereas if you do not hurry the wasp, she gently disengages it by little and little.

Of the Means of destroying the Wasps and Hornets.

hand or a lervant

been fluor fiered Lagram a velocit with part

I am forry, that after having given the above very curious, and accurate account of the republic of wasps, again to cenfure M. de Reaumur for another instance of his want of attention to the advantages

tages the public might reap from his discoveries. This accusation may much too generally be laid to the charge of most of our philosophical inquiries into natural knowledge. How often, for instance, shall we find a botanist, who would readily traverse the banks of the Rhine from the flats of Holland, to the fummits of the Alps, in fearch of a new plant. When discovered, and classed according to art, he refts perfectly fatisfied, nor ever dreams whether it can be turned to any public utility. This is left to the plodders, who attend more to the conveniency than to the embellishments of life. A member of the very laudable fociety instituted at Berne, for the impovement of their (chere patrie) dear country, has lately found a wild species of madder growing among them, which is now very usefully employed in dying; yet this plant had no regard paid it by botanists, who remained perfectly fatisfied with finding it properly ranked in the catalogue of Alpine plants. We might do equal justice and honour to many hunters after shells and butterflies among ourselves, or other articles of equal importance. M. de

314 AN ACCOUNT OF WASPS.

M. de Reaumur informs us, that all the mules, and he rather thinks, all the males of the wasp kind perish in the winter: and of the females, scarce a dozen remained of two or three bundred, which lived in the Came nest in the fummer. He tells us alfo, that a female wasp becomes the foundrefs of a republic, of which she is, in the first fense of the expression, the nursing-mother; yet he could not go one flep farther, and point out to his readers the importance of destroying these females at their first appearance in fpring, before they have laid the foundation of numerous republics, who are declared enemies to those ufeful infects, which are the fubject of the former part of this work. This confideration will naturally draw upon them the refentment of every owner or friend to bees. well growns arrivory robbins by

When the females make their first appearance, generally in March or April, slies, their usual food, are scarce, and they are therefore the sharper set on any food laid for them. Honey, and all sweet things, are agreeable to them. If their fragrance is increased by the addition

many very pifer ally employed in dying;

wine, cyder, or ale, they become the more tempting. The mixture should be put into phials, which being about half full, are suspended on trees then in bloom, or in other places to which these females resort. They enter in search of food, but as they cannot again ascend to the mouth of the phial, they are drowned in the liquor, and thus many rising colonies are cut off in their very bud.

For this purpose, I would recommend to gentlemen to give a bounty of about fixpence or a shilling for every motherwasp or mother-hornet brought to them alive, if possible, or dead, provided that they look fresh and moist, and have not the appearance of having been long kept: and this from the beginning of February, when mild weather may bring them forth, to the beginning of May, when they will have made their nests, and then the lives of mothers are not of fuch confequence. This inconfiderable reward would excite the poor as well as boys to keep a fharp look-out for them; by which means greater havoc may be made

316 AN ACCOUNT OF WASPS.

made in the breed in one year, than can be done in feveral years by destroying their nests.

If a few have, however, escaped these snares laid for them, and have built nests, these should be destroyed as soon as they are discovered, that we may as speedily as possible prevent the prodigious increase of their numbers.

The horners generally build their nefts in the eves or roofs of houses, especially outhouses, such as barns, &c. and sometimes on the hollow of a tree. As their nefts are fuspended by a narrow neck, the following easy method of destroying them presents itself. On a rainy day, when all are at home, erect a ladder, which shall reach the nest, and having a bag large enough to contain the neft, ascending the ladder gently, extend the mouth of the bag, fo as to take in the whole neft with ease; and having thus raifed the mouth of the bag to the neck of the nest, immediately draw the strings, fo that neft and hornets be all at once included in it. If a few of the mules escape, they will soon perish when they have

have lost their females, on whom the duration of the state only depends; and we are pretty sure of catching the females, because they do not readily quit the nest. The bag should then be immersed wholly in water, in order to drown the whole family.

The wasps which build their nests in the ground, should be also attacked on a stormy rainy day, a little before night, or very early in the morning, for the fame reason. A train of gunpowder, in manner of a squib, rendered a little damp, that it make the greater fmoke, should be introduced as far as possible into the hole, by which they enter, and being covered with straw, which is set on fire, the flame will catch the gunpowder, the fmoke of which pushing into the neft, will inftantly fuffocate all the wasps. The nest should then be dug up, and be thrown either into water, or into a fire, that they may be destroyed beyond a possibility of recovery.

As these operations are attended with fome danger, especially in case of the least

318 AN ACCOUNT OF WASPS.

least mismanagement in taking the horness nests, and as people in general have a dread of these insects, whose stings occasion great pain, it would be adviseable to have the head and hands covered in the manner already directed, as a safeguard against bees, till such time as practice has rendered the operation familiar to the person who performs it.

Since the second section of the second section section

As these of contour on alreaded with

tome danger effectally in cale-of the

INDEX.

PLATE I.








PLATE II. Fig. 3.





INDEX.

34

A
NTS, their method of feeding on the excrements of the
11 vine-freters - Page 92
APIARY, the proper fituation - 83
When best to be made 102
ARISTOMACHUS, his long fludy of bees
His remedy for the purging diforder of 253
ARISTOTLE, his distinction of the species of bees
Bar, anatomical description of to, &c.
The head ibid
The trunk, or proboscia — 11 The office of the trunk — 13
· · · · · · · · · · · · · · · · · · ·
The legs
The belly ibid.
The fting
Bres, The number of, in one hive, and the feveral species of
5, &c.
Their respective offices in the hive
How they form their cells 18
The construction of their combs 22
their cells 24
— The origin of them — 26
— The progress of their eggs — 29
- The manner in which they collect their wax, and the
two different kinds of it 34
— How they are unloaded at the hive — 38
In what manner they deposit their wax for use 40
Their wax formed of honey 43
How they gather their honey
In what manner they deposit it in the hive - ibid.
Their different management of that intended for pre-
fent use, and that preserved for winter flore — 48
Their battles 51, 140
THE PROPERTY OF THE PARTY OF TH
— How affected by heat and cold
Their management of themselves during winter ibid.
The regulation of their labour
- Their attention to their young - ibid.
How they communicate their intentions to each other 56
Ren

INDEX.

Bazs, when and how they expel the drones - Page	60
— Indications of fwarming Their duration	73
- An easy access to water, necessary to their welfare	75 79
The proper plants for their sustenance	81
At what season best to be purchased Instruments for feeding them described	102
- Rules for feeding them in winter - 122,	151
- The reasons, season, and manner of their swarm	ning
Their first labours in a new hive	&c.
- Not apt to fling when they fwarm	135
A remarkable instance of this	ibid.
— Remedies against the stinging of — — — — — — — — — — — — — — — — — —	145
The proper management of them in hives —	148
- How their abode is to be shifted for sustenance	163
How their honey and wax is to be taken without defi	174
At what season their combs are to be taken -	202
- How they are rendered tractable	205
- Wild ones, how to discover the harbour of, and to	hive 213
- Their enemies, and how to guard against them	219
How to fecure them from the robberies of other bees	223
Their ability of recovering from drowning —	231
- Their destruction forbid by the Grand Duke of	
Much troubled with lice	244
Loofeness among, how occasioned	245
— The proper seasons and times for feeding them	255
Bossser (Abbé) his account of honey dew, and of the p	267
	&c.
BOSWELL (Mr.) his account of the fruitfulnels of Corfi	
BOTANISTS, remarks on the conduct of their refearches	313
BOURDONNAYE (Count de la) his method of confirm	AND DESCRIPTION OF
hives 105,	157
Box HIVES, the best construction of, described BRADLEY (Mr.) his recommendation of broom for the fo	od of
bees	81
Broom, this plant peculiarly agreeable to bees	ibid.
Buck-wheat, favourable to the production of honey	.95
Calls of a hive, how formed	18
C	ELLE

INDEX

CELES, their confirmation Page 24 CHAMARKHODODENDROS Mespili Folio, the honey collected
COLLATERAL bee-boxes of Mr. White, in what respect de-
fective 108
COLUMBILIA, his method of managing bees when there are two queen-bees in one hive
fupply of food 163
His instructions for taking the honey and wax
without destroying the bees His instructions to secure bees from lizards 222
His method of fecuring bee hives from moths 229
them them
Comes of a hive, their construction 22
D
DRONE BEES described 7, 57 When and how expelled the hive - 59
Mr. Resumur's experiments relating to 70
Du Hamel (Mr.) his account of the French method of taking honey without destroying the bees 184
Eags of bees, the progress of 20
— The feafon when they are laid — 12i
of wasps described, and the progress of their growth
FLIES, extraordinary inflance of their recovery after long im-
mersion in a stuid
FOOT (Paris) its proportion to the English - 106 mers
GENERATION of bees afcertained - 69
Of wasps described 294, &c.
Hives, how they should be placed 78 The best material for the making of them 98
The best construction of 90, 117
How to prevent the access of vermin to them 100. To be kept independent of each other ibid,
How to chase stocked ones for purchase - 102
Box, remarks on the several schemes for 107
How it ought to be prepared to receive a fwarm 135. The proper management of, for produce of honey 148
Weak ones, how to be disposed of 152
Y HIVES,

INDEX.

···	Acres
Hives, comparison between the common ones, and the	ago 155
How to unite weak ones	230
HOLM OAK, its great production of honey-dew	85
Honey, in what manner it is gathered	47
How it is deposited in the hive	ibid.
- How managed by the bees according to its de	
for prefent use, or winter flore	48
The plants most advantageous for the pr	eduction
of the second se	- 81
- Poisonous -	- 96
- How to be taken without destroying the been	
How to be separated from the wax	- 208
The most valuable kinds of	211
Its carlying destructive to bees, and the oc	
Honey DEW, the Abbe Boiffer's account of	85
HORNETS, where they build their nells	167
Their nests described —	- 201
- How they feed their young	- 297
How to deftroy	- 315
The Land Company of the La	1965
INSECTS, those which have flings very different fro	om those
without them	- 294
C X	entar
KING-BEE. See QUEEN-BEE.	
KOENIG, (Mr.) his menturation of the angles of a ce	11 25
LICE on bees, remedy against -	242
LIZARDS, how to fecure bees from	245
M	net l
MACLAURIN (Mr.) his remarks on the confructi	on of the
cells of bees	25
MAILLET, his account of the Egyptian method of	removing
the habitation of bees for food	- 106
Maison Rustique, the rules given in that work for	
ing bees in winter	254
tion of bees during a fevere winter	
MARALDI (Mr.) his menturation of the angles of a c	257 ell 25
- His observations on the fructure of drone	
MEAD, infructions for making	_ 263
Mice, how to guard bees against them	- 222
MILLIPEDES, how to guard bees against them	- 220
MONTFORT (Alexander de) his account of the Italia	
of removing the habitation of bees	165
	169
	Мотна,

I.N DOE X.

Morns, the devastations confed by, in hives 4 45	Rago 234
PAPYRUS, ancient, analogy between, and the comp	ofition of
a walp's nell to things of will	- 290
Panis, foot, in measure, its proportion to the English	106, note
PHILISCUS, his method of Rudying bees	
PLINY, his biete concerning the shifting the abode	
for supply of food for them	- 164
	- 290
PROPOLIS. See WAX.	
Pucerone, their excrements, what	- 88
QUEEN-BEE, her office, and the regard paid to he	Se alle Santa
	r by the
How the lays her eggs	98 191
Mr. Reaumur's observations relating to	63
Mr. Reaumur's computation of her fer	
The confequence of supernumerary one	304 74
How to manage a fwerm that has	wo with
them —	131, 137
What is to be done when the is not a	ble to fly
with the fwarm, and drops to the ground	122
How to keep her at home	- 184
How bees are rendered trastable by a	dextrous
management of her	295
to transference to an advantage to the first of	
REAUMUR (Monf.) his experiments and discoveries	relating
to the queen bee His computation of her feetility	63, &c.
His computation of her festility	72, 109
His expedient for the removal of a wasp's	nest 280
His account of walps, in what respect defe	
ROOUE (Mr.) his remedy against the stinging of wa	ipe 145
SNAIL, the fate of one on entrance into a hive, and	recaution
used by the bees in relation to it	- 54
STINGING of bees and wasps, remedies for	145
Offwafps, to what the great pain from, is o	wing 308
Experiments relating to	314
SWAMMERDAM, an account of his history of bees	- 3
His notions comming the fa	nale bes
which the state of	
SWARM OF BEES, the medium weight of	146
How to be hived	159
How to discover wild ones, and	
them	- 219
SWARMING OF BERS, indications of	73, 121
The realous of, explained	134
21	ARMING.

INDUE X.

Swarming of Bazs, Wolridge's account of - Page 12	24
How to regulate and manage the bo	ecs
What is to be done when there are to queens with them	wo
Their first employment in a new hive a Subsequent swarms, how to be manage	ed
Not apt to fling at this time Remarkable flory of	40 41
THORLEY (Mr.) an extraordinary inflance related by hi flewing that bees are not apt to fling when swarmi	m,
TOURNEFORT (M.) his conjectures relating to the poison	41 048
Tuscany (Grand Duke of) the destruction of bees for	97 bid 44
VICAT (Madam) observations on her bee boxes ————————————————————————————————————	08
The economy of her hives, and methods to sec	gr are
VINE PREFERS, and their excrements, described	34 88 52
—— His celebration of the labours of wasps —— 3	306
Wases, remedy for the flinging of	130 223 145
Three common species of, and their manner of bui	266 ild- 268
Encouraged by butchers, and why The figure of their cells	271 291
为企业的大型企业的企业。	292 294 la-
The mothers how they feed their young	296
what respect different from the others	303
Not to be preferred during the winter	304 P8,

INDEX.

Wases, celebrated by Virgil - Pa	ge 306
Mother, the fole foundress of a new colony	307
Male, their offices	ibid.
The males not furnished with stings	308
Their nuptial rites discovered - 30	7, 308
Their battles	308
Maffacres among, and when they take place How and when to destroy them and their nests	. 309
And bees, their labours compared	312
WASP'S NEST, a description of	272
The dangers of removing	280
How constructed 278, 28	
And of what materials	286
Analogy between, and the ancient papyr	us 290
— The short time it is made use of —	303
WATER, an easy access to, how beneficial to bees -	79.
Wax, the manner in which it is collected, and the two	differ-
ent kinds of it	34
In what manner it is deposited in the hive for use	40
- How to be taken without destroying the bees -	174
— How to be separated from the honey How to purify it	208
WAX-MOTH, how to secure the bees against -	227
WHEELER (Mr.) his account of the Grecian method of	
honey-combs without deftroying the bees -	178
WHITE (Mr.) remarks on his collateral bee boxes -	108
Wood-Lice, how to guard the bees against them -	220
WORLIDGE, his remark on the advantage of the neig	hbour-
hood of buck wheat for the production of honey	95
His account of the swarming of bees -	126
- His inftructions to secure apprehensive	perions
from the flinging of bees in swarming time -	145
- 1 1 1	11.0.0
XENOPHON, his observations on the effects of honey co	
from poilonous plants	96

The Control of the Co

the construction of the control of t

Best of Saladala is at Page good ---- Modern the foodshalf of a new collar and the state of t and it diese boolinger removious ail T in proposalia esta la logia del T. carried dod T ---www. Madacrea a cooks, and when they the process How and a real to design them to their sold, hose freedom march here and bath to a the distance of the distance of the serious of the state of the s 225 285 252 A STATE SALE VALUE OF COMPANY OF THE SALE 084 Analogy between and the progress progress ago Policy of the six observation sents to distribute the Wasting as being a rise how being as a free waster Wir the meaner in which is collected, and the two differ-を こう ens winds of it 238 -- word one proceeded and law and a side of specific ---和世界 E sa trace our most decembed of at sickle-支充基 at vitting of way? here on read oddern our or or or the more with gorden to bother anomal out the form weined of the angency to a series and the galactina poets admongraph -- 25 god had becomiled the consequence dealth) a con-We now street bow to great the beey so up a norm -Courteers, his con a on the advantage of the originative soud to as loubing addition really soud to book or rest or some market bridge to a serie His white whom to lecure a moderne contact Contract to paint principal pricipal to propositions much Recorney, his or creations on the effects of honey collected Charl semoned may Continues to Section more and Their tempors medicant, the tree accuracy produce Of Land . I though selle of our course work as maken a filter and a second appropriate the second and second as the A The property of the property of the second LANCE BROKE AND ARE ARE ARE AN AND MADE AND ROLL TO is a fight which the company of the transfer of the second of the a more the contents carry the content

APPENDIX:

the reducing all the statement of the

位物密原证

TOUR TOUR THE THE TOUR OF THE TOUR THE TOUR OF THE TOUR T

bed wind while an entire tradition and the second

Extracts from De Re Rustica; or, The Repofitory for Select Papers on Agriculture, Arts, and Manufactures.

other advises. VX 4.5 Tr & A verbalance it.

Curious experiments for preventing a Waste of Honey, and preserving the lives of Bees during the Winter, By a Gentleman near the Banks of the Tweed,

I HAVE tried several experiments for preserving the lives of bees during the winter, and though in general with little success, yet I think I have reason to continue, and to advise others to follow what I practised last winter; the method is very simple and not expensive, for it is no other than keeping the bees in a cold and dark place.

My reason for trying this experiment was, my having observed that a certain degree of cold brought upon the bees a stupor; and that the same degree of cold continued, kept them in the same state till they were brought into a warmer figuration, which immediately restored them to life and vigour.

this owifice almost by and then other which frand

Mr. White fays, in confirmation of Geddes's observation, that "bees which hand on the porth-fide of a building, whose height intercepts the fun's beams all the winter, will waste less Y 4

With this view, I kept two hives thut up in a dark cold out-house, from the middle of September last to the middle of April, without even letting them fee fight: upon their being fet out in the warmer air. they recovered immediately, and shewed an appearance of more strength than the hives did which had been kept out in the usual way. This appearance of strength continued during the summer, and they multiplied fafter than I had ever observed them to do before. They were rather later in swarming this year than in fome former fummers, but this was the case with many hives in this neighbourhood; and even though this should always happen, yet I think other advantages will do more than overbalance it. Could I go into the country early in the spring, to look after the bees myfelf, I would bring them into the open air some weeks sooner, carefully attend to the changes of the weather, and thut up the doors of the hive on a bad day; but this degree of care can scarcely be expected from servants and gardeners, who have many other things to attend to.

I intend to have four hives put up this season, in the coldest dark place I can find; and as an ice-house is the steadiest and greatest cold we have, one of two of my friends, who have ice houses, have promised to put a hive upon the ice. By all accounts, the cold in Siberia does not kill the bees there, and in Russia, where the winters are extremely severe, bees produce much honey: so I think there is not any danger to be feared from any degree of

cold we can expole the bees to a decord sew years

minediately reflered them to lise with vigour

[&]quot;of their provisions, almost by half, than others which stand "in the sun; for seldom coming forth, they eat little, and yet "in the spring green forward to work and swarm as those which "had swice as much honey in the autumn before." See the Rev. Ms. White's Method of preserving Bass, 3d Edit, pr. 14.

If success continues to attend this experiment of keeping the bees asleep all the winter and spring without consuming their honey, a great point will be gained; especially as Mr. Wildman has taught us to take the honey without killing the bees; for by what I have observed in this country, our bees are lost chiefly by being tempted to go out by a clear sun in the spring; though perhaps a frosty wind blows and chills them, so as to prevent their being able to return to the hive; or an early warmth induces the queen to say eggs, and a number of young bees are bred, which consume the little provision left, before the fields can afford any supply.

ARTICLE XXXVII.

evelopted i by the wind and with main a to,

On the management of Bees.

Having lately met with a book intitled, The Femenine Monarchie, written out of Experience by Charles Butler, printed in the year 1634, I was much pleased with it, and am persuaded that its being but little known, is merely owing to an affected quaintness of expression, and a singularity in his manner of spelling. In every other respect, it well deserves the character given of it by the candid and judicious Mr. Wolridge, who, in his Systema Agriculture, cap. ix. fect. 3. hinting at the discoveries already made in the management of bees, mentions this author in the following words: " Ever referving " unto the ingenious and worthy BUTLER, the or praise and respects justly due unto him, for his most accurate and excellent piece on this noble fubject; who hath as methodically and completely " handled this part, as ever any author in our lan-" guage did any other belonging to the whole " mystery of agriculture, or in any wife relating to it." Our

STOR

Our author justly observes, that plus est aculasus sessis unus, quam auriti decem.

As an instance of the steady adherence of bees to

monarchy, he relates the following fact:

Two swarms being put together, the bees on both sides, as their manner is, made a murmuring poile, as being discontented with the Judden congress of strangers: but knowing well that the more the merrier, the fafer, the warmer, yea, and the better provided, they were quickly made friends; and having agreed which queen should reign, three or four bees brought the other queen down between them, pulling and hauling, as they were leading her to execution; which I, by chance, perceiving, got hold of her by the wings, and with much ado, took her from them. After a while, to fee what would become of it, I put her into the hive again. No fooner was the among them, but the tumult began afresh, greater than before; and presently they fell together by the ears, fiercely fighting and killing one another, for the space of more than an hour; and by no means could ceafe, until the poor condemned queen was brought forth flain, and laid before the door; which done, the strife presently ended, and the bees agreed well together. If the old queen bring forth many young queens, left the multitude of rulers thould diffract the unstable commons into factions; within two days of the last swarm, yea sometimes even sooner, when unkind weather has them within doors, you shall find the superfluous queens dead before the hive. I have taken eight of them up together, brought out of one hive, when two at least were gone forth with their fwarms. In the year 1633, there were bred in one hive no less than seventeen, one whereof went forth with the prime fwarm; five were brought out dead four days before the calling role; other live came forth with the castling; and the next day, five more more were brought out dead; and yet one remained which called the next day. These observations agree with what Pliny relates in his Hist. Nat. lib. xi. cap. 16. but I cannot agree with him in opinion, that there are different kinds of bees, for I never saw such; and I rather think that the difference observed in them, arises from their difference of age. The young, when they first come abroad, are not grown to their full size; and the old ones wither, and become less. Their colour also varies in their different ages; the old ones are brown, whereas before they were more pale; and at last they turn whitish again., Moreover, they that are loaded seem greater and longer than those that are empty.

The truth is, a bee is but a year's bird, with some advantage. The bees of the former year, which until Gemini (21st of May) in the next year, do look so youthfully, that you cannot discern them from their grown young ones, do from thenceforth change with manifest difference: for whereas the young bees continue great, full, fmooth, brown and wellcoloured; the old ones wax little, withered, rough, whitish, with ragged wings, worn by their earnest labour, which they never give over until their walted wings are no longer able to bear their bodies and burdens home again; and then they die in their delightful labour, Some of them having past all dangers in the field, do yet fail, and fall even at the hive door. You may eafily find them on the ground, especially in Concer and Leo (from the 21st of June to the 2 set of August), some dead, some half dead, and some alive, which yet can never rise again: and by Libra (the 22d of September) you spall scarce see one of them left.

Of all their fenses, their fight seemeth the weakest, and weaker when they come home loaded, than when they are empty; and when loaded, their sight fight is weaker when on foot, than when they are flying. If, when they come home loaded, they alight belide the door, they will go up and down feeking for it, as if they were in the dark: and unless they hit upon it by chance, they must fly again before they can find it. As many as fall belide the stool, when it waxeth dark, ten to one, they lie abroad all night. On this account it is, that before they fly abroad, they take such pains at the door in rubbing and wiping their glazen eyes, that they may the better discern their way forth and back again.

Their finelling is excellent, whereby, when they fly aloft in the air, they will quickly perceive any thing under them that they like, even though it be covered. So foon as the honey-dew is fallen, they prefently wind it, though the oak that receiveth it be afar off. By this fense they find out any strange

bee, even in the dark.

I have known the bees of a stall, though sofficiently provided with honey in the spring, even after they had bred their young, to forsake all, because of poulery, which had roosted over them; and yet the smell of urine doth not offend them; may, they

will be very bufy where it is fhed.

They use their stings against such things as have outwardly some offensive excrement, such as hair or seathers, the touch whereof provoketh them to sting. If they alight upon the hair of the head or beard, they will sting, if they can reach the skin. Wool, and woollen cloth do not offend them: and if they strike their stings into woollen, being otherwise angry, they can easily pull them out again. The knap of new sulfian displeaseth them, because it seemeth hairy; and the stuff is so fast, that it holdesh the sting. Wherefore such apparel is not fit among bees; nor is leather in gloves of otherways: for as soon as they touch it, they will strike

if they be any whit moved, and they cannot recover their sting. When they are angry, their aim is most commonly at the face; but the bare hand that is not hairy, they will seldom sting, unless they be much offended.

If you are stung, or any in the company, year though a bee hath stricken but your clothes, especially in hot weather, you were best be packing as fast as you can; for the other bees smelling the rank savour of the poison cast out with the sting, will come about you as thick as hail. Thus the l'salmist of his enemies, they came about me like bees.

There is no danger in the wound, unless it be in very bad habits. If the sting be not presently pulled out, it will work itself into the flesh up to the hard end, and so cause the pain and swelling to be both greater and of longer continuance. Mallow leaves immediately applied, give relief.

But if thou wilt have the favour of the bees, that they fling thee not, thou must avoid such things as offend them. Thou must not be unchaste or uncleanly; for impurity and fluttishoes they utterly abhor. Thou must not come among them smelling of fweat, or having a stinking breath, caused either by eating of leeks, onions, garlie, or the like: the noisomeness whereof is corrected with a cup of beer. Thou must not be given to surfeiting and drunkenness: thou must not come pussing and blowing unto them; neither halfily flir among them; nor violently defend thyfelf when they feem to threaten thee ; but fofily moving thy hand before thy face, gently put them by : and laftly, thou must be no stranger among them; fo will they love thee, and know thee from all others. When nothing hath angered them, one may fafely walk along by them; but if he stand still before them in the heat of the day, it is a marvel

marvel but one or other flying him will have a

If you have any thing to do about your hives, the fitteft time is in the morning, when the bees are newly gone abroad; and in the evening, when they are all returned home. But whenfoever you have occation to trouble their patience, or to come among them, being offended, it is better to be guarded against them. " Some drink a cup of good beer," fays Mr. Worlidge, "and find that fufficient, others " wash their hands and face there with, which proves " a good defence. I have gone amongst them in " their greatest anger and madness, only with a handful of fweet herbs in my hand, fanning about " my face. If a bee do by accident buz about " you, being unprovided, thrust your face amongst " a parcel of boughs or herbs, and he will defert " you. But the most secure way of all is to have " a net knit with fo small melhes; that a bee can-" not pass through, and of fine thread or filk, large " enough to come over your hat, and to lie down st to the collar of your doublet, through which you may fee perfectly what to do, without any " danger, having also on a pair of gloves, whereof woollen are the beft." 相對

The ground round the hives should be kept near and bare, and free from long grass or weeds; as also from beans, pease, and such plants; least the young bees falling in these shady places, be in danger to be chilled before they rise again. Let a hog eat some handfuls of malt, pease, or other corn, in a hive which is musty, and turn the hive so that the froth, which the hog made in eating, may go all about the hive; and then wipe the hive lightly with a linen cloth; and so will the bees like the hive better than a new one, being first rubbed with some sweet herbs.

The

The hives which are soonest rid of their drones, are likely to be the most forward the next year.

All the casts of the same hive come within a fortnight of one another, except in some extraordinary plentiful years both for breed and honey. Such was 1616, when not only many swarms did swarm as old stocks; but also old stocks, having betimes swarmed twice, about six weeks after began to swarm as fresh, as in another year; and so, in effect, had two summers in one.

A poor woman having taken a poor fwarm to keep for half the produce, by new-year tide loft her own half and her partner's; and being carelels of the hive when the bees were dead, let it stand abroad. Coming into her garden the next fummer, the found fome bees palling to and from her hive, which were then bufy in cleaning and drefling She wifely fearing that the bees came to carry away the wax that was left, bid her daughter carry the hive in. The wench, following her play, happily forgot her mother's commands, and by that means the hive remained till the unexpected swarm came, which afterwards ftored her garden. It is not therefore amiss to follow the advice of Columella, of having empty hives placed on stands in the apiary; because the swarms, even before they take wing, fearch for a proper habitation, and readily take possession of any one they find empty.

The properest time to hive bees, is when they are fully settled. If you trouble them before that time, they will be apt to return home; and if you let them bang much longer, there is danger of their slying away: for when they are once fully settled, they presently send forth spies to search out an abiding place; and if these bring good news before swarming time be past, they rise suddenly, and are gone; otherwise they will stay till the swarming time

next day. But whenfoever the fpies have fped. they return with all speed; and no sooner do they touch the cluster, than they begin to shake their wings, like as the bees do that are chilled, which the next perceiving does the like; and fo doth to another, until it comes to the inmost bees, whereby it caused a great hollowness in the cluster. When you fee them do thus, then you may bid them farewel; for prefently they begin to unknit, and to be gone; and then though you hive them ever lo well, they will not abide.

The hiver having no offensive apparel, should first drink of the best beer, and wet his hands and face therewith, and fo go about his business gently, taking good heed where he fets his feet, and how he handles the bees; for if he tread upon one, or by other means crush one of them, they presently discovering it by the rank smell of the poisonous sting, will be so angry, that he will have work enough to defend himself, unless he have on his harnels. Often experience bath taught me, that few fwarms much troubled in the fwarming do profper.

On the 2d day of June, 1621, I had two fair fwarms up at once, which going together, overfilled a good hive; in which, neither of the fwarms yielded their queen to the other, the fight continued for two full days and nights, wherein fuch haveck was made, that the better part of thefe brave foldiers lay on the ground. At the last, it was my good hap to fpy one of the queens in a cluster at the skirt of the hive; and taking her up, "Now, quoth I to one that flood by me, here is " fhe for whose sake all this flaughter was made;" but in about an hour, my fon found the other queen dead on the ground. When they had thus mercilesly mercilefaly murdered both the queens and the better part of the fwarms, the remaining bees role all out of the hive, and went into another fwarm, which flood behind them, and were kindly received by them, because they brought no ruler with them. This shews how careful we should be so prevent two swarms uniting when they take wing together. The air being sultry, causeth the swarms to hang

The air being fultry, causern the swarms to hang hollow, and to seem greater than they are. The greatness of swarms may be most certainly known by the weight, it being a good one that weigheth five pounds, a reasonable good one that weigheth four, and a very good one that weigheth four, and a very good one that weigheth fix. Hereby also it will not be difficult to know what number of bees is in a swarm, if you know first that 4480 weigh a pound.

Pliny relates, that the Romans first thought of viewing the works of the bees by placing either a lanthorn horn in the hive, lib. xi. cap. 16. or a transparent stone, lib. xxi. cap. 14.

The bees gather honey and wax on the aider buds for half a year together, and on the maple buds for a month. But the greatest store of honey is drawn out of the black spot on the little picked leaves of the vetch, which grow on each side the two or three uppermost joints. These they ply continually. I never saw vetches, how fat soever from hives, that for three months together, if the weather served, were not full of been. Beans also have black spotted leaves like the vetch, on which the bees sometimes seed, as well as on their slowers. They prefer the white honey suckle to the red.

Amidst the great variety of flowers on which the been seed, shis is greage, that when they begin on any flower they never touch the flower of any other kind of plant, till they have their load's iniomach that a bee which begins with the flower of the

Progr

vetch, will not touch the rich spotted leaf before they have been at home; though when they come to a flower which yieldeth both honey and becbread, they will use sometimes the tongue, and sometimes the fangs, and so collect both together.

But the greatest plenty of the purest nectar cometh from above, and the oak receiveth and keepeth the same on his smooth and solid leaves; which, when the honey-dew falls, shall have more

upon them than on all the other plants.

If conjecture might be admitted, I would judge the honey-dew to be the quinteffence of all the fweets of the earth, drawn up into the lower region of the air by the continual heat of the fun; and there condensed by the cold of the night into this most sweet and sovereign nectar, which doth thence descend in dew or drizzilng rain. The honey-dews fall from the middle of June to the middle of July; though hot and dry weather may bring them earlier, or continue them longer. At this time you shall have the bees up in a morning as early as they can see, making such a humming noise where they go, that, like merry gossips when they meet, a man may hear them farther than he can see them.

As water is necessary for the bees chiefly at the breeding season, and as ponds and brooks are dangerous for them during the cold windy weather in foring, it behoveth to have troughs in the apiary. The troughs should be seasoned by scalding them often with boiling water, until having stood a day or two, it remainst clear, and without a glittering

Aime.

Let me here add to Mr. Butler's above account, that, in the Memoires de la Societé Royale d'Agriculture de Rosen, tom. ii. p. 194, the culture of the garden-teazle is recommended on account of the bees, which are very fond of this plant, and find great

great relief in summer from the water which lodges in the joining of the leaves to the stem; for here these injects do not run the risk they do in going to springs, or other bodies of water, or even to that laid for them in troughs.

ty of combe, there is now no compression for the

for the this meant the moree box long; quite emp

Observations on Mr. Wildman's Method of managing

As the feafon of paying a particular attention to bees is now coming on, I trouble you with fome observations which occurred to me last summer, in the course of my pursuit of Mr. Wildman's directions for the management of bees. If what my experience has suggested to me shall appear worthy of public notice, you will give it a place in your useful work.

Mr. Wildman, after having given directions for putting a fwarm of bees into one of his boxes, proceeds thus, page 159. "The bees will naturally fill "the upper part of the boxes first, and so work downwards." Unless the swarm was very large, this was not the case with me; for a middling fwarm remained in the lower box, and could not, by any means I tried, be tempted into the upper box. Indeed, so unwilling are they to ascend into any upper receptacle, that if a young queen is brett, they will rather swarm than ascend either into an upper hive, box, or glass hive. It is necessity alone that prevails upon them to afcend late in the feaion, when they have no farther hopes of a young queen to lead out a fwarm. This circumstance I have frequently observed in Mr. Thorley's glass hives, as well as in Mr. Wildman's boxes.

aslimi

in the latter part of the same paragraph, page 100. Mr. Wildman directs, that after one of the frames in the upper box has been emptied of its combs, "the other frame may be taken our at the "same time." I think this practice is dangerous; for by this means the upper box being quite empty of combs, there is now no temptation for the bees to ascend into it; and they will probably shew the same reluctance to ascend into it, as in the former case.

In the same page Mr. Wildman observes, that as the boxes are only secured together by class, the upper part may be taken entirely away when full of honey, returning the bees to their fellows; and an empty such box may be put in its place. I cannot help objecting to this direction, because there will be now no temptation for the bees to ascend into a new box. If either of the boxes is taken entirely away, I would much rather take away the lower one; for there is no fear but the bees will renew their labours in a lower box.

the has occurred to me, that in order to remedy shele inconveniences, a let of boxes might be formed, by uniting the principles of Madam Vicat's

and Mr. White's collateral bee-boxes

Instead of making Mr. Wildman's lower box fource, it may be made into a parallelogram of the same height as his, one lide of which may be swelve inches in length, and the other side six; or it may be sen by eight, or any other proportion which shall be found most agreeable. The windows and shutters can be in the narrow sides only. An opening must be made for the bees in the middle of both the long sides; and if agreeable,

See Wildman, p. 108. & lequentin; voe Rev. Me Stankin White's Coffeenal Bee-posse; w. As rafe and advantageous Mephod of managing Bees; and Memoires & Observations recueilles par la Sociéte O Beonomique de Berne, année 1764, part i. p. 95. fimilar

fimilar openings may be made in the upper part of the long fides, as in Mr. White's boxes. There must be crois bars to support the combs; and other parts of the mechanilm may be varied according to the owner's fancy.

Let us now suppose a swarm of bees to be put into one of the boxes of this new confirmation. Is will be found that they will food want more room, which should be given to them, by putting another box before the former. It is almost needless to mention that the boxes should be made so exactly fimilar, that they shall fit exactly, and be fastened together by hooks and eyes. The opening in the back of the first box must be shut, and rector with a flider than otherways, because the slider may be flipped in between the boxes when they stand close together: n The bees will have an easy communication by the corresponding openings in the two boxes. When the bees begin to want more room, a third box should be placed in the front of the furface of his boxes, he makes circulathoose

In less than a month all the young bees in the first box will have come to life; and the best will have gone far in filling it with honey if the featon has been favourable. The queen, the young brood, and the greatest number of the beas, will now refine chiefly in the fecond and third boxes, and the first box may be taken away at any time after the expiration of the first month whe night previous to the taking away the first box, the paffage from it to the fecond box should be shut up; and it the fame time the flider, which fluts the opening in the back part of the first, should be taken away to give air to the bees which may bean it, and to afford them a passage to escape next day, that they may join their fellows by the opening the front box. By this means the first box man be taken away next dight without any inconveniency.

The

The very bad effects of too great heat, to which been are peculiarly subject in boxes, may be easily prevented in these, by making a number of small perforations in the farther part of the cover, which may be opened occasionally, and at other times new be thut with a flider which moves in grooves

made on purpole.

Every reader will perceive by the imperfect, the least of their ules, that I suppose him to be acquainted as least with what Mr. Wildman has said on the subject of boxes

a filder than otherways because the filder may be

familiar, that they familiae exactly, and be tad not

back of the fielt box mult be thur, a 6076, on draid

ent Hantspeed of The sevent A Loverior Bess.

Richord in between the boxes when they itsnd close Mr. Wildman has laft year made an improvement to his boxes, which should be mentioned, because it is productive of a very great improvefurface of his boxes, he makes circular holes through which the bees can afcende on these holes he puts glaffes holding about a pint, perforated at sop, in order to fix there a frame to Support the combs of honey. In a good featon, the bees can fill one of these glasses in a few days, when the combs will be very white, and the honey of a peculiarly fine fragrance, and clear colour. No gentleman who has once tafted honey thus procured, will ever be without such glasses. They are also atrended with this farther advantage; that they may be raken away at any time, without the least danger from the bees, as there will be but few of them in fuch glaffes, and even thefe few, when the glafs is taken off the hive and turned bottom up, will immediately take wing, and join their follows in the box, it and anapara aid vil and more adtaken away news of a Nicoland awa no lane

BOOKS Printed for T. CADELL in the Strand.

A N Introduction to Botany: Containing an Explanation of the Theory of that Science, and an interpretation of its Technical Terms: Extracted from the works of Dr. Linneus; and calculated to affift such as may be desirous of studying the Author's Method and Improvements. With twelve Copper-plates, and two Explanatory Tables: And an Appendix, containing upwards of Two Thousand English Names of Plants, referred to their proper Titles in the Linnean System. 3d Edition, with great Additions. To which is added

a Glossary. By James Lee. 73.

A Botanical Arrangement of all the Vegetables naturally growing in Great Britain: With Descriptions of the Genera and Species, according to the System of the celebrated Linners; being an Attempt to render the Study of Botany easy and familiar to those who are unacquainted with the learned Languages: under each Species are added, the most remarkable Varieties, the natural Places of Growth, the Duration, the Time of Flowering, the Peculiarities of Structure, the common English Names, the Names Gerard, Parkinfon, Ray, and Baubine. The Ules as Medicines, or as Poilons: as Food for Men, for Brutes and for Infects; with their Applications in Œconomy and in the Arts. With an easy Introduction to the Study of Botany; shewing the Method of investigating Plants, and Directions how to dry and preferve Specimens. 2 vols. 16s.

A Complete Body of Husbandry. Compiled from the original Papers of the late Thomas Hale, Efg. 11.

A Treatife upon Agriculture. By Dixon, Edis-

burgh. 2 vols. 14s.

The Gentleman Farmer, being an Attempt to improve Agriculture, by subjecting it to the Test

of rational Spinstiples. By the Author of the Elements of Criscian. Hadroned with Places. A Trinciples of Agriculture and Vegocian. Hadroned With Places. He Hadrone M. D. Bellow of the Royal College of Phylicians in Edinbergo. The 3d Relines with Additions 13s.

"Enery: Man, his awn Gardeger; butter a men and much more complete Gatcianer's Kalendar than any bitherto published containing or calle an Assemb of what work is necessary in be done in the Hot-House. Green House, Sarabhany Kitchen, Flower and Emit Gatclene, for intermediate in the Pear, but also ample Directions for performing the faid Work, according to the mention amongst the best Gardeness. In this Edition for ticular, Directions are given with Respectito Soil and Situation. And to the Whole is added. Complete and Useful Lasts of Forest Trees, Howevering Shrubs, Fruit Trees, Ever grown it Amonal, Hennich and Perennial Flowers: Hot House, Green House and Kitchen-Garden Plants a with the Varieties of each Sorr, cultivated in the English Gardenes. By Thomas Masse, Gardenes to his Gardenes and Duke of Leess and other Gardeners. Sch. Massey, Gardenes to his Gardenes. By Thomas Massey, Gardenes to his Gardenes and Duke of Leess and other Gardeners. Sch. Massey, Gardenes to his Gardenes and Edings relating to Agriculture and Rama. Lifeys relating to A griculture and Rural Affairs

Published with Copper-place. By a Faturer: Rublished by Defire of the law Dr. Garage, 2 vols. 14s. bound.

Georgical Edlays, By A. Hunter M. D. F. from the original Papers of the late Within Roll

The self upon Building By Dixon, Edin-

I've Centleman Launer; being an Attempt to improve Arriculture by subjecting it to the Tell

DLI